



Depth of Field Tables in Meter

for

Compact Prime CP.2 Lenses

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.2 15 mm/T2.9	■	■	■
CP.2 18 mm/T3.6	■	■	
CP.2 21 mm/T2.9	■	■	■
CP.2 25 mm/T2.1	■	■	■
CP.2 25 mm/T2.9	■	■	■
CP.2 28 mm/T2.1	■	■	■
CP.2 35 mm/T2.1	■	■	■
CP.2 50 mm/T2.1	■	■	■
CP.2 85 mm/T2.1	■	■	■
CP.2 100 mm/T2.1 CF	■	■	■
CP.2 135 mm/T2.1	■	■	■
CP.2 50 mm/T2.1 Macro	■	■	■

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.28	INF	3.35	INF	3.01	INF
10	3.04	INF	2.55	INF	2.35	INF
5	2.36	INF	2.06	INF	1.93	INF
3	1.82	9.60	1.64	33.77	1.56	INF
2.5	1.63	5.73	1.49	9.90	1.42	INF
2	1.41	3.58	1.30	4.81	1.25	INF
1.8	1.31	2.96	1.22	3.74	1.18	18.39
1.6	1.21	2.43	1.13	2.93	1.09	7.56
1.4	1.09	1.98	1.03	2.29	1.00	4.31
1.2	0.97	1.59	0.93	1.77	0.90	2.74
1	0.84	1.24	0.81	1.35	0.79	1.81
0.9	0.77	1.09	0.75	1.16	0.73	1.48
0.85	0.74	1.01	0.71	1.08	0.7	1.34
0.8	0.7	0.94	0.68	0.99	0.67	1.21
0.75	0.66	0.87	0.64	0.91	0.63	1.08
0.7	0.63	0.8	0.61	0.84	0.6	0.97
0.65	0.59	0.73	0.57	0.76	0.57	0.87
0.6	0.55	0.67	0.54	0.69	0.53	0.77
0.55	0.51	0.6	0.5	0.62	0.49	0.69
0.5	0.47	0.54	0.46	0.55	0.45	0.6
0.48	0.45	0.52	0.44	0.53	0.44	0.57
0.46	0.43	0.49	0.43	0.5	0.42	0.54
0.44	0.42	0.47	0.41	0.48	0.41	0.51
0.42	0.4	0.44	0.39	0.45	0.39	0.48
0.4	0.38	0.42	0.38	0.43	0.37	0.45
0.39	0.37	0.41	0.37	0.42	0.37	0.44
0.38	0.36	0.4	0.36	0.41	0.36	0.43
0.37	0.35	0.39	0.35	0.39	0.35	0.41
0.36	0.35	0.38	0.34	0.38	0.34	0.4
0.35	0.34	0.36	0.33	0.37	0.33	0.39
0.34	0.33	0.35	0.32	0.36	0.32	0.37
0.33	0.32	0.34	0.32	0.35	0.31	0.36
0.32	0.31	0.33	0.31	0.33	0.31	0.35
0.31	0.3	0.32	0.3	0.32	0.3	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.32

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2.30	INF	1.59	INF	1.09	INF
10	1.90	INF	1.40	INF	1.01	INF
5	1.62	INF	1.25	INF	0.93	INF
3	1.36	INF	1.09	INF	0.84	INF
2.5	1.25	INF	1.02	INF	0.81	INF
2	1.12	INF	0.94	INF	0.76	INF
1.8	1.06	INF	0.90	INF	0.73	INF
1.6	1.00	INF	0.85	INF	0.70	INF
1.4	0.92	INF	0.80	INF	0.67	INF
1.2	0.84	7.90	0.74	INF	0.63	INF
1	0.74	3.10	0.67	27.75	0.58	INF
0.9	0.69	2.21	0.63	5.71	0.55	INF
0.85	0.66	1.89	0.6	3.89	0.53	INF
0.8	0.63	1.62	0.58	2.87	0.52	INF
0.75	0.61	1.4	0.56	2.21	0.5	11.67
0.7	0.57	1.21	0.53	1.75	0.48	4.67
0.65	0.54	1.05	0.51	1.42	0.46	2.77
0.6	0.51	0.91	0.48	1.16	0.44	1.88
0.55	0.48	0.78	0.45	0.95	0.41	1.36
0.5	0.44	0.67	0.42	0.79	0.39	1.03
0.48	0.43	0.63	0.41	0.73	0.38	0.92
0.46	0.41	0.59	0.39	0.67	0.37	0.83
0.44	0.4	0.56	0.38	0.62	0.36	0.75
0.42	0.38	0.52	0.37	0.58	0.35	0.68
0.4	0.37	0.49	0.35	0.53	0.33	0.62
0.39	0.36	0.47	0.35	0.51	0.33	0.59
0.38	0.35	0.45	0.34	0.49	0.32	0.56
0.37	0.34	0.44	0.33	0.47	0.32	0.53
0.36	0.33	0.42	0.32	0.45	0.31	0.51
0.35	0.33	0.41	0.32	0.43	0.3	0.48
0.34	0.32	0.39	0.31	0.42	0.3	0.46
0.33	0.31	0.38	0.3	0.4	0.29	0.44
0.32	0.3	0.36	0.29	0.38	0.28	0.41
0.31	0.29	0.35	0.29	0.37	0.28	0.39
0.3	0.28	0.33	0.28	0.35	0.27	0.37

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0.77	INF
10	0.73	INF
5	0.69	INF
3	0.65	INF
2.5	0.63	INF
2	0.60	INF
1.8	0.59	INF
1.6	0.57	INF
1.4	0.55	INF
1.2	0.52	INF
1	0.49	INF
0.9	0.47	INF
0.85	0.46	INF
0.8	0.45	INF
0.75	0.44	INF
0.7	0.42	INF
0.65	0.41	INF
0.6	0.39	35.44
0.55	0.37	3.94
0.5	0.36	1.92
0.48	0.35	1.56
0.46	0.34	1.29
0.44	0.33	1.09
0.42	0.32	0.93
0.4	0.31	0.8
0.39	0.31	0.75
0.38	0.3	0.7
0.37	0.3	0.65
0.36	0.29	0.61
0.35	0.29	0.57
0.34	0.28	0.54
0.33	0.28	0.5
0.32	0.27	0.47
0.31	0.26	0.44
0.3	0.26	0.42

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	3.6		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.91	INF	4.36	INF	4.87	INF
10	3.33	INF	3.07	INF	3.31	INF
6	2.74	INF	2.56	INF	2.73	INF
4	2.24	21.27	2.12	18.17	2.23	INF
3	1.90	7.52	1.81	7.09	1.89	INF
2.5	1.69	4.95	1.63	4.77	1.69	92.38
2	1.45	3.28	1.40	3.20	1.45	8.52
1.8	1.35	2.76	1.31	2.70	1.34	5.67
1.6	1.24	2.30	1.20	2.26	1.23	3.99
1.4	1.12	1.90	1.09	1.87	1.11	2.90
1.3	1.05	1.72	1.03	1.69	1.05	2.48
1.2	0.99	1.54	0.97	1.52	0.99	2.12
1.1	0.92	1.38	0.9	1.36	0.92	1.81
1	0.85	1.22	0.84	1.21	0.85	1.54
0.95	0.82	1.14	0.8	1.13	0.82	1.42
0.9	0.78	1.07	0.77	1.06	0.78	1.3
0.85	0.74	1	0.73	0.99	0.74	1.2
0.8	0.71	0.93	0.7	0.92	0.71	1.09
0.75	0.67	0.86	0.66	0.85	0.67	1
0.7	0.63	0.79	0.62	0.79	0.63	0.91
0.65	0.59	0.73	0.58	0.72	0.59	0.82
0.6	0.55	0.66	0.54	0.66	0.55	0.74
0.58	0.53	0.64	0.53	0.64	0.53	0.71
0.56	0.52	0.61	0.51	0.61	0.52	0.67
0.54	0.5	0.59	0.5	0.59	0.5	0.64
0.52	0.48	0.56	0.48	0.56	0.48	0.61
0.5	0.47	0.54	0.46	0.54	0.47	0.59
0.48	0.45	0.52	0.45	0.51	0.45	0.56
0.46	0.43	0.49	0.43	0.49	0.43	0.53
0.44	0.41	0.47	0.41	0.47	0.41	0.5
0.42	0.4	0.45	0.39	0.44	0.4	0.47
0.4	0.38	0.42	0.38	0.42	0.38	0.45
0.39	0.37	0.41	0.37	0.41	0.37	0.43
0.38	0.36	0.4	0.36	0.4	0.36	0.42
0.37	0.35	0.39	0.35	0.39	0.35	0.41
0.36	0.34	0.38	0.34	0.38	0.34	0.4
0.35	0.34	0.37	0.33	0.37	0.34	0.38
0.34	0.33	0.36	0.33	0.35	0.33	0.37
0.33	0.32	0.34	0.32	0.34	0.32	0.36
0.32	0.31	0.33	0.31	0.33	0.31	0.35
0.31	0.3	0.32	0.3	0.32	0.3	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.32

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6.41	INF	4.44	INF	2.43	INF
10	3.94	INF	3.11	INF	1.98	INF
6	3.13	INF	2.59	INF	1.76	INF
4	2.50	INF	2.14	INF	1.55	INF
3	2.07	INF	1.83	INF	1.38	INF
2.5	1.83	INF	1.63	INF	1.27	INF
2	1.55	INF	1.41	INF	1.13	INF
1.8	1.43	INF	1.31	INF	1.07	INF
1.6	1.30	INF	1.20	INF	1.00	INF
1.4	1.17	20.36	1.09	INF	0.92	INF
1.3	1.10	9.05	1.03	INF	0.88	INF
1.2	1.03	5.49	0.97	INF	0.84	INF
1.1	0.96	3.75	0.9	INF	0.79	INF
1	0.88	2.72	0.84	11.34	0.74	INF
0.95	0.84	2.34	0.8	6.69	0.71	INF
0.9	0.8	2.03	0.77	4.59	0.69	INF
0.85	0.76	1.77	0.73	3.4	0.66	INF
0.8	0.73	1.55	0.7	2.64	0.63	13.09
0.75	0.68	1.35	0.66	2.1	0.6	5.61
0.7	0.64	1.18	0.62	1.7	0.57	3.4
0.65	0.6	1.03	0.58	1.4	0.54	2.34
0.6	0.56	0.9	0.54	1.16	0.5	1.71
0.58	0.54	0.85	0.53	1.08	0.49	1.53
0.56	0.53	0.81	0.51	1	0.48	1.37
0.54	0.51	0.76	0.49	0.93	0.46	1.24
0.52	0.49	0.72	0.48	0.86	0.45	1.12
0.5	0.47	0.68	0.46	0.8	0.44	1.01
0.48	0.46	0.64	0.45	0.74	0.42	0.92
0.46	0.44	0.6	0.43	0.69	0.41	0.84
0.44	0.42	0.56	0.41	0.64	0.39	0.76
0.42	0.4	0.53	0.39	0.59	0.38	0.69
0.4	0.38	0.49	0.38	0.55	0.36	0.63
0.39	0.37	0.48	0.37	0.53	0.35	0.6
0.38	0.37	0.46	0.36	0.51	0.35	0.57
0.37	0.36	0.44	0.35	0.49	0.34	0.55
0.36	0.35	0.43	0.34	0.47	0.33	0.52
0.35	0.34	0.41	0.33	0.45	0.32	0.5
0.34	0.33	0.4	0.32	0.43	0.31	0.47
0.33	0.32	0.38	0.32	0.41	0.31	0.45
0.32	0.31	0.37	0.31	0.39	0.3	0.43
0.31	0.3	0.35	0.3	0.38	0.29	0.41
0.3	0.29	0.34	0.29	0.36	0.28	0.39

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.40	INF
10	1.24	INF
6	1.16	INF
4	1.07	INF
3	0.99	INF
2.5	0.93	INF
2	0.86	INF
1.8	0.82	INF
1.6	0.78	INF
1.4	0.74	INF
1.3	0.71	INF
1.2	0.68	INF
1.1	0.65	INF
1	0.62	INF
0.95	0.6	INF
0.9	0.58	INF
0.85	0.56	INF
0.8	0.54	INF
0.75	0.52	INF
0.7	0.5	INF
0.65	0.48	19.44
0.6	0.45	4.61
0.58	0.44	3.44
0.56	0.43	2.7
0.54	0.42	2.2
0.52	0.41	1.83
0.5	0.4	1.55
0.48	0.39	1.33
0.46	0.37	1.15
0.44	0.36	1.01
0.42	0.35	0.89
0.4	0.34	0.78
0.39	0.33	0.74
0.38	0.32	0.69
0.37	0.32	0.65
0.36	0.31	0.61
0.35	0.3	0.58
0.34	0.3	0.55
0.33	0.29	0.51
0.32	0.28	0.48
0.31	0.28	0.46
0.3	0.27	0.43

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	8.36	INF	7.00	INF	7.20	INF
10	4.61	INF	4.17	INF	4.24	INF
5	3.18	12.15	2.97	21.71	3.00	INF
3	2.25	4.57	2.14	5.44	2.16	17.00
2	1.65	2.56	1.59	2.81	1.60	4.24
1.7	1.44	2.08	1.40	2.24	1.41	3.04
1.5	1.30	1.78	1.27	1.89	1.27	2.42
1.3	1.15	1.50	1.12	1.58	1.13	1.92
1.1	0.99	1.24	0.97	1.28	0.98	1.49
1	0.91	1.11	0.90	1.15	0.90	1.31
0.9	0.83	0.98	0.82	1.01	0.82	1.13
0.8	0.75	0.86	0.74	0.89	0.74	0.97
0.75	0.7	0.8	0.7	0.82	0.7	0.89
0.7	0.66	0.75	0.65	0.76	0.65	0.82
0.65	0.62	0.69	0.61	0.7	0.61	0.75
0.6	0.57	0.63	0.57	0.64	0.57	0.68
0.55	0.53	0.58	0.52	0.58	0.52	0.61
0.5	0.48	0.52	0.48	0.53	0.48	0.55
0.48	0.46	0.5	0.46	0.5	0.46	0.52
0.46	0.45	0.48	0.44	0.48	0.44	0.5
0.44	0.43	0.45	0.42	0.46	0.42	0.47
0.42	0.41	0.43	0.41	0.44	0.41	0.45
0.4	0.39	0.41	0.39	0.41	0.39	0.43
0.39	0.38	0.4	0.38	0.4	0.38	0.41
0.38	0.37	0.39	0.37	0.39	0.37	0.4
0.37	0.36	0.38	0.36	0.38	0.36	0.39
0.36	0.35	0.37	0.35	0.37	0.35	0.38
0.35	0.34	0.36	0.34	0.36	0.34	0.37
0.34	0.33	0.35	0.33	0.35	0.33	0.36
0.33	0.32	0.34	0.32	0.34	0.32	0.35
0.32	0.31	0.33	0.31	0.33	0.31	0.33
0.31	0.31	0.32	0.3	0.32	0.3	0.32
0.3	0.3	0.3	0.29	0.31	0.29	0.31
0.29	0.29	0.29	0.29	0.3	0.29	0.3
0.28	0.28	0.28	0.28	0.28	0.28	0.29
0.27	0.27	0.27	0.27	0.27	0.27	0.28
0.26	0.26	0.26	0.26	0.26	0.26	0.27
0.25	0.25	0.25	0.25	0.25	0.25	0.26
0.24	0.24	0.24	0.24	0.24	0.24	0.25

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5.94	INF	3.93	INF	2.48	INF
10	3.78	INF	2.86	INF	2.02	INF
5	2.77	INF	2.25	INF	1.71	INF
3	2.04	INF	1.75	INF	1.41	INF
2	1.54	10.55	1.37	INF	1.16	INF
1.7	1.36	5.23	1.23	28.18	1.06	INF
1.5	1.23	3.61	1.13	8.05	0.98	INF
1.3	1.10	2.57	1.02	4.17	0.90	19.62
1.1	0.95	1.85	0.89	2.51	0.81	4.65
1	0.88	1.56	0.83	2.00	0.76	3.11
0.9	0.80	1.31	0.76	1.60	0.70	2.21
0.8	0.73	1.1	0.69	1.28	0.64	1.63
0.75	0.69	1	0.66	1.14	0.61	1.41
0.7	0.64	0.9	0.62	1.02	0.58	1.22
0.65	0.6	0.82	0.58	0.91	0.55	1.05
0.6	0.56	0.73	0.54	0.8	0.51	0.91
0.55	0.52	0.65	0.5	0.71	0.48	0.79
0.5	0.47	0.58	0.46	0.62	0.44	0.68
0.48	0.46	0.55	0.45	0.59	0.43	0.63
0.46	0.44	0.52	0.43	0.55	0.41	0.59
0.44	0.42	0.5	0.41	0.52	0.4	0.56
0.42	0.4	0.47	0.4	0.49	0.38	0.52
0.4	0.39	0.44	0.38	0.46	0.37	0.49
0.39	0.38	0.43	0.37	0.45	0.36	0.47
0.38	0.37	0.42	0.36	0.43	0.35	0.45
0.37	0.36	0.4	0.35	0.42	0.34	0.44
0.36	0.35	0.39	0.34	0.4	0.34	0.42
0.35	0.34	0.38	0.34	0.39	0.33	0.41
0.34	0.33	0.37	0.33	0.38	0.32	0.39
0.33	0.32	0.35	0.32	0.36	0.31	0.38
0.32	0.31	0.34	0.31	0.35	0.3	0.36
0.31	0.3	0.33	0.3	0.34	0.29	0.35
0.3	0.29	0.32	0.29	0.32	0.29	0.33
0.29	0.28	0.31	0.28	0.31	0.28	0.32
0.28	0.27	0.29	0.27	0.3	0.27	0.31
0.27	0.27	0.28	0.26	0.29	0.26	0.29
0.26	0.26	0.27	0.25	0.27	0.25	0.28
0.25	0.25	0.26	0.24	0.26	0.24	0.27
0.24	0.24	0.25	0.24	0.25	0.23	0.26

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.63	INF
10	1.42	INF
5	1.27	INF
3	1.10	INF
2	0.95	INF
1.7	0.88	INF
1.5	0.83	INF
1.3	0.77	INF
1.1	0.71	INF
1	0.67	14.37
0.9	0.63	4.83
0.8	0.58	2.65
0.75	0.56	2.08
0.7	0.53	1.68
0.65	0.51	1.37
0.6	0.48	1.13
0.55	0.45	0.93
0.5	0.42	0.77
0.48	0.41	0.72
0.46	0.39	0.67
0.44	0.38	0.62
0.42	0.37	0.57
0.4	0.35	0.53
0.39	0.35	0.51
0.38	0.34	0.49
0.37	0.33	0.47
0.36	0.32	0.45
0.35	0.32	0.43
0.34	0.31	0.41
0.33	0.3	0.4
0.32	0.29	0.38
0.31	0.29	0.36
0.3	0.28	0.35
0.29	0.27	0.33
0.28	0.26	0.32
0.27	0.25	0.3
0.26	0.25	0.29
0.25	0.24	0.27
0.24	0.23	0.26

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7.97	INF	5.38	INF	3.65	INF
12	4.83	INF	3.75	INF	2.83	INF
6	3.47	INF	2.88	INF	2.31	INF
4	2.70	16.09	2.34	INF	1.95	INF
3	2.22	6.74	1.97	12.56	1.69	INF
2.5	1.94	4.6	1.75	6.69	1.53	18.08
2	1.63	3.11	1.49	3.93	1.33	6.17
1.8	1.5	2.64	1.38	3.2	1.25	4.52
1.6	1.36	2.22	1.26	2.59	1.15	3.39
1.4	1.21	1.84	1.14	2.09	1.05	2.56
1.2	1.06	1.5	1.01	1.66	0.94	1.93
1.1	0.99	1.34	0.94	1.46	0.88	1.67
1	0.91	1.19	0.87	1.29	0.82	1.44
0.9	0.82	1.05	0.79	1.12	0.75	1.23
0.85	0.8	1.0	0.8	1.0	0.7	1.1
0.8	0.7	0.9	0.7	1.0	0.7	1.0
0.75	0.7	0.9	0.7	0.9	0.7	1.0
0.7	0.7	0.8	0.6	0.8	0.6	0.9
0.65	0.61	0.72	0.6	0.75	0.57	0.79
0.6	0.57	0.66	0.56	0.68	0.54	0.71
0.58	0.55	0.63	0.54	0.65	0.52	0.68
0.56	0.53	0.61	0.52	0.63	0.51	0.65
0.54	0.52	0.58	0.5	0.6	0.49	0.63
0.52	0.5	0.56	0.49	0.57	0.47	0.6
0.5	0.48	0.53	0.47	0.55	0.46	0.57
0.48	0.46	0.51	0.45	0.52	0.44	0.54
0.46	0.44	0.49	0.44	0.5	0.43	0.52
0.44	0.43	0.46	0.42	0.47	0.41	0.49
0.42	0.4	0.4	0.4	0.5	0.4	0.5
0.39	0.4	0.4	0.4	0.4	0.4	0.4
0.38	0.37	0.4	0.37	0.4	0.36	0.41
0.37	0.4	0.4	0.4	0.4	0.4	0.4
0.36	0.4	0.4	0.4	0.4	0.3	0.4
0.35	0.3	0.4	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4	0.3	0.4
0.33	0.32	0.34	0.32	0.35	0.32	0.35
0.32	0.31	0.33	0.31	0.33	0.31	0.34
0.31	0.3	0.32	0.3	0.32	0.3	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.32
0.29	0.29	0.3	0.28	0.3	0.28	0.3
0.28	0.28	0.29	0.27	0.29	0.27	0.29

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2.52	INF	1.76	INF
12	2.11	INF	1.56	INF
6	1.81	INF	1.39	INF
4	1.59	INF	1.26	INF
3	1.41	INF	1.15	INF
2.5	1.3	INF	1.08	INF
2	1.16	32.83	0.98	INF
1.8	1.09	10.97	0.94	INF
1.6	1.02	5.99	0.88	INF
1.4	0.94	3.78	0.83	12.23
1.2	0.85	2.54	0.76	4.63
1.1	0.8	2.1	0.72	3.32
1	0.75	1.74	0.68	2.48
0.9	0.7	1.43	0.64	1.89
0.85	0.7	1.3	0.6	1.7
0.8	0.6	1.2	0.6	1.5
0.75	0.6	1.1	0.6	1.3
0.7	0.6	1.0	0.5	1.1
0.65	0.55	0.86	0.51	0.99
0.6	0.51	0.77	0.48	0.87
0.58	0.5	0.73	0.47	0.82
0.56	0.48	0.7	0.46	0.78
0.54	0.47	0.67	0.45	0.74
0.52	0.46	0.63	0.43	0.7
0.5	0.44	0.6	0.42	0.66
0.48	0.43	0.57	0.41	0.62
0.46	0.41	0.54	0.39	0.58
0.44	0.4	0.51	0.38	0.55
0.42	0.38	0.48	0.37	0.51
0.39	0.36	0.44	0.35	0.47
0.38	0.35	0.43	0.34	0.45
0.37	0.3	0.4	0.3	0.4
0.36	0.3	0.4	0.3	0.4
0.35	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4
0.33	0.31	0.36	0.3	0.38
0.32	0.3	0.35	0.29	0.36
0.31	0.29	0.34	0.29	0.35
0.3	0.28	0.32	0.28	0.33
0.29	0.28	0.31	0.27	0.32
0.28	0.27	0.3	0.26	0.31

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6.28	INF	4.32	INF	2.88	INF
4	2.49	INF	2.12	INF	1.72	INF
2	1.55	4.34	1.41	8.18	1.22	INF
1.3	1.10	1.95	1.03	2.43	0.93	3.58
1	0.88	1.32	0.84	1.52	0.78	1.87
0.8	0.73	0.98	0.70	1.08	0.66	1.24
0.7	0.65	0.83	0.62	0.89	0.59	1.00
0.6	0.56	0.69	0.55	0.73	0.52	0.79
0.55	0.52	0.62	0.51	0.65	0.49	0.70
0.5	0.47	0.55	0.46	0.58	0.45	0.61
0.45	0.43	0.49	0.42	0.51	0.41	0.53
0.4	0.39	0.43	0.38	0.44	0.37	0.46
0.38	0.37	0.41	0.36	0.42	0.35	0.43
0.36	0.35	0.38	0.34	0.39	0.34	0.4
0.34	0.33	0.36	0.33	0.37	0.32	0.38
0.32	0.31	0.34	0.31	0.34	0.3	0.35
0.3	0.29	0.31	0.29	0.32	0.29	0.32
0.29	0.28	0.3	0.28	0.31	0.28	0.31
0.28	0.27	0.29	0.27	0.29	0.27	0.3
0.27	0.27	0.28	0.26	0.28	0.26	0.29
0.26	0.26	0.27	0.25	0.27	0.25	0.28
0.25	0.25	0.26	0.24	0.26	0.24	0.26
0.24	0.24	0.25	0.24	0.25	0.23	0.25
0.23	0.23	0.24	0.23	0.24	0.22	0.24
0.22	0.22	0.22	0.22	0.23	0.21	0.23
0.21	0.21	0.21	0.21	0.21	0.21	0.22
0.2	0.2	0.2	0.2	0.2	0.2	0.21
0.19	0.19	0.19	0.19	0.19	0.19	0.19
0.18	0.18	0.18	0.18	0.18	0.18	0.18
0.17	0.17	0.17	0.17	0.17	0.17	0.17

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.94	INF
4	1.35	INF
2	1.03	INF
1.3	0.82	10.54
1	0.70	2.79
0.8	0.60	1.56
0.7	0.55	1.18
0.6	0.49	0.90
0.55	0.46	0.78
0.5	0.43	0.67
0.45	0.39	0.57
0.4	0.36	0.49
0.38	0.34	0.45
0.36	0.33	0.42
0.34	0.31	0.39
0.32	0.3	0.36
0.3	0.28	0.34
0.29	0.27	0.32
0.28	0.26	0.31
0.27	0.26	0.29
0.26	0.25	0.28
0.25	0.24	0.27
0.24	0.23	0.26
0.23	0.22	0.24
0.22	0.21	0.23
0.21	0.2	0.22
0.2	0.19	0.21
0.19	0.19	0.2
0.18	0.18	0.18
0.17	0.17	0.17

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	15.19	INF	10.87	INF	6.63	INF
10	6.07	INF	5.25	INF	4.03	INF
5	3.79	52.01	3.46	INF	2.89	INF
3	2.53	6.36	2.38	12.26	2.10	INF
2	1.79	3.03	1.71	3.9	1.57	5.78
1.6	1.46	2.18	1.41	2.58	1.32	3.26
1.4	1.3	1.81	1.26	2.08	1.18	2.49
1.2	1.12	1.48	1.1	1.65	1.04	1.89
1	0.95	1.18	0.93	1.28	0.89	1.42
0.9	0.86	1.04	0.84	1.11	0.81	1.21
0.8	0.77	0.91	0.76	0.96	0.73	1.03
0.75	0.72	0.84	0.71	0.89	0.69	0.94
0.7	0.68	0.78	0.67	0.81	0.65	0.86
0.65	0.63	0.71	0.62	0.74	0.61	0.78
0.6	0.6	0.7	0.6	0.7	0.6	0.7
0.55	0.5	0.6	0.5	0.6	0.5	0.6
0.5	0.5	0.5	0.5	0.6	0.5	0.6
0.48	0.5	0.5	0.5	0.5	0.5	0.5
0.46	0.45	0.49	0.45	0.5	0.44	0.51
0.44	0.43	0.46	0.43	0.47	0.42	0.49
0.42	0.41	0.44	0.41	0.45	0.4	0.46
0.4	0.39	0.42	0.39	0.43	0.39	0.44
0.39	0.38	0.41	0.38	0.41	0.38	0.42
0.38	0.37	0.4	0.37	0.4	0.37	0.41
0.37	0.36	0.38	0.36	0.39	0.36	0.4
0.36	0.36	0.37	0.35	0.38	0.35	0.39
0.35	0.35	0.36	0.34	0.37	0.34	0.37
0.34	0.34	0.35	0.33	0.36	0.33	0.36
0.33	0.3	0.3	0.3	0.3	0.3	0.4
0.32	0.3	0.3	0.3	0.3	0.3	0.3
0.31	0.3	0.3	0.3	0.3	0.3	0.3
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.3	0.29	0.3	0.28	0.3
0.28	0.28	0.29	0.28	0.29	0.27	0.29
0.27	0.27	0.28	0.27	0.28	0.27	0.28
0.26	0.26	0.26	0.26	0.27	0.26	0.27
0.25	0.25	0.25	0.25	0.26	0.25	0.26
0.24	0.24	0.24	0.24	0.25	0.24	0.25

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4.09	INF	2.63	INF
10	2.94	INF	2.11	INF
5	2.29	INF	1.76	INF
3	1.77	INF	1.45	INF
2	1.38	15.39	1.18	INF
1.6	1.19	4.97	1.04	18.47
1.4	1.08	3.35	0.96	6.49
1.2	0.96	2.34	0.86	3.48
1	0.83	1.64	0.76	2.11
0.9	0.76	1.37	0.71	1.68
0.8	0.69	1.14	0.65	1.33
0.75	0.66	1.03	0.61	1.19
0.7	0.62	0.93	0.58	1.05
0.65	0.58	0.84	0.55	0.93
0.6	0.5	0.8	0.5	0.8
0.55	0.5	0.7	0.5	0.7
0.5	0.5	0.6	0.4	0.6
0.48	0.5	0.6	0.4	0.6
0.46	0.43	0.53	0.41	0.56
0.44	0.41	0.5	0.4	0.53
0.42	0.4	0.48	0.38	0.5
0.4	0.38	0.45	0.37	0.47
0.39	0.37	0.44	0.36	0.45
0.38	0.36	0.42	0.35	0.44
0.37	0.35	0.41	0.34	0.42
0.36	0.34	0.4	0.33	0.41
0.35	0.33	0.38	0.33	0.4
0.34	0.33	0.37	0.32	0.38
0.33	0.3	0.4	0.3	0.4
0.32	0.3	0.4	0.3	0.4
0.31	0.3	0.3	0.3	0.3
0.3	0.3	0.3	0.3	0.3
0.29	0.28	0.31	0.28	0.32
0.28	0.27	0.3	0.27	0.3
0.27	0.26	0.28	0.26	0.29
0.26	0.25	0.27	0.25	0.28
0.25	0.24	0.26	0.24	0.27
0.24	0.23	0.25	0.23	0.25

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	32.74	INF	40.82	INF	37.45	INF
10	7.69	14.32	8.06	22.85	7.92	81.02
6	5.09	7.31	5.25	9	5.19	12.48
4	3.58	4.53	3.66	5.12	3.63	6.06
3	2.76	3.28	2.81	3.58	2.79	4.01
2.5	2.33	2.69	2.36	2.88	2.35	3.15
2	1.89	2.12	1.91	2.23	1.91	2.39
1.8	1.72	1.89	1.73	1.98	1.72	2.1
1.6	1.53	1.67	1.55	1.74	1.54	1.83
1.4	1.35	1.45	1.36	1.5	1.36	1.57
1.3	1.26	1.35	1.26	1.39	1.26	1.44
1.2	1.16	1.24	1.17	1.27	1.17	1.32
1.1	1.07	1.13	1.08	1.16	1.07	1.2
1	0.98	1.03	0.98	1.05	0.98	1.08
0.95	0.93	0.97	0.93	0.99	0.93	1.02
0.9	0.88	0.92	0.88	0.94	0.88	0.96
0.85	0.83	0.87	0.84	0.88	0.83	0.9
0.8	0.78	0.82	0.79	0.83	0.79	0.85
0.75	0.74	0.76	0.74	0.78	0.74	0.79
0.7	0.69	0.71	0.69	0.72	0.69	0.73
0.65	0.64	0.66	0.64	0.67	0.64	0.68
0.6	0.59	0.61	0.59	0.61	0.59	0.62
0.58	0.57	0.59	0.57	0.59	0.57	0.6
0.56	0.55	0.57	0.55	0.57	0.55	0.58
0.54	0.53	0.55	0.54	0.55	0.53	0.56
0.52	0.51	0.53	0.52	0.53	0.51	0.54
0.5	0.49	0.51	0.5	0.51	0.5	0.51
0.49	0.49	0.49	0.49	0.5	0.49	0.5
0.48	0.48	0.48	0.48	0.49	0.48	0.49
0.47	0.47	0.47	0.47	0.48	0.47	0.48
0.46	0.46	0.46	0.46	0.47	0.46	0.47
0.45	0.45	0.45	0.45	0.46	0.45	0.46
0.44	0.44	0.44	0.44	0.45	0.44	0.45
0.43	0.43	0.43	0.43	0.44	0.43	0.44
0.42	0.42	0.42	0.42	0.43	0.42	0.43
0.41	0.41	0.41	0.41	0.42	0.41	0.42
0.4	0.4	0.4	0.4	0.41	0.4	0.41
0.39	0.39	0.39	0.39	0.39	0.39	0.4
0.38	0.38	0.38	0.38	0.38	0.38	0.39
0.37	0.37	0.37	0.37	0.37	0.37	0.38
0.36	0.36	0.36	0.36	0.36	0.36	0.37
0.35	0.35	0.35	0.35	0.35	0.35	0.36
0.34	0.34	0.34	0.34	0.34	0.34	0.35
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	25.17	INF	15.08	INF	9.07	INF
10	7.19	INF	6.05	INF	4.8	INF
6	4.87	21.85	4.33	INF	3.65	INF
4	3.47	7.63	3.19	10.99	2.81	24.69
3	2.7	4.62	2.53	5.65	2.29	7.86
2.5	2.29	3.51	2.17	4.07	1.99	5.08
2	1.86	2.58	1.78	2.87	1.66	3.32
1.8	1.69	2.25	1.62	2.46	1.53	2.79
1.6	1.51	1.94	1.46	2.09	1.38	2.32
1.4	1.33	1.65	1.29	1.76	1.23	1.91
1.3	1.24	1.51	1.21	1.6	1.16	1.72
1.2	1.15	1.37	1.12	1.44	1.08	1.54
1.1	1.06	1.24	1.04	1.3	1	1.38
1	0.97	1.11	0.95	1.16	0.92	1.22
0.95	0.92	1.05	0.9	1.09	0.87	1.14
0.9	0.87	0.99	0.86	1.02	0.83	1.07
0.85	0.83	0.93	0.81	0.96	0.79	1
0.8	0.78	0.87	0.77	0.89	0.75	0.93
0.75	0.73	0.81	0.72	0.83	0.7	0.86
0.7	0.69	0.75	0.68	0.77	0.66	0.79
0.65	0.64	0.69	0.63	0.71	0.62	0.72
0.6	0.59	0.63	0.58	0.65	0.57	0.66
0.58	0.57	0.61	0.56	0.62	0.55	0.64
0.56	0.55	0.59	0.55	0.6	0.54	0.61
0.54	0.53	0.57	0.53	0.57	0.52	0.59
0.52	0.51	0.54	0.51	0.55	0.5	0.56
0.5	0.49	0.52	0.49	0.53	0.48	0.54
0.49	0.48	0.51	0.48	0.52	0.47	0.53
0.48	0.47	0.5	0.47	0.51	0.46	0.51
0.47	0.46	0.49	0.46	0.49	0.45	0.5
0.46	0.45	0.48	0.45	0.48	0.45	0.49
0.45	0.44	0.47	0.44	0.47	0.44	0.48
0.44	0.44	0.45	0.43	0.46	0.43	0.47
0.43	0.43	0.44	0.42	0.45	0.42	0.46
0.42	0.42	0.43	0.41	0.44	0.41	0.44
0.41	0.41	0.42	0.4	0.43	0.4	0.43
0.4	0.4	0.41	0.39	0.42	0.39	0.42
0.39	0.39	0.4	0.38	0.4	0.38	0.41
0.38	0.38	0.39	0.37	0.39	0.37	0.4
0.37	0.37	0.38	0.36	0.38	0.36	0.39
0.36	0.36	0.37	0.36	0.37	0.35	0.38
0.35	0.35	0.36	0.35	0.36	0.34	0.36
0.34	0.34	0.35	0.34	0.35	0.33	0.35
0.33	0.33	0.34	0.33	0.34	0.32	0.34
0.32	0.32	0.33	0.32	0.33	0.31	0.33
0.31	0.31	0.32	0.31	0.32	0.3	0.32
0.3	0.3	0.3	0.3	0.31	0.3	0.31

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	5.73	INF	3.77	INF
10	3.69	INF	2.78	INF
6	2.98	INF	2.36	INF
4	2.4	INF	1.99	INF
3	2.01	16.98	1.72	INF
2.5	1.78	7.74	1.55	29.88
2	1.52	4.26	1.35	7.1
1.8	1.4	3.41	1.26	4.99
1.6	1.28	2.73	1.16	3.64
1.4	1.15	2.17	1.06	2.7
1.3	1.09	1.93	1	2.33
1.2	1.02	1.71	0.94	2.01
1.1	0.95	1.5	0.88	1.73
1	0.87	1.31	0.82	1.48
0.95	0.84	1.22	0.79	1.36
0.9	0.8	1.14	0.75	1.26
0.85	0.76	1.06	0.72	1.16
0.8	0.72	0.98	0.69	1.06
0.75	0.68	0.9	0.65	0.97
0.7	0.64	0.83	0.61	0.88
0.65	0.6	0.75	0.58	0.8
0.6	0.56	0.68	0.54	0.72
0.58	0.54	0.66	0.52	0.69
0.56	0.52	0.63	0.51	0.66
0.54	0.51	0.6	0.49	0.63
0.52	0.49	0.58	0.48	0.6
0.5	0.47	0.55	0.46	0.57
0.49	0.46	0.54	0.45	0.56
0.48	0.46	0.53	0.44	0.55
0.47	0.45	0.51	0.44	0.53
0.46	0.44	0.5	0.43	0.52
0.45	0.43	0.49	0.42	0.5
0.44	0.42	0.48	0.41	0.49
0.43	0.41	0.46	0.4	0.48
0.42	0.4	0.45	0.39	0.47
0.41	0.39	0.44	0.39	0.45
0.4	0.38	0.43	0.38	0.44
0.39	0.38	0.42	0.37	0.43
0.38	0.37	0.4	0.36	0.41
0.37	0.36	0.39	0.35	0.4
0.36	0.35	0.38	0.34	0.39
0.35	0.34	0.37	0.33	0.38
0.34	0.33	0.36	0.32	0.36
0.33	0.32	0.35	0.32	0.35
0.32	0.31	0.33	0.31	0.34
0.31	0.3	0.32	0.3	0.33
0.3	0.29	0.31	0.29	0.32

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	106.47	INF	44.56	INF	22.36	INF
20	16.84	INF	13.82	INF	10.59	INF
10	9.14	36.05	8.18	INF	6.93	INF
7	6.57	14.06	6.06	20.02	5.35	41.96
5	4.78	7.75	4.5	9.26	4.1	12.18
4	3.86	5.57	3.68	6.3	3.41	7.51
3.5	3.39	4.64	3.25	5.13	3.04	5.9
3	2.92	3.79	2.82	4.11	2.66	4.59
2.5	2.44	3.02	2.37	3.21	2.26	3.5
2.2	2.16	2.59	2.1	2.73	2.01	2.93
2	1.96	2.31	1.92	2.42	1.84	2.58
1.8	1.77	2.05	1.73	2.13	1.67	2.25
1.6	1.58	1.79	1.55	1.85	1.5	1.94
1.5	1.48	1.66	1.45	1.72	1.41	1.79
1.4	1.38	1.54	1.36	1.59	1.32	1.65
1.3	1.28	1.42	1.27	1.46	1.23	1.51
1.2	1.19	1.3	1.17	1.33	1.14	1.37
1.1	1.09	1.18	1.08	1.21	1.05	1.24
1	0.99	1.07	0.98	1.09	0.96	1.11
0.95	0.94	1.01	0.93	1.03	0.92	1.05
0.9	0.89	0.95	0.88	0.97	0.87	0.99
0.85	0.84	0.9	0.84	0.91	0.82	0.93
0.8	0.79	0.84	0.79	0.85	0.78	0.87
0.78	0.77	0.82	0.77	0.83	0.76	0.84
0.76	0.75	0.79	0.75	0.81	0.74	0.82
0.74	0.74	0.77	0.73	0.78	0.72	0.8
0.72	0.72	0.75	0.71	0.76	0.7	0.77
0.7	0.7	0.73	0.69	0.74	0.68	0.75
0.68	0.68	0.71	0.67	0.72	0.66	0.73
0.66	0.66	0.68	0.65	0.69	0.64	0.7
0.64	0.64	0.66	0.63	0.67	0.63	0.68
0.62	0.62	0.64	0.61	0.65	0.61	0.66
0.6	0.6	0.62	0.59	0.63	0.59	0.63
0.59	0.59	0.61	0.58	0.62	0.58	0.62
0.58	0.58	0.6	0.57	0.6	0.57	0.61
0.57	0.57	0.59	0.56	0.59	0.56	0.6
0.56	0.56	0.58	0.55	0.58	0.55	0.59
0.55	0.55	0.57	0.54	0.57	0.54	0.58
0.54	0.54	0.56	0.53	0.56	0.53	0.57
0.53	0.53	0.54	0.52	0.55	0.52	0.56
0.52	0.52	0.53	0.52	0.54	0.51	0.54
0.51	0.51	0.52	0.51	0.53	0.5	0.53
0.5	0.5	0.51	0.5	0.52	0.49	0.52
0.49	0.49	0.5	0.49	0.51	0.48	0.51
0.48	0.48	0.49	0.48	0.5	0.47	0.5
0.47	0.47	0.48	0.47	0.48	0.46	0.49
0.46	0.46	0.47	0.46	0.47	0.45	0.48
0.45	0.45	0.46	0.45	0.46	0.44	0.47

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	12.90	INF	8.02	INF
20	7.87	INF	5.75	INF
10	5.66	INF	4.48	INF
7	4.57	INF	3.77	INF
5	3.63	21.36	3.11	INF
4	3.08	10.2	2.7	20.26
3.5	2.77	7.43	2.47	11.59
3	2.45	5.45	2.21	7.38
2.5	2.11	3.97	1.93	4.9
2.2	1.9	3.25	1.75	3.84
2	1.75	2.82	1.62	3.25
1.8	1.59	2.43	1.49	2.74
1.6	1.44	2.07	1.35	2.29
1.5	1.36	1.9	1.28	2.09
1.4	1.27	1.74	1.21	1.89
1.3	1.19	1.59	1.14	1.71
1.2	1.11	1.44	1.06	1.53
1.1	1.02	1.29	0.98	1.37
1	0.94	1.15	0.9	1.21
0.95	0.89	1.09	0.86	1.14
0.9	0.85	1.02	0.82	1.07
0.85	0.81	0.95	0.78	0.99
0.8	0.76	0.89	0.74	0.92
0.78	0.74	0.87	0.72	0.9
0.76	0.72	0.84	0.71	0.87
0.74	0.71	0.82	0.69	0.84
0.72	0.69	0.79	0.67	0.82
0.7	0.67	0.77	0.65	0.79
0.68	0.65	0.74	0.64	0.76
0.66	0.63	0.72	0.62	0.74
0.64	0.62	0.69	0.6	0.71
0.62	0.6	0.67	0.58	0.69
0.6	0.58	0.65	0.57	0.66
0.59	0.57	0.63	0.56	0.65
0.58	0.56	0.62	0.55	0.64
0.57	0.55	0.61	0.54	0.62
0.56	0.54	0.6	0.53	0.61
0.55	0.53	0.59	0.52	0.6
0.54	0.52	0.57	0.51	0.59
0.53	0.51	0.56	0.51	0.57
0.52	0.5	0.55	0.5	0.56
0.51	0.5	0.54	0.49	0.55
0.5	0.49	0.53	0.48	0.54
0.49	0.48	0.52	0.47	0.53
0.48	0.47	0.51	0.46	0.51
0.47	0.46	0.49	0.45	0.5
0.46	0.45	0.48	0.44	0.49
0.45	0.44	0.47	0.43	0.48

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	182.44	INF	169.21	INF	140.77	INF
50	39.28	68.82	38.62	90.49	36.92	INF
20	18.04	22.44	17.9	24.33	17.53	27.73
15	13.87	16.33	13.79	17.3	13.57	18.95
12	11.27	12.83	11.22	13.42	11.07	14.39
10	9.49	10.57	9.45	10.96	9.35	11.6
8	7.67	8.36	7.65	8.6	7.58	8.99
7	6.75	7.27	6.73	7.45	6.67	7.74
6	5.81	6.2	5.8	6.33	5.76	6.53
5.5	5.34	5.67	5.33	5.77	5.3	5.94
5	4.87	5.14	4.86	5.22	4.83	5.36
4.5	4.4	4.61	4.39	4.68	4.36	4.79
4	3.92	4.09	3.91	4.14	3.89	4.23
3.8	3.73	3.88	3.72	3.93	3.7	4
3.6	3.53	3.67	3.53	3.71	3.51	3.78
3.4	3.34	3.46	3.34	3.5	3.32	3.56
3.2	3.15	3.25	3.14	3.29	3.13	3.34
3	2.95	3.05	2.95	3.08	2.94	3.12
2.8	2.76	2.84	2.76	2.87	2.75	2.91
2.6	2.57	2.63	2.56	2.66	2.56	2.69
2.4	2.37	2.43	2.37	2.45	2.36	2.48
2.2	2.18	2.22	2.17	2.24	2.17	2.26
2	1.98	2.02	1.98	2.03	1.97	2.05
1.9	1.88	1.92	1.88	1.93	1.88	1.95
1.8	1.78	1.82	1.78	1.83	1.78	1.84
1.7	1.69	1.71	1.68	1.72	1.68	1.74
1.6	1.59	1.61	1.59	1.62	1.58	1.63
1.5	1.49	1.51	1.49	1.52	1.49	1.53
1.4	1.39	1.41	1.39	1.42	1.39	1.42
1.3	1.29	1.31	1.29	1.31	1.29	1.32
1.2	1.19	1.21	1.19	1.21	1.19	1.22
1.1	1.09	1.11	1.09	1.11	1.09	1.11
1	1	1	1	1.01	0.99	1.01

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	98.68	INF	64.40	INF	41.62	INF
50	33.22	INF	28.18	INF	22.75	INF
20	16.65	33.03	15.29	43.08	13.54	70.9
15	13.04	21.27	12.19	25.02	11.06	32.37
12	10.71	15.69	10.13	17.63	9.34	20.97
10	9.09	12.42	8.67	13.61	8.09	15.51
8	7.41	9.47	7.13	10.14	6.73	11.15
7	6.54	8.09	6.33	8.58	6.01	9.29
6	5.66	6.78	5.5	7.11	5.26	7.6
5.5	5.22	6.15	5.08	6.42	4.87	6.81
5	4.77	5.53	4.65	5.74	4.48	6.05
4.5	4.31	4.92	4.22	5.09	4.08	5.33
4	3.85	4.33	3.77	4.46	3.66	4.64
3.8	3.66	4.09	3.6	4.21	3.49	4.37
3.6	3.48	3.86	3.42	3.96	3.33	4.1
3.4	3.29	3.63	3.24	3.72	3.15	3.85
3.2	3.1	3.4	3.06	3.48	2.98	3.59
3	2.92	3.18	2.87	3.24	2.81	3.34
2.8	2.73	2.95	2.69	3.01	2.63	3.09
2.6	2.54	2.73	2.5	2.78	2.46	2.85
2.4	2.35	2.51	2.32	2.55	2.28	2.61
2.2	2.16	2.29	2.13	2.32	2.1	2.37
2	1.96	2.07	1.94	2.1	1.92	2.14
1.9	1.87	1.97	1.85	1.99	1.82	2.02
1.8	1.77	1.86	1.76	1.88	1.73	1.91
1.7	1.67	1.75	1.66	1.77	1.64	1.8
1.6	1.58	1.65	1.56	1.66	1.55	1.68
1.5	1.48	1.54	1.47	1.55	1.45	1.57
1.4	1.38	1.43	1.37	1.45	1.36	1.46
1.3	1.29	1.33	1.28	1.34	1.27	1.35
1.2	1.19	1.22	1.18	1.23	1.17	1.24
1.1	1.09	1.12	1.08	1.13	1.08	1.14
1	0.99	1.02	0.99	1.02	0.98	1.03

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27.58	INF	18.59	INF
50	17.81	INF	13.58	INF
20	11.63	INF	9.68	INF
15	9.75	54.72	8.34	INF
12	8.4	28.48	7.33	56.9
10	7.37	19.25	6.54	29.02
8	6.23	12.95	5.63	16.72
7	5.61	10.5	5.12	12.84
6	4.95	8.38	4.57	9.8
5.5	4.61	7.43	4.28	8.52
5	4.26	6.54	3.97	7.36
4.5	3.89	5.7	3.65	6.32
4	3.51	4.92	3.32	5.36
3.8	3.36	4.61	3.18	5
3.6	3.2	4.32	3.04	4.66
3.4	3.04	4.03	2.9	4.33
3.2	2.88	3.75	2.75	4
3	2.72	3.48	2.6	3.69
2.8	2.56	3.21	2.45	3.39
2.6	2.39	2.95	2.3	3.1
2.4	2.22	2.69	2.14	2.81
2.2	2.05	2.44	1.98	2.54
2	1.88	2.19	1.82	2.27
1.9	1.79	2.07	1.74	2.14
1.8	1.7	1.95	1.66	2.02
1.7	1.61	1.83	1.57	1.89
1.6	1.52	1.72	1.49	1.76
1.5	1.43	1.6	1.4	1.64
1.4	1.34	1.49	1.31	1.52
1.3	1.25	1.37	1.23	1.4
1.2	1.16	1.26	1.14	1.29
1.1	1.06	1.15	1.05	1.17
1	0.97	1.04	0.96	1.06

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	239.71	INF	237.25	INF	164.57	INF
100	70.62	INF	70.39	INF	62.26	INF
90	65.48	INF	65.29	INF	58.23	INF
80	60.03	INF	59.87	INF	53.88	INF
70	54.22	98.79	54.09	INF	49.16	INF
60	48.03	79.96	47.92	INF	44.01	INF
50	41.41	63.12	41.33	76.46	38.39	98.32
45	37.92	55.35	37.85	65.33	35.37	80.65
40	34.31	47.97	34.26	55.28	32.21	65.85
35	30.57	40.95	30.52	46.15	28.89	53.29
30	26.69	34.26	26.65	37.82	25.4	42.48
25	22.66	27.88	22.64	30.19	21.73	33.08
20	18.48	21.8	18.46	23.18	17.85	24.84
15	14.13	15.99	14.12	16.71	13.76	17.55
14	13.24	14.85	13.23	15.48	12.92	16.2
13	12.34	13.73	12.34	14.26	12.06	14.87
12	11.44	12.62	11.43	13.07	11.2	13.57
11	10.53	11.52	10.52	11.89	10.32	12.3
10	9.61	10.43	9.6	10.73	9.44	11.06
9.5	9.15	9.88	9.14	10.15	8.99	10.45
9	8.68	9.34	8.68	9.58	8.54	9.85
8.5	8.22	8.8	8.21	9.02	8.09	9.25
8	7.75	8.27	7.75	8.45	7.64	8.66
7.5	7.28	7.73	7.28	7.9	7.18	8.08
7	6.81	7.2	6.81	7.34	6.72	7.5
6.5	6.33	6.67	6.33	6.79	6.26	6.93
6	5.86	6.15	5.86	6.25	5.8	6.36
5.5	5.38	5.62	5.38	5.71	5.33	5.8
5	4.9	5.1	4.9	5.17	4.86	5.24
4.8	4.71	4.89	4.71	4.96	4.67	5.02
4.6	4.52	4.69	4.52	4.74	4.48	4.8
4.5	4.42	4.58	4.42	4.64	4.39	4.7
4.4	4.32	4.48	4.32	4.53	4.29	4.59
4.2	4.13	4.27	4.13	4.32	4.1	4.37
4	3.94	4.06	3.94	4.11	3.91	4.15
3.8	3.74	3.86	3.74	3.9	3.72	3.94
3.6	3.55	3.65	3.55	3.68	3.53	3.72
3.5	3.45	3.55	3.45	3.58	3.43	3.61
3.4	3.36	3.45	3.36	3.48	3.34	3.51
3.2	3.16	3.24	3.16	3.27	3.14	3.29
3	2.97	3.04	2.97	3.06	2.95	3.08
2.9	2.87	2.93	2.87	2.95	2.85	2.98
2.8	2.77	2.83	2.77	2.85	2.76	2.87
2.7	2.67	2.73	2.67	2.75	2.66	2.77
2.6	2.57	2.63	2.57	2.64	2.56	2.66

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.48	2.52	2.48	2.54	2.47	2.56
2.4	2.38	2.42	2.38	2.44	2.37	2.45
2.3	2.28	2.32	2.28	2.33	2.27	2.35
2.2	2.18	2.22	2.18	2.23	2.17	2.24
2.1	2.08	2.12	2.08	2.13	2.08	2.14
2	1.99	2.01	1.99	2.02	1.98	2.03
1.95	1.94	1.96	1.94	1.97	1.93	1.98
1.9	1.89	1.91	1.89	1.92	1.88	1.93
1.85	1.84	1.86	1.84	1.87	1.83	1.88
1.8	1.79	1.81	1.79	1.82	1.78	1.83
1.75	1.74	1.76	1.74	1.77	1.73	1.78
1.7	1.69	1.71	1.69	1.72	1.68	1.72
1.65	1.64	1.66	1.64	1.67	1.64	1.67
1.6	1.59	1.61	1.59	1.61	1.59	1.62
1.55	1.54	1.56	1.54	1.56	1.54	1.57
1.5	1.49	1.51	1.49	1.51	1.49	1.52
1.45	1.44	1.46	1.44	1.46	1.44	1.47
1.4	1.39	1.41	1.39	1.41	1.39	1.42
1.35	1.34	1.36	1.34	1.36	1.34	1.36
1.3	1.29	1.31	1.29	1.31	1.29	1.31
1.25	1.24	1.26	1.24	1.26	1.24	1.26
1.2	1.2	1.2	1.2	1.21	1.19	1.21
1.15	1.15	1.15	1.15	1.16	1.14	1.16
1.1	1.1	1.1	1.1	1.11	1.09	1.11
1.05	1.05	1.05	1.05	1.06	1.04	1.06
1	1	1	1	1	1	1.01
0.98	0.98	0.98	0.98	0.98	0.98	0.99
0.96	0.96	0.96	0.96	0.96	0.96	0.97
0.95	0.95	0.95	0.95	0.95	0.95	0.96
0.94	0.94	0.94	0.94	0.94	0.94	0.95
0.92	0.92	0.92	0.92	0.92	0.92	0.93
0.9	0.9	0.9	0.9	0.9	0.9	0.91
0.88	0.88	0.88	0.88	0.88	0.88	0.89
0.86	0.86	0.86	0.86	0.86	0.86	0.86
0.85	0.85	0.85	0.85	0.85	0.85	0.85
0.84	0.84	0.84	0.84	0.84	0.84	0.84
0.82	0.82	0.82	0.82	0.82	0.82	0.82
0.8	0.8	0.8	0.8	0.8	0.8	0.8
0.78	0.78	0.78	0.78	0.78	0.78	0.78
0.76	0.76	0.76	0.76	0.76	0.76	0.76
0.75	0.75	0.75	0.75	0.75	0.75	0.75
0.74	0.74	0.74	0.74	0.74	0.74	0.74
0.72	0.72	0.72	0.72	0.72	0.72	0.72
0.7	0.7	0.7	0.7	0.7	0.7	0.7

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	112.38	INF	76.42	INF	51.79	INF
100	52.97	INF	43.37	INF	34.17	INF
90	50.03	INF	41.39	INF	32.93	INF
80	46.79	INF	39.14	INF	31.5	INF
70	43.19	INF	36.59	INF	29.83	INF
60	39.17	INF	33.67	INF	27.86	INF
50	34.65	INF	30.28	INF	25.5	INF
45	32.18	INF	28.38	INF	24.14	INF
40	29.54	88.37	26.31	INF	22.63	INF
35	26.73	67.11	24.06	INF	20.94	INF
30	23.72	50.81	21.59	69.23	19.05	INF
25	20.48	37.92	18.88	47.29	16.91	71.06
20	17.01	27.46	15.89	32.05	14.48	41.42
15	13.26	18.82	12.57	20.85	11.67	24.43
14	12.47	17.26	11.86	18.96	11.06	21.87
13	11.67	15.76	11.14	17.16	10.43	19.51
12	10.86	14.31	10.4	15.45	9.78	17.32
11	10.04	12.91	9.64	13.83	9.11	15.3
10	9.2	11.55	8.87	12.27	8.41	13.42
9.5	8.78	10.88	8.47	11.53	8.06	12.53
9	8.35	10.23	8.07	10.79	7.7	11.67
8.5	7.92	9.59	7.67	10.08	7.33	10.84
8	7.48	8.95	7.26	9.38	6.96	10.03
7.5	7.04	8.33	6.85	8.7	6.58	9.25
7	6.6	7.71	6.43	8.03	6.19	8.5
6.5	6.16	7.11	6.01	7.37	5.8	7.77
6	5.71	6.51	5.58	6.73	5.4	7.06
5.5	5.25	5.93	5.15	6.11	4.99	6.37
5	4.8	5.35	4.71	5.49	4.58	5.71
4.8	4.61	5.12	4.53	5.25	4.41	5.45
4.6	4.43	4.89	4.35	5.01	4.24	5.19
4.5	4.34	4.78	4.26	4.89	4.16	5.06
4.4	4.24	4.66	4.17	4.77	4.07	4.93
4.2	4.06	4.44	3.99	4.54	3.9	4.68
4	3.87	4.22	3.81	4.31	3.73	4.43
3.8	3.68	3.99	3.63	4.07	3.56	4.19
3.6	3.5	3.77	3.45	3.84	3.38	3.94
3.5	3.4	3.66	3.36	3.73	3.29	3.82
3.4	3.31	3.55	3.26	3.61	3.2	3.7
3.2	3.12	3.33	3.08	3.39	3.03	3.47
3	2.93	3.12	2.9	3.16	2.85	3.23
2.9	2.83	3.01	2.8	3.05	2.76	3.11
2.8	2.74	2.9	2.71	2.94	2.67	3
2.7	2.64	2.79	2.62	2.83	2.58	2.88
2.6	2.55	2.69	2.52	2.72	2.49	2.77

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.45	2.58	2.43	2.61	2.40	2.65
2.4	2.35	2.47	2.33	2.5	2.3	2.54
2.3	2.26	2.37	2.24	2.39	2.21	2.43
2.2	2.16	2.26	2.14	2.28	2.12	2.32
2.1	2.07	2.15	2.05	2.18	2.03	2.21
2	1.97	2.05	1.95	2.07	1.93	2.09
1.95	1.92	2	1.91	2.01	1.89	2.04
1.9	1.87	1.94	1.86	1.96	1.84	1.98
1.85	1.82	1.89	1.81	1.91	1.79	1.93
1.8	1.78	1.84	1.76	1.85	1.75	1.87
1.75	1.73	1.79	1.72	1.8	1.7	1.82
1.7	1.68	1.73	1.67	1.75	1.65	1.77
1.65	1.63	1.68	1.62	1.69	1.61	1.71
1.6	1.58	1.63	1.57	1.64	1.56	1.66
1.55	1.53	1.58	1.52	1.59	1.51	1.6
1.5	1.48	1.53	1.48	1.54	1.46	1.55
1.45	1.43	1.47	1.43	1.48	1.42	1.5
1.4	1.39	1.42	1.38	1.43	1.37	1.44
1.35	1.34	1.37	1.33	1.38	1.32	1.39
1.3	1.29	1.32	1.28	1.33	1.27	1.34
1.25	1.24	1.27	1.23	1.27	1.23	1.28
1.2	1.19	1.22	1.19	1.22	1.18	1.23
1.15	1.14	1.16	1.14	1.17	1.13	1.18
1.1	1.09	1.11	1.09	1.12	1.08	1.12
1.05	1.04	1.06	1.04	1.07	1.03	1.07
1	0.99	1.01	0.99	1.01	0.99	1.02
0.98	0.97	0.99	0.97	0.99	0.97	1
0.96	0.95	0.97	0.95	0.97	0.95	0.98
0.95	0.94	0.96	0.94	0.96	0.94	0.97
0.94	0.93	0.95	0.93	0.95	0.93	0.96
0.92	0.91	0.93	0.91	0.93	0.91	0.94
0.9	0.89	0.91	0.89	0.91	0.89	0.91
0.88	0.88	0.89	0.87	0.89	0.87	0.89
0.86	0.86	0.87	0.85	0.87	0.85	0.87
0.85	0.85	0.86	0.84	0.86	0.84	0.86
0.84	0.84	0.85	0.83	0.85	0.83	0.85
0.82	0.82	0.83	0.81	0.83	0.81	0.83
0.8	0.8	0.81	0.79	0.81	0.79	0.81
0.78	0.78	0.79	0.77	0.79	0.77	0.79
0.76	0.76	0.77	0.75	0.77	0.75	0.77
0.75	0.75	0.75	0.75	0.76	0.74	0.76
0.74	0.74	0.74	0.74	0.75	0.73	0.75
0.72	0.72	0.72	0.72	0.73	0.71	0.73
0.7	0.7	0.7	0.7	0.71	0.69	0.71

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	35.14	INF	24.08	INF
100	26.05	INF	19.44	INF
90	25.32	INF	19.04	INF
80	24.47	INF	18.55	INF
70	23.45	INF	17.96	INF
60	22.22	INF	17.23	INF
50	20.7	INF	16.31	INF
45	19.79	INF	15.74	INF
40	18.77	INF	15.09	INF
35	17.6	INF	14.33	INF
30	16.25	INF	13.42	INF
25	14.67	INF	12.33	INF
20	12.8	68.85	10.99	INF
15	10.56	31.89	9.3	55.7
14	10.06	27.65	8.91	43.9
13	9.54	23.97	8.5	35.27
12	8.99	20.75	8.06	28.7
11	8.42	17.91	7.61	23.52
10	7.83	15.38	7.12	19.33
9.5	7.52	14.22	6.86	17.52
9	7.21	13.12	6.6	15.87
8.5	6.88	12.07	6.33	14.36
8	6.55	11.08	6.05	12.97
7.5	6.22	10.13	5.76	11.69
7	5.87	9.23	5.47	10.51
6.5	5.52	8.37	5.16	9.41
6	5.16	7.56	4.84	8.38
5.5	4.78	6.77	4.52	7.43
5	4.4	6.02	4.18	6.53
4.8	4.25	5.73	4.04	6.19
4.6	4.09	5.45	3.9	5.86
4.5	4.01	5.31	3.83	5.69
4.4	3.94	5.17	3.75	5.53
4.2	3.78	4.89	3.61	5.22
4	3.61	4.62	3.46	4.91
3.8	3.45	4.35	3.31	4.61
3.6	3.29	4.09	3.16	4.31
3.5	3.2	3.96	3.08	4.17
3.4	3.12	3.83	3.01	4.02
3.2	2.95	3.58	2.85	3.74
3	2.78	3.33	2.69	3.47
2.9	2.7	3.2	2.61	3.33
2.8	2.61	3.08	2.53	3.2
2.7	2.52	2.96	2.45	3.07
2.6	2.44	2.84	2.37	2.94

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2.5	2.35	2.72	2.29	2.81
2.4	2.26	2.6	2.2	2.68
2.3	2.17	2.48	2.12	2.56
2.2	2.08	2.36	2.04	2.43
2.1	1.99	2.25	1.95	2.31
2	1.91	2.13	1.86	2.19
1.95	1.86	2.07	1.82	2.13
1.9	1.81	2.02	1.78	2.07
1.85	1.77	1.96	1.74	2.01
1.8	1.72	1.9	1.69	1.95
1.75	1.68	1.85	1.65	1.89
1.7	1.63	1.79	1.6	1.83
1.65	1.59	1.74	1.56	1.77
1.6	1.54	1.68	1.52	1.71
1.55	1.49	1.62	1.47	1.65
1.5	1.45	1.57	1.43	1.6
1.45	1.4	1.51	1.38	1.54
1.4	1.36	1.46	1.34	1.48
1.35	1.31	1.4	1.29	1.43
1.3	1.26	1.35	1.25	1.37
1.25	1.22	1.3	1.2	1.31
1.2	1.17	1.24	1.15	1.26
1.15	1.12	1.19	1.11	1.2
1.1	1.07	1.13	1.06	1.15
1.05	1.03	1.08	1.02	1.09
1	0.98	1.03	0.97	1.04
0.98	0.96	1.01	0.95	1.02
0.96	0.94	0.98	0.93	0.99
0.95	0.93	0.97	0.92	0.98
0.94	0.92	0.96	0.91	0.97
0.92	0.9	0.94	0.9	0.95
0.9	0.88	0.92	0.88	0.93
0.88	0.86	0.9	0.86	0.91
0.86	0.85	0.88	0.84	0.89
0.85	0.84	0.87	0.83	0.87
0.84	0.83	0.86	0.82	0.86
0.82	0.81	0.84	0.8	0.84
0.8	0.79	0.82	0.78	0.82
0.78	0.77	0.79	0.76	0.8
0.76	0.75	0.77	0.74	0.78
0.75	0.74	0.76	0.74	0.77
0.74	0.73	0.75	0.73	0.76
0.72	0.71	0.73	0.71	0.74
0.7	0.69	0.71	0.69	0.72

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	456.97	INF	389.98	INF	267.26	INF
60	53.06	70.36	52.03	76.39	49.04	85.06
30	28.17	32.37	27.88	33.58	27	35.15
15	14.53	15.57	14.45	15.83	14.22	16.17
12	11.7	12.36	11.65	12.53	11.5	12.73
10	9.79	10.25	9.76	10.36	9.65	10.5
9	8.83	9.2	8.8	9.29	8.72	9.4
8	7.87	8.16	7.84	8.23	7.78	8.31
7	6.9	7.12	6.88	7.17	6.83	7.24
6	5.93	6.09	5.91	6.12	5.87	6.17
5.5	5.44	5.57	5.43	5.6	5.39	5.64
5	4.95	5.06	4.94	5.09	4.91	5.12
4.5	4.46	4.55	4.45	4.57	4.43	4.59
4	3.97	4.04	3.96	4.05	3.95	4.07
3.8	3.77	3.83	3.77	3.85	3.75	3.87
3.6	3.57	3.63	3.57	3.64	3.56	3.66
3.4	3.38	3.43	3.37	3.44	3.36	3.45
3.2	3.18	3.22	3.18	3.23	3.17	3.25
3	2.98	3.02	2.98	3.03	2.97	3.04
2.8	2.78	2.82	2.78	2.82	2.77	2.83
2.6	2.59	2.62	2.58	2.62	2.58	2.63
2.4	2.39	2.41	2.39	2.42	2.38	2.42
2.2	2.19	2.21	2.19	2.21	2.18	2.22
2	1.99	2.01	1.99	2.01	1.99	2.02
1.9	1.89	1.91	1.89	1.91	1.89	1.91
1.8	1.79	1.81	1.79	1.81	1.79	1.81
1.7	1.69	1.71	1.69	1.71	1.69	1.71
1.6	1.6	1.61	1.59	1.61	1.59	1.61
1.5	1.5	1.5	1.5	1.51	1.49	1.51
1.4	1.4	1.4	1.4	1.41	1.39	1.41
1.3	1.3	1.3	1.3	1.3	1.3	1.31
1.2	1.2	1.2	1.2	1.2	1.2	1.21
1.1	1.1	1.1	1.1	1.1	1.1	1.1
1	1	1	1	1	1	1

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	183.61	INF	126.32	INF	87.31	INF
60	45.28	101.05	40.74	136.63	35.64	269.26
30	25.82	37.59	24.29	41.6	22.39	48.9
15	13.89	16.66	13.44	17.4	12.84	18.54
12	11.28	13.04	10.98	13.48	10.58	14.15
10	9.5	10.7	9.29	11	9	11.44
9	8.59	9.56	8.42	9.8	8.19	10.15
8	7.68	8.44	7.54	8.62	7.35	8.89
7	6.75	7.33	6.65	7.47	6.5	7.67
6	5.82	6.24	5.74	6.34	5.63	6.48
5.5	5.35	5.7	5.28	5.78	5.19	5.9
5	4.88	5.16	4.82	5.23	4.75	5.32
4.5	4.4	4.63	4.36	4.68	4.29	4.76
4	3.92	4.1	3.89	4.14	3.84	4.2
3.8	3.73	3.89	3.7	3.93	3.65	3.98
3.6	3.54	3.68	3.51	3.71	3.47	3.76
3.4	3.34	3.47	3.32	3.5	3.28	3.54
3.2	3.15	3.26	3.13	3.29	3.1	3.32
3	2.96	3.06	2.94	3.08	2.91	3.11
2.8	2.76	2.85	2.75	2.87	2.72	2.89
2.6	2.57	2.64	2.55	2.66	2.53	2.68
2.4	2.37	2.43	2.36	2.45	2.34	2.47
2.2	2.18	2.23	2.17	2.24	2.15	2.25
2	1.98	2.02	1.97	2.03	1.96	2.04
1.9	1.88	1.92	1.88	1.93	1.87	1.94
1.8	1.79	1.82	1.78	1.83	1.77	1.84
1.7	1.69	1.72	1.68	1.72	1.67	1.73
1.6	1.59	1.61	1.58	1.62	1.58	1.63
1.5	1.49	1.51	1.49	1.52	1.48	1.52
1.4	1.39	1.41	1.39	1.41	1.38	1.42
1.3	1.29	1.31	1.29	1.31	1.29	1.32
1.2	1.19	1.21	1.19	1.21	1.19	1.21
1.1	1.1	1.11	1.09	1.11	1.09	1.11
1	1	1	0.99	1.01	0.99	1.01

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	60.69	INF	42.42	INF
60	30.25	INF	24.92	INF
30	20.14	64.95	17.65	121.34
15	12.08	20.44	11.14	23.9
12	10.06	15.22	9.41	17.05
10	8.62	12.13	8.14	13.25
9	7.87	10.68	7.47	11.54
8	7.1	9.29	6.77	9.93
7	6.31	7.96	6.05	8.43
6	5.49	6.69	5.29	7.01
5.5	5.07	6.07	4.9	6.33
5	4.64	5.46	4.5	5.67
4.5	4.21	4.87	4.1	5.03
4	3.77	4.29	3.68	4.41
3.8	3.59	4.06	3.51	4.17
3.6	3.42	3.83	3.34	3.93
3.4	3.24	3.6	3.17	3.69
3.2	3.05	3.38	3	3.45
3	2.87	3.15	2.82	3.22
2.8	2.69	2.93	2.65	2.99
2.6	2.51	2.71	2.47	2.76
2.4	2.32	2.49	2.29	2.53
2.2	2.13	2.28	2.11	2.31
2	1.95	2.06	1.92	2.09
1.9	1.85	1.96	1.83	1.98
1.8	1.76	1.85	1.74	1.87
1.7	1.66	1.74	1.65	1.76
1.6	1.57	1.64	1.55	1.65
1.5	1.47	1.53	1.46	1.55
1.4	1.38	1.43	1.37	1.44
1.3	1.28	1.32	1.27	1.33
1.2	1.18	1.22	1.18	1.23
1.1	1.09	1.12	1.08	1.12
1	0.99	1.01	0.98	1.02

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.50	0.50	0.50	0.50	0.50	0.51
0.49	0.49	0.49	0.49	0.49	0.49	0.5
0.48	0.48	0.48	0.48	0.48	0.48	0.49
0.47	0.47	0.47	0.47	0.47	0.47	0.48
0.46	0.46	0.46	0.46	0.46	0.46	0.47
0.45	0.45	0.45	0.45	0.45	0.45	0.46
0.44	0.44	0.44	0.44	0.44	0.44	0.45
0.43	0.43	0.43	0.43	0.43	0.43	0.44
0.42	0.42	0.42	0.42	0.42	0.42	0.42
0.41	0.41	0.41	0.41	0.41	0.41	0.41
0.4	0.4	0.4	0.4	0.4	0.4	0.4
0.39	0.39	0.39	0.39	0.39	0.39	0.39
0.38	0.38	0.38	0.38	0.38	0.38	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.37
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.32	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.29	0.29	0.29	0.29	0.29
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.24	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	58.98	INF	33.71	INF	19.37	INF
10	8.56	28.62	7.73	75.8	6.62	INF
8	7.05	16.6	6.48	25.92	5.69	83.76
7	6.27	12.77	5.81	17.63	5.17	33.16
6	5.45	9.77	5.11	12.36	4.6	18.37
5	4.62	7.35	4.37	8.71	4	11.31
4	3.75	5.36	3.59	6.04	3.33	7.17
3	2.86	3.69	2.76	4	2.61	4.46
2.5	2.4	2.95	2.33	3.15	2.23	3.42
2	1.94	2.27	1.89	2.38	1.82	2.54
1.8	1.75	2.02	1.71	2.1	1.66	2.22
1.6	1.56	1.77	1.53	1.83	1.49	1.92
1.5	1.47	1.64	1.44	1.7	1.4	1.77
1.4	1.37	1.52	1.35	1.57	1.31	1.63
1.3	1.27	1.4	1.26	1.44	1.23	1.49
1.2	1.18	1.29	1.16	1.32	1.14	1.36
1.1	1.08	1.17	1.07	1.2	1.05	1.23
1	0.98	1.06	0.97	1.08	0.96	1.11
0.95	0.94	1	0.93	1.02	0.91	1.04
0.9	0.89	0.95	0.88	0.96	0.87	0.98
0.85	0.84	0.89	0.83	0.9	0.82	0.92
0.8	0.79	0.83	0.78	0.85	0.77	0.86
0.75	0.74	0.78	0.74	0.79	0.73	0.8
0.7	0.69	0.73	0.69	0.73	0.68	0.75
0.65	0.64	0.67	0.64	0.68	0.63	0.69
0.62	0.62	0.64	0.61	0.65	0.61	0.66
0.6	0.59	0.62	0.59	0.62	0.59	0.63
0.58	0.58	0.6	0.57	0.6	0.57	0.61
0.56	0.56	0.57	0.55	0.58	0.55	0.59
0.55	0.55	0.56	0.54	0.57	0.54	0.58
0.54	0.54	0.55	0.53	0.56	0.53	0.56
0.52	0.52	0.53	0.51	0.54	0.51	0.54

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.50	0.51	0.49	0.51	0.49	0.52
0.49	0.49	0.5	0.48	0.5	0.48	0.51
0.48	0.48	0.49	0.47	0.49	0.47	0.5
0.47	0.47	0.48	0.47	0.48	0.46	0.49
0.46	0.46	0.47	0.46	0.47	0.45	0.48
0.45	0.45	0.46	0.45	0.46	0.44	0.47
0.44	0.44	0.45	0.44	0.45	0.43	0.45
0.43	0.43	0.44	0.43	0.44	0.42	0.44
0.42	0.42	0.43	0.42	0.43	0.41	0.43
0.41	0.41	0.42	0.41	0.42	0.4	0.42
0.4	0.4	0.41	0.4	0.41	0.39	0.41
0.39	0.39	0.4	0.39	0.4	0.39	0.4
0.38	0.38	0.39	0.38	0.39	0.38	0.39
0.37	0.37	0.38	0.37	0.38	0.37	0.38
0.37	0.37	0.37	0.37	0.38	0.37	0.38
0.36	0.36	0.36	0.36	0.37	0.36	0.37
0.35	0.35	0.35	0.35	0.36	0.35	0.36
0.34	0.34	0.34	0.34	0.35	0.34	0.35
0.33	0.33	0.33	0.33	0.33	0.33	0.34
0.32	0.32	0.33	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.33
0.31	0.31	0.31	0.31	0.31	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.29	0.29	0.29	0.29	0.29
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.24	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	11.83	INF	7.56	INF
10	5.45	INF	4.34	INF
8	4.81	INF	3.93	INF
7	4.43	INF	3.67	INF
6	4.01	53.03	3.38	INF
5	3.54	18.85	3.05	INF
4	3.02	9.58	2.65	17.89
3	2.42	5.27	2.18	7.04
2.5	2.08	3.87	1.91	4.74
2	1.73	2.77	1.61	3.18
1.8	1.58	2.39	1.48	2.69
1.6	1.42	2.04	1.34	2.25
1.5	1.35	1.88	1.27	2.05
1.4	1.27	1.72	1.2	1.87
1.3	1.18	1.57	1.13	1.69
1.2	1.1	1.42	1.05	1.52
1.1	1.02	1.28	0.98	1.36
1	0.93	1.14	0.9	1.2
0.95	0.89	1.08	0.86	1.13
0.9	0.85	1.01	0.82	1.06
0.85	0.8	0.95	0.78	0.99
0.8	0.76	0.89	0.74	0.92
0.75	0.71	0.82	0.69	0.85
0.7	0.67	0.76	0.65	0.78
0.65	0.62	0.7	0.61	0.72
0.62	0.6	0.67	0.59	0.69
0.6	0.58	0.64	0.57	0.66
0.58	0.56	0.62	0.55	0.63
0.56	0.54	0.6	0.53	0.61
0.55	0.53	0.58	0.52	0.6
0.54	0.52	0.57	0.51	0.58
0.52	0.5	0.55	0.5	0.56

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
0.5	0.49	0.53	0.48	0.54
0.49	0.48	0.52	0.47	0.52
0.48	0.47	0.5	0.46	0.51
0.47	0.46	0.49	0.45	0.5
0.46	0.45	0.48	0.44	0.49
0.45	0.44	0.47	0.43	0.48
0.44	0.43	0.46	0.42	0.47
0.43	0.42	0.45	0.41	0.45
0.42	0.41	0.44	0.41	0.44
0.41	0.4	0.43	0.4	0.43
0.4	0.39	0.41	0.39	0.42
0.39	0.38	0.4	0.38	0.41
0.38	0.37	0.39	0.37	0.4
0.37	0.37	0.38	0.36	0.39
0.37	0.36	0.38	0.36	0.39
0.36	0.35	0.37	0.35	0.37
0.35	0.34	0.36	0.34	0.36
0.34	0.33	0.35	0.33	0.35
0.33	0.33	0.34	0.32	0.34
0.32	0.32	0.33	0.32	0.33
0.32	0.32	0.33	0.31	0.33
0.31	0.31	0.32	0.3	0.32
0.3	0.3	0.31	0.29	0.31
0.29	0.29	0.3	0.29	0.3
0.28	0.28	0.28	0.28	0.29
0.28	0.28	0.28	0.27	0.28
0.27	0.27	0.27	0.27	0.28
0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24
0.24	0.23	0.24	0.23	0.24

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3.44	INF	2.70	INF	2.31	INF
10	2.60	INF	2.16	INF	1.91	INF
5	2.09	INF	1.80	INF	1.63	INF
3	1.66	22.25	1.47	INF	1.36	INF
2.5	1.50	8.62	1.35	42.30	1.26	INF
2	1.32	4.49	1.20	7.55	1.13	INF
1.8	1.23	3.55	1.13	5.19	1.07	INF
1.6	1.14	2.81	1.06	3.73	1.00	42.83
1.4	1.04	2.22	0.97	2.74	0.92	7.95
1.2	0.93	1.73	0.88	2.02	0.84	3.82
1	0.81	1.33	0.77	1.48	0.74	2.21
0.9	0.75	1.15	0.72	1.26	0.69	1.73
0.85	0.72	1.06	0.69	1.16	0.66	1.53
0.8	0.68	0.98	0.65	1.06	0.64	1.36
0.75	0.65	0.9	0.62	0.97	0.61	1.2
0.7	0.61	0.83	0.59	0.88	0.58	1.06
0.65	0.57	0.75	0.56	0.8	0.54	0.94
0.6	0.54	0.68	0.52	0.72	0.51	0.83
0.55	0.5	0.62	0.49	0.64	0.48	0.72
0.5	0.46	0.55	0.45	0.57	0.44	0.63
0.48	0.44	0.53	0.43	0.54	0.43	0.6
0.46	0.43	0.5	0.42	0.52	0.41	0.56
0.44	0.41	0.48	0.4	0.49	0.4	0.53
0.42	0.39	0.45	0.39	0.46	0.38	0.5
0.4	0.38	0.43	0.37	0.44	0.37	0.47
0.39	0.37	0.42	0.36	0.42	0.36	0.45
0.38	0.36	0.4	0.35	0.41	0.35	0.44
0.37	0.35	0.39	0.35	0.4	0.34	0.42
0.36	0.34	0.38	0.34	0.39	0.33	0.41
0.35	0.33	0.37	0.33	0.38	0.33	0.39
0.34	0.33	0.36	0.32	0.36	0.32	0.38
0.33	0.32	0.35	0.31	0.35	0.31	0.37
0.32	0.31	0.33	0.3	0.34	0.3	0.35
0.31	0.3	0.32	0.3	0.33	0.29	0.34
0.3	0.29	0.31	0.29	0.32	0.28	0.33

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1.74	INF	1.23	INF	0.87	INF
10	1.51	INF	1.12	INF	0.81	INF
5	1.33	INF	1.02	INF	0.76	INF
3	1.15	INF	0.92	INF	0.71	INF
2.5	1.08	INF	0.87	INF	0.68	INF
2	0.99	INF	0.81	INF	0.65	INF
1.8	0.94	INF	0.78	INF	0.63	INF
1.6	0.89	INF	0.75	INF	0.61	INF
1.4	0.83	INF	0.71	INF	0.59	INF
1.2	0.76	INF	0.66	INF	0.56	INF
1	0.69	5.73	0.61	INF	0.52	INF
0.9	0.64	3.23	0.57	INF	0.5	INF
0.85	0.62	2.57	0.56	23.97	0.48	INF
0.8	0.6	2.09	0.54	7.25	0.47	INF
0.75	0.57	1.73	0.52	4.06	0.46	INF
0.7	0.54	1.44	0.5	2.7	0.44	INF
0.65	0.52	1.21	0.47	1.95	0.43	16.54
0.6	0.49	1.02	0.45	1.48	0.41	4.11
0.55	0.46	0.86	0.43	1.15	0.39	2.18
0.5	0.42	0.73	0.4	0.91	0.37	1.4
0.48	0.41	0.68	0.39	0.83	0.36	1.2
0.46	0.4	0.63	0.38	0.76	0.35	1.05
0.44	0.38	0.59	0.36	0.69	0.34	0.92
0.42	0.37	0.55	0.35	0.63	0.33	0.81
0.4	0.36	0.51	0.34	0.58	0.32	0.71
0.39	0.35	0.49	0.33	0.55	0.31	0.67
0.38	0.34	0.47	0.33	0.53	0.31	0.63
0.37	0.33	0.45	0.32	0.5	0.3	0.6
0.36	0.33	0.44	0.31	0.48	0.3	0.56
0.35	0.32	0.42	0.31	0.46	0.29	0.53
0.34	0.31	0.4	0.3	0.44	0.29	0.5
0.33	0.3	0.39	0.29	0.42	0.28	0.47
0.32	0.3	0.37	0.29	0.4	0.27	0.45
0.31	0.29	0.36	0.28	0.38	0.27	0.42
0.3	0.28	0.34	0.27	0.36	0.26	0.4

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0.62	INF
10	0.60	INF
5	0.58	INF
3	0.55	INF
2.5	0.53	INF
2	0.51	INF
1.8	0.50	INF
1.6	0.49	INF
1.4	0.48	INF
1.2	0.46	INF
1	0.44	INF
0.9	0.42	INF
0.85	0.41	INF
0.8	0.4	INF
0.75	0.4	INF
0.7	0.38	INF
0.65	0.37	INF
0.6	0.36	INF
0.55	0.35	INF
0.5	0.33	9.69
0.48	0.33	4.22
0.46	0.32	2.62
0.44	0.31	1.86
0.42	0.3	1.41
0.4	0.3	1.12
0.39	0.29	1.01
0.38	0.29	0.91
0.37	0.28	0.83
0.36	0.28	0.76
0.35	0.27	0.69
0.34	0.27	0.64
0.33	0.26	0.59
0.32	0.26	0.54
0.31	0.25	0.5
0.3	0.25	0.47

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	3.6		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3.95	INF	3.55	INF	3.59	INF
10	2.86	INF	2.65	INF	2.67	INF
6	2.42	INF	2.27	INF	2.28	INF
4	2.03	INF	1.92	INF	1.93	INF
3	1.74	12.22	1.67	11.43	1.67	INF
2.5	1.57	6.61	1.51	6.38	1.51	INF
2	1.36	3.92	1.32	3.83	1.32	24.15
1.8	1.27	3.20	1.23	3.14	1.23	9.87
1.6	1.17	2.60	1.14	2.56	1.14	5.68
1.4	1.06	2.09	1.04	2.07	1.04	3.67
1.3	1.01	1.87	0.98	1.85	0.98	3.02
1.2	0.95	1.66	0.93	1.65	0.93	2.5
1.1	0.89	1.47	0.87	1.46	0.87	2.08
1	0.82	1.29	0.81	1.28	0.81	1.73
0.95	0.79	1.21	0.78	1.2	0.78	1.57
0.9	0.76	1.12	0.74	1.12	0.74	1.43
0.85	0.72	1.04	0.71	1.04	0.71	1.3
0.8	0.69	0.97	0.68	0.96	0.68	1.18
0.75	0.65	0.89	0.64	0.89	0.64	1.07
0.7	0.61	0.82	0.61	0.82	0.61	0.96
0.65	0.58	0.75	0.57	0.75	0.57	0.86
0.6	0.54	0.68	0.53	0.68	0.53	0.77
0.58	0.52	0.66	0.52	0.65	0.52	0.74
0.56	0.51	0.63	0.5	0.63	0.5	0.7
0.54	0.49	0.6	0.49	0.6	0.49	0.67
0.52	0.47	0.58	0.47	0.58	0.47	0.64
0.5	0.46	0.55	0.45	0.55	0.45	0.61
0.48	0.44	0.53	0.44	0.53	0.44	0.57
0.46	0.43	0.5	0.42	0.5	0.42	0.54
0.44	0.41	0.48	0.41	0.48	0.41	0.52
0.42	0.39	0.45	0.39	0.45	0.39	0.49
0.4	0.38	0.43	0.37	0.43	0.37	0.46
0.39	0.37	0.42	0.36	0.42	0.36	0.44
0.38	0.36	0.41	0.36	0.4	0.36	0.43
0.37	0.35	0.39	0.35	0.39	0.35	0.42
0.36	0.34	0.38	0.34	0.38	0.34	0.4
0.35	0.33	0.37	0.33	0.37	0.33	0.39
0.34	0.32	0.36	0.32	0.36	0.32	0.38
0.33	0.31	0.35	0.31	0.35	0.31	0.36
0.32	0.31	0.34	0.3	0.34	0.3	0.35
0.31	0.3	0.32	0.3	0.32	0.3	0.34
0.3	0.29	0.31	0.29	0.31	0.29	0.33

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3.85	INF	2.70	INF	1.64	INF
10	2.81	INF	2.15	INF	1.43	INF
6	2.38	INF	1.90	INF	1.31	INF
4	2.00	INF	1.65	INF	1.19	INF
3	1.72	INF	1.46	INF	1.10	INF
2.5	1.55	INF	1.34	INF	1.03	INF
2	1.35	INF	1.19	INF	0.94	INF
1.8	1.26	INF	1.12	INF	0.90	INF
1.6	1.16	INF	1.04	INF	0.85	INF
1.4	1.06	INF	0.96	INF	0.79	INF
1.3	1.00	INF	0.91	INF	0.76	INF
1.2	0.94	13.35	0.86	INF	0.73	INF
1.1	0.88	6.22	0.81	INF	0.7	INF
1	0.82	3.79	0.76	INF	0.66	INF
0.95	0.79	3.09	0.73	INF	0.64	INF
0.9	0.75	2.57	0.7	15.24	0.62	INF
0.85	0.72	2.16	0.67	6.96	0.59	INF
0.8	0.68	1.83	0.64	4.33	0.57	INF
0.75	0.65	1.56	0.61	3.03	0.55	INF
0.7	0.61	1.34	0.58	2.25	0.52	12.61
0.65	0.57	1.15	0.55	1.74	0.5	4.6
0.6	0.54	0.98	0.51	1.38	0.47	2.64
0.58	0.52	0.92	0.5	1.26	0.46	2.22
0.56	0.5	0.87	0.48	1.15	0.45	1.89
0.54	0.49	0.82	0.47	1.06	0.43	1.64
0.52	0.47	0.77	0.46	0.97	0.42	1.43
0.5	0.46	0.72	0.44	0.89	0.41	1.26
0.48	0.44	0.67	0.43	0.82	0.4	1.11
0.46	0.42	0.63	0.41	0.76	0.38	0.99
0.44	0.41	0.59	0.4	0.69	0.37	0.88
0.42	0.39	0.55	0.38	0.64	0.36	0.79
0.4	0.37	0.51	0.36	0.59	0.34	0.71
0.39	0.37	0.49	0.36	0.56	0.34	0.67
0.38	0.36	0.48	0.35	0.54	0.33	0.63
0.37	0.35	0.46	0.34	0.51	0.32	0.6
0.36	0.34	0.44	0.33	0.49	0.32	0.57
0.35	0.33	0.43	0.32	0.47	0.31	0.54
0.34	0.32	0.41	0.32	0.45	0.3	0.51
0.33	0.31	0.39	0.31	0.43	0.29	0.48
0.32	0.31	0.38	0.3	0.41	0.29	0.46
0.31	0.3	0.36	0.29	0.39	0.28	0.43
0.3	0.29	0.35	0.28	0.37	0.27	0.41

Compact Prime CP.2 18mm/T3.6 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.02	INF
10	0.94	INF
6	0.89	INF
4	0.84	INF
3	0.79	INF
2.5	0.76	INF
2	0.71	INF
1.8	0.69	INF
1.6	0.66	INF
1.4	0.63	INF
1.3	0.61	INF
1.2	0.59	INF
1.1	0.57	INF
1	0.54	INF
0.95	0.53	INF
0.9	0.52	INF
0.85	0.5	INF
0.8	0.49	INF
0.75	0.47	INF
0.7	0.45	INF
0.65	0.43	INF
0.6	0.41	INF
0.58	0.41	INF
0.56	0.4	15.35
0.54	0.39	6.48
0.52	0.38	4
0.5	0.37	2.83
0.48	0.36	2.15
0.46	0.35	1.71
0.44	0.34	1.39
0.42	0.33	1.16
0.4	0.32	0.98
0.39	0.31	0.91
0.38	0.31	0.84
0.37	0.3	0.78
0.36	0.3	0.72
0.35	0.29	0.67
0.34	0.28	0.63
0.33	0.28	0.58
0.32	0.27	0.54
0.31	0.26	0.51
0.3	0.26	0.47

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6.71	INF	5.58	INF	5.26	INF
10	4.07	INF	3.63	INF	3.49	INF
5	2.92	19.09	2.69	INF	2.61	INF
3	2.12	5.26	2.00	6.79	1.96	INF
2	1.58	2.76	1.51	3.12	1.49	5.42
1.7	1.39	2.21	1.34	2.42	1.32	3.58
1.5	1.26	1.87	1.22	2.02	1.20	2.75
1.3	1.12	1.56	1.09	1.66	1.08	2.11
1.1	0.97	1.28	0.95	1.34	0.94	1.61
1	0.89	1.14	0.87	1.19	0.87	1.39
0.9	0.81	1.01	0.80	1.05	0.79	1.19
0.8	0.73	0.88	0.72	0.91	0.72	1.01
0.75	0.69	0.82	0.68	0.84	0.68	0.93
0.7	0.65	0.76	0.64	0.78	0.64	0.85
0.65	0.61	0.7	0.6	0.71	0.6	0.77
0.6	0.57	0.64	0.56	0.65	0.56	0.7
0.55	0.52	0.58	0.52	0.59	0.51	0.63
0.5	0.48	0.53	0.47	0.53	0.47	0.56
0.48	0.46	0.5	0.46	0.51	0.45	0.53
0.46	0.44	0.48	0.44	0.49	0.44	0.51
0.44	0.42	0.46	0.42	0.46	0.42	0.48
0.42	0.41	0.44	0.4	0.44	0.4	0.46
0.4	0.39	0.41	0.39	0.42	0.38	0.43
0.39	0.38	0.4	0.38	0.41	0.38	0.42
0.38	0.37	0.39	0.37	0.4	0.37	0.41
0.37	0.36	0.38	0.36	0.38	0.36	0.4
0.36	0.35	0.37	0.35	0.37	0.35	0.38
0.35	0.34	0.36	0.34	0.36	0.34	0.37
0.34	0.33	0.35	0.33	0.35	0.33	0.36
0.33	0.32	0.34	0.32	0.34	0.32	0.35
0.32	0.31	0.33	0.31	0.33	0.31	0.34
0.31	0.3	0.32	0.3	0.32	0.3	0.32
0.3	0.29	0.31	0.29	0.31	0.29	0.31
0.29	0.29	0.3	0.28	0.3	0.28	0.3
0.28	0.28	0.28	0.27	0.29	0.27	0.29
0.27	0.27	0.27	0.27	0.28	0.26	0.28
0.26	0.26	0.26	0.26	0.26	0.26	0.27
0.25	0.25	0.25	0.25	0.25	0.25	0.26
0.24	0.24	0.24	0.24	0.24	0.24	0.25

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.16	INF	2.82	INF	1.86	INF
10	2.98	INF	2.24	INF	1.60	INF
5	2.32	INF	1.85	INF	1.40	INF
3	1.79	INF	1.51	INF	1.20	INF
2	1.40	50.32	1.22	INF	1.02	INF
1.7	1.25	8.48	1.11	INF	0.94	INF
1.5	1.14	4.88	1.03	54.45	0.88	INF
1.3	1.03	3.14	0.94	7.31	0.82	INF
1.1	0.90	2.11	0.83	3.35	0.74	14.81
1	0.84	1.74	0.78	2.48	0.70	5.63
0.9	0.77	1.43	0.72	1.89	0.65	3.21
0.8	0.7	1.18	0.66	1.45	0.6	2.09
0.75	0.66	1.06	0.63	1.27	0.58	1.73
0.7	0.62	0.95	0.59	1.12	0.55	1.44
0.65	0.59	0.86	0.56	0.98	0.52	1.21
0.6	0.55	0.76	0.52	0.86	0.49	1.02
0.55	0.51	0.68	0.49	0.75	0.46	0.86
0.5	0.46	0.6	0.45	0.65	0.43	0.73
0.48	0.45	0.57	0.43	0.61	0.41	0.68
0.46	0.43	0.54	0.42	0.58	0.4	0.63
0.44	0.41	0.51	0.4	0.54	0.39	0.59
0.42	0.4	0.48	0.39	0.51	0.37	0.55
0.4	0.38	0.45	0.37	0.47	0.36	0.51
0.39	0.37	0.44	0.36	0.46	0.35	0.49
0.38	0.36	0.42	0.35	0.44	0.34	0.47
0.37	0.35	0.41	0.35	0.43	0.34	0.46
0.36	0.34	0.4	0.34	0.41	0.33	0.44
0.35	0.34	0.38	0.33	0.4	0.32	0.42
0.34	0.33	0.37	0.32	0.38	0.31	0.4
0.33	0.32	0.36	0.31	0.37	0.3	0.39
0.32	0.31	0.35	0.3	0.36	0.3	0.37
0.31	0.3	0.33	0.3	0.34	0.29	0.36
0.3	0.29	0.32	0.29	0.33	0.28	0.34
0.29	0.28	0.31	0.28	0.32	0.27	0.33
0.28	0.27	0.3	0.27	0.3	0.26	0.31
0.27	0.26	0.28	0.26	0.29	0.26	0.3
0.26	0.25	0.27	0.25	0.28	0.25	0.29
0.25	0.25	0.26	0.24	0.27	0.24	0.27
0.24	0.24	0.25	0.23	0.25	0.23	0.26

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.26	INF
10	1.14	INF
5	1.04	INF
3	0.93	INF
2	0.82	INF
1.7	0.77	INF
1.5	0.74	INF
1.3	0.69	INF
1.1	0.64	INF
1	0.61	INF
0.9	0.58	INF
0.8	0.54	5.73
0.75	0.52	3.55
0.7	0.5	2.48
0.65	0.48	1.84
0.6	0.45	1.42
0.55	0.43	1.11
0.5	0.4	0.89
0.48	0.39	0.81
0.46	0.38	0.74
0.44	0.37	0.68
0.42	0.35	0.62
0.4	0.34	0.57
0.39	0.33	0.55
0.38	0.33	0.52
0.37	0.32	0.5
0.36	0.31	0.48
0.35	0.31	0.46
0.34	0.3	0.44
0.33	0.29	0.42
0.32	0.29	0.4
0.31	0.28	0.38
0.3	0.27	0.36
0.29	0.26	0.34
0.28	0.26	0.33
0.27	0.25	0.31
0.26	0.24	0.3
0.25	0.23	0.28
0.24	0.23	0.27

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6.09	INF	4.16	INF	2.86	INF
12	4.08	INF	3.12	INF	2.34	INF
6	3.07	INF	2.50	INF	1.98	INF
4	2.46	44.80	2.09	INF	1.71	INF
3	2.05	9.15	1.79	42.84	1.51	INF
2.5	1.81	5.59	1.6	10.64	1.38	INF
2	1.54	3.53	1.39	5	1.22	11.99
1.8	1.42	2.93	1.29	3.86	1.15	6.97
1.6	1.3	2.42	1.19	3.01	1.07	4.57
1.4	1.17	1.97	1.08	2.34	0.98	3.17
1.2	1.03	1.59	0.96	1.81	0.88	2.25
1.1	0.95	1.41	0.9	1.58	0.83	1.9
1	0.88	1.24	0.83	1.37	0.78	1.6
0.9	0.8	1.09	0.77	1.18	0.72	1.34
0.85	0.8	1.0	0.7	1.1	0.7	1.2
0.8	0.7	0.9	0.7	1.0	0.7	1.1
0.75	0.7	0.9	0.7	0.9	0.6	1.0
0.7	0.6	0.8	0.6	0.9	0.6	0.9
0.65	0.6	0.73	0.58	0.77	0.56	0.83
0.6	0.56	0.67	0.54	0.7	0.52	0.75
0.58	0.54	0.64	0.53	0.67	0.51	0.71
0.56	0.53	0.62	0.51	0.64	0.49	0.68
0.54	0.51	0.59	0.5	0.61	0.48	0.65
0.52	0.49	0.57	0.48	0.59	0.46	0.62
0.5	0.47	0.54	0.46	0.56	0.45	0.59
0.48	0.46	0.52	0.45	0.53	0.43	0.56
0.46	0.44	0.49	0.43	0.51	0.42	0.53
0.44	0.42	0.47	0.41	0.48	0.4	0.5
0.42	0.4	0.5	0.4	0.5	0.4	0.5
0.39	0.4	0.4	0.4	0.4	0.4	0.4
0.38	0.37	0.4	0.36	0.41	0.35	0.42
0.37	0.4	0.4	0.4	0.4	0.3	0.4
0.36	0.4	0.4	0.3	0.4	0.3	0.4
0.35	0.3	0.4	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4	0.3	0.4
0.33	0.32	0.34	0.32	0.35	0.31	0.36
0.32	0.31	0.33	0.31	0.34	0.3	0.34
0.31	0.3	0.32	0.3	0.33	0.29	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.32
0.29	0.28	0.3	0.28	0.3	0.28	0.31
0.28	0.27	0.29	0.27	0.29	0.27	0.3

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2.00	INF	1.41	INF
12	1.73	INF	1.28	INF
6	1.53	INF	1.17	INF
4	1.37	INF	1.08	INF
3	1.24	INF	1	INF
2.5	1.16	INF	0.94	INF
2	1.05	INF	0.87	INF
1.8	0.99	INF	0.84	INF
1.6	0.93	18.06	0.8	INF
1.4	0.87	6.46	0.75	INF
1.2	0.79	3.48	0.69	17.07
1.1	0.75	2.69	0.66	6.82
1	0.71	2.11	0.63	3.97
0.9	0.66	1.68	0.59	2.63
0.85	0.6	1.5	0.6	2.2
0.8	0.6	1.3	0.6	1.9
0.75	0.6	1.2	0.5	1.6
0.7	0.6	1.1	0.5	1.3
0.65	0.52	0.93	0.48	1.14
0.6	0.49	0.83	0.46	0.98
0.58	0.48	0.78	0.45	0.92
0.56	0.47	0.74	0.44	0.86
0.54	0.45	0.71	0.43	0.81
0.52	0.44	0.67	0.42	0.76
0.5	0.43	0.63	0.4	0.71
0.48	0.41	0.6	0.39	0.67
0.46	0.4	0.57	0.38	0.62
0.44	0.39	0.53	0.37	0.58
0.42	0.37	0.5	0.36	0.54
0.39	0.35	0.46	0.34	0.49
0.38	0.34	0.44	0.33	0.47
0.37	0.3	0.4	0.3	0.5
0.36	0.3	0.4	0.3	0.4
0.35	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4
0.33	0.3	0.37	0.29	0.39
0.32	0.3	0.36	0.29	0.37
0.31	0.29	0.34	0.28	0.36
0.3	0.28	0.33	0.27	0.34
0.29	0.27	0.32	0.26	0.33
0.28	0.26	0.3	0.26	0.31

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.68	INF	3.26	INF	2.22	INF
4	2.20	INF	1.84	INF	1.47	INF
2	1.44	5.69	1.28	23.08	1.10	INF
1.3	1.05	2.16	0.97	2.96	0.86	5.87
1	0.85	1.41	0.80	1.70	0.73	2.32
0.8	0.71	1.03	0.67	1.16	0.62	1.41
0.7	0.63	0.86	0.60	0.95	0.57	1.10
0.6	0.55	0.71	0.53	0.76	0.50	0.85
0.55	0.51	0.63	0.49	0.68	0.47	0.74
0.5	0.47	0.57	0.45	0.60	0.43	0.65
0.45	0.42	0.50	0.41	0.52	0.40	0.56
0.4	0.38	0.44	0.37	0.45	0.36	0.48
0.38	0.36	0.41	0.36	0.42	0.35	0.44
0.36	0.35	0.39	0.34	0.4	0.33	0.41
0.34	0.33	0.36	0.32	0.37	0.31	0.39
0.32	0.31	0.34	0.31	0.35	0.3	0.36
0.3	0.29	0.32	0.29	0.32	0.28	0.33
0.29	0.28	0.3	0.28	0.31	0.27	0.32
0.28	0.27	0.29	0.27	0.3	0.27	0.3
0.27	0.26	0.28	0.26	0.29	0.26	0.29
0.26	0.25	0.27	0.25	0.27	0.25	0.28
0.25	0.25	0.26	0.24	0.26	0.24	0.27
0.24	0.24	0.25	0.23	0.25	0.23	0.25
0.23	0.23	0.24	0.22	0.24	0.22	0.24
0.22	0.22	0.23	0.22	0.23	0.21	0.23
0.21	0.21	0.21	0.21	0.22	0.2	0.22
0.2	0.2	0.2	0.2	0.2	0.2	0.21
0.19	0.19	0.19	0.19	0.19	0.19	0.2
0.18	0.18	0.18	0.18	0.18	0.18	0.18
0.17	0.17	0.17	0.17	0.17	0.17	0.17

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.52	INF
4	1.14	INF
2	0.91	INF
1.3	0.75	INF
1	0.65	4.86
0.8	0.57	2.00
0.7	0.52	1.41
0.6	0.47	1.02
0.55	0.44	0.86
0.5	0.41	0.73
0.45	0.38	0.61
0.4	0.35	0.51
0.38	0.33	0.48
0.36	0.32	0.44
0.34	0.3	0.41
0.32	0.29	0.38
0.3	0.27	0.34
0.29	0.27	0.33
0.28	0.26	0.32
0.27	0.25	0.3
0.26	0.24	0.29
0.25	0.24	0.27
0.24	0.23	0.26
0.23	0.22	0.25
0.22	0.21	0.23
0.21	0.2	0.22
0.2	0.19	0.21
0.19	0.18	0.2
0.18	0.18	0.19
0.17	0.17	0.17

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	10.34	INF	7.39	INF	4.74	INF
10	5.13	INF	4.29	INF	3.25	INF
5	3.41	INF	3.03	INF	2.48	INF
3	2.36	7.90	2.17	26.61	1.88	INF
2	1.70	3.33	1.60	4.67	1.44	8.95
1.6	1.41	2.32	1.34	2.89	1.23	4.06
1.4	1.25	1.91	1.2	2.27	1.11	2.92
1.2	1.09	1.55	1.05	1.77	0.99	2.12
1	0.93	1.22	0.9	1.35	0.85	1.54
0.9	0.84	1.07	0.82	1.16	0.78	1.3
0.8	0.75	0.93	0.74	0.99	0.71	1.09
0.75	0.71	0.86	0.7	0.91	0.67	0.99
0.7	0.67	0.79	0.65	0.84	0.63	0.9
0.65	0.62	0.73	0.61	0.76	0.59	0.81
0.6	0.6	0.7	0.6	0.7	0.6	0.7
0.55	0.5	0.6	0.5	0.6	0.5	0.7
0.5	0.5	0.5	0.5	0.6	0.5	0.6
0.48	0.5	0.5	0.5	0.5	0.5	0.6
0.46	0.45	0.49	0.44	0.51	0.43	0.52
0.44	0.43	0.47	0.42	0.48	0.42	0.5
0.42	0.41	0.44	0.41	0.46	0.4	0.47
0.4	0.39	0.42	0.39	0.43	0.38	0.44
0.39	0.38	0.41	0.38	0.42	0.37	0.43
0.38	0.37	0.4	0.37	0.41	0.36	0.42
0.37	0.36	0.39	0.36	0.39	0.35	0.4
0.36	0.35	0.38	0.35	0.38	0.35	0.39
0.35	0.34	0.36	0.34	0.37	0.34	0.38
0.34	0.33	0.35	0.33	0.36	0.33	0.37
0.33	0.3	0.3	0.3	0.4	0.3	0.4
0.32	0.3	0.3	0.3	0.3	0.3	0.3
0.31	0.3	0.3	0.3	0.3	0.3	0.3
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.3	0.28	0.3	0.28	0.31
0.28	0.28	0.29	0.28	0.29	0.27	0.29
0.27	0.27	0.28	0.27	0.28	0.26	0.28
0.26	0.26	0.27	0.26	0.27	0.25	0.27
0.25	0.25	0.26	0.25	0.26	0.25	0.26
0.24	0.24	0.24	0.24	0.25	0.24	0.25

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3.05	INF	2.02	INF
10	2.37	INF	1.71	INF
5	1.94	INF	1.48	INF
3	1.56	INF	1.25	INF
2	1.25	INF	1.05	INF
1.6	1.09	8.75	0.94	INF
1.4	1	4.69	0.87	33.85
1.2	0.9	2.9	0.8	6.04
1	0.79	1.89	0.71	2.81
0.9	0.73	1.54	0.66	2.07
0.8	0.66	1.24	0.61	1.56
0.75	0.63	1.12	0.58	1.36
0.7	0.6	1	0.55	1.19
0.65	0.56	0.89	0.53	1.03
0.6	0.5	0.8	0.5	0.9
0.55	0.5	0.7	0.5	0.8
0.5	0.5	0.6	0.4	0.7
0.48	0.4	0.6	0.4	0.6
0.46	0.42	0.55	0.4	0.59
0.44	0.4	0.52	0.39	0.56
0.42	0.39	0.49	0.37	0.52
0.4	0.37	0.46	0.36	0.49
0.39	0.36	0.45	0.35	0.47
0.38	0.35	0.43	0.34	0.45
0.37	0.35	0.42	0.34	0.44
0.36	0.34	0.4	0.33	0.42
0.35	0.33	0.39	0.32	0.41
0.34	0.32	0.38	0.31	0.39
0.33	0.3	0.4	0.3	0.4
0.32	0.3	0.4	0.3	0.4
0.31	0.3	0.3	0.3	0.4
0.3	0.3	0.3	0.3	0.3
0.29	0.28	0.31	0.27	0.32
0.28	0.27	0.3	0.26	0.31
0.27	0.26	0.29	0.26	0.29
0.26	0.25	0.28	0.25	0.28
0.25	0.24	0.26	0.24	0.27
0.24	0.23	0.25	0.23	0.26

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	26.21	INF	28.88	INF	24.38	INF
10	7.28	16.06	7.46	29.74	7.13	INF
6	4.91	7.73	4.99	9.89	4.84	15.18
4	3.49	4.69	3.53	5.39	3.46	6.63
3	2.71	3.36	2.73	3.7	2.69	4.24
2.5	2.3	2.74	2.31	2.96	2.28	3.29
2	1.87	2.15	1.88	2.28	1.86	2.46
1.8	1.7	1.92	1.7	2.02	1.69	2.16
1.6	1.52	1.69	1.52	1.77	1.51	1.88
1.4	1.34	1.47	1.34	1.53	1.33	1.6
1.3	1.25	1.36	1.25	1.41	1.24	1.47
1.2	1.15	1.25	1.16	1.29	1.15	1.34
1.1	1.06	1.14	1.07	1.17	1.06	1.22
1	0.97	1.03	0.97	1.06	0.97	1.09
0.95	0.92	0.98	0.93	1	0.92	1.03
0.9	0.88	0.93	0.88	0.95	0.87	0.97
0.85	0.83	0.87	0.83	0.89	0.83	0.91
0.8	0.78	0.82	0.78	0.83	0.78	0.85
0.75	0.73	0.77	0.74	0.78	0.73	0.8
0.7	0.69	0.71	0.69	0.73	0.68	0.74
0.65	0.64	0.66	0.64	0.67	0.64	0.68
0.6	0.59	0.61	0.59	0.62	0.59	0.63
0.58	0.57	0.59	0.57	0.6	0.57	0.61
0.56	0.55	0.57	0.55	0.57	0.55	0.58
0.54	0.53	0.55	0.53	0.55	0.53	0.56
0.52	0.51	0.53	0.51	0.53	0.51	0.54
0.5	0.49	0.51	0.49	0.51	0.49	0.52
0.49	0.48	0.5	0.48	0.5	0.48	0.51
0.48	0.47	0.49	0.47	0.49	0.47	0.5
0.47	0.46	0.48	0.47	0.48	0.46	0.48
0.46	0.45	0.47	0.46	0.47	0.45	0.47
0.45	0.45	0.45	0.45	0.46	0.44	0.46
0.44	0.44	0.44	0.44	0.45	0.44	0.45
0.43	0.43	0.43	0.43	0.44	0.43	0.44
0.42	0.42	0.42	0.42	0.43	0.42	0.43
0.41	0.41	0.41	0.41	0.42	0.41	0.42
0.4	0.4	0.4	0.4	0.41	0.4	0.41
0.39	0.39	0.39	0.39	0.4	0.39	0.4
0.38	0.38	0.38	0.38	0.39	0.38	0.39
0.37	0.37	0.37	0.37	0.38	0.37	0.38
0.36	0.36	0.36	0.36	0.36	0.36	0.37
0.35	0.35	0.35	0.35	0.35	0.35	0.36
0.34	0.34	0.34	0.34	0.34	0.34	0.35
0.33	0.33	0.33	0.33	0.33	0.33	0.34
0.32	0.32	0.32	0.32	0.32	0.32	0.33
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16.69	INF	10.56	INF	6.67	INF
10	6.29	INF	5.18	INF	4.04	INF
6	4.45	39.31	3.87	INF	3.2	INF
4	3.25	9	2.94	16.01	2.54	INF
3	2.57	5.08	2.37	6.72	2.11	11.49
2.5	2.19	3.77	2.05	4.59	1.85	6.37
2	1.8	2.72	1.7	3.11	1.57	3.82
1.8	1.64	2.35	1.56	2.64	1.45	3.12
1.6	1.47	2.02	1.41	2.22	1.32	2.55
1.4	1.3	1.7	1.25	1.84	1.18	2.06
1.3	1.22	1.55	1.17	1.67	1.11	1.84
1.2	1.13	1.41	1.09	1.5	1.04	1.64
1.1	1.04	1.27	1.01	1.34	0.97	1.45
1	0.95	1.13	0.93	1.19	0.89	1.27
0.95	0.91	1.07	0.88	1.12	0.85	1.19
0.9	0.86	1	0.84	1.05	0.81	1.11
0.85	0.82	0.94	0.8	0.98	0.77	1.03
0.8	0.77	0.88	0.75	0.91	0.73	0.95
0.75	0.72	0.82	0.71	0.84	0.69	0.88
0.7	0.68	0.76	0.67	0.78	0.65	0.81
0.65	0.63	0.7	0.62	0.72	0.61	0.74
0.6	0.58	0.64	0.58	0.65	0.56	0.67
0.58	0.57	0.62	0.56	0.63	0.55	0.65
0.56	0.55	0.59	0.54	0.61	0.53	0.62
0.54	0.53	0.57	0.52	0.58	0.51	0.6
0.52	0.51	0.55	0.5	0.56	0.49	0.57
0.5	0.49	0.52	0.48	0.53	0.48	0.55
0.49	0.48	0.51	0.48	0.52	0.47	0.53
0.48	0.47	0.5	0.47	0.51	0.46	0.52
0.47	0.46	0.49	0.46	0.5	0.45	0.51
0.46	0.45	0.48	0.45	0.49	0.44	0.5
0.45	0.44	0.47	0.44	0.48	0.43	0.48
0.44	0.43	0.46	0.43	0.46	0.42	0.47
0.43	0.42	0.45	0.42	0.45	0.41	0.46
0.42	0.41	0.44	0.41	0.44	0.4	0.45
0.41	0.4	0.42	0.4	0.43	0.4	0.44
0.4	0.39	0.41	0.39	0.42	0.39	0.43
0.39	0.38	0.4	0.38	0.41	0.38	0.41
0.38	0.38	0.39	0.37	0.4	0.37	0.4
0.37	0.37	0.38	0.36	0.38	0.36	0.39
0.36	0.36	0.37	0.35	0.37	0.35	0.38
0.35	0.35	0.36	0.34	0.36	0.34	0.37
0.34	0.34	0.35	0.33	0.35	0.33	0.36
0.33	0.33	0.34	0.32	0.34	0.32	0.34
0.32	0.32	0.33	0.32	0.33	0.31	0.33
0.31	0.31	0.32	0.31	0.32	0.3	0.32
0.3	0.3	0.31	0.3	0.31	0.29	0.31

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4.35	INF	2.93	INF
10	3.07	INF	2.3	INF
6	2.57	INF	2.01	INF
4	2.13	INF	1.74	INF
3	1.82	INF	1.53	INF
2.5	1.63	13.87	1.39	INF
2	1.41	5.6	1.23	16.7
1.8	1.31	4.2	1.16	8.31
1.6	1.21	3.21	1.08	5.1
1.4	1.09	2.46	0.99	3.41
1.3	1.03	2.15	0.94	2.83
1.2	0.97	1.87	0.89	2.37
1.1	0.91	1.63	0.84	1.98
1	0.84	1.41	0.78	1.66
0.95	0.81	1.3	0.75	1.51
0.9	0.77	1.21	0.72	1.38
0.85	0.74	1.11	0.69	1.26
0.8	0.7	1.02	0.66	1.14
0.75	0.66	0.94	0.63	1.04
0.7	0.62	0.86	0.59	0.94
0.65	0.59	0.78	0.56	0.84
0.6	0.55	0.71	0.52	0.75
0.58	0.53	0.68	0.51	0.72
0.56	0.51	0.65	0.49	0.69
0.54	0.5	0.62	0.48	0.66
0.52	0.48	0.59	0.46	0.62
0.5	0.46	0.56	0.45	0.59
0.49	0.46	0.55	0.44	0.58
0.48	0.45	0.54	0.43	0.56
0.47	0.44	0.52	0.43	0.55
0.46	0.43	0.51	0.42	0.53
0.45	0.42	0.5	0.41	0.52
0.44	0.41	0.49	0.4	0.5
0.43	0.41	0.47	0.39	0.49
0.42	0.4	0.46	0.39	0.48
0.41	0.39	0.45	0.38	0.46
0.4	0.38	0.43	0.37	0.45
0.39	0.37	0.42	0.36	0.44
0.38	0.36	0.41	0.35	0.42
0.37	0.35	0.4	0.35	0.41
0.36	0.34	0.39	0.34	0.4
0.35	0.34	0.37	0.33	0.38
0.34	0.33	0.36	0.32	0.37
0.33	0.32	0.35	0.31	0.36
0.32	0.31	0.34	0.3	0.35
0.31	0.3	0.33	0.3	0.33
0.3	0.29	0.31	0.29	0.32

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	43.50	INF	24.65	INF	14.45	INF
20	13.72	INF	11.07	INF	8.42	INF
10	8.15	51.83	7.14	INF	5.94	INF
7	6.04	15.94	5.47	27.08	4.74	INF
5	4.49	8.29	4.17	10.52	3.74	15.96
4	3.67	5.84	3.46	6.85	3.16	8.79
3.5	3.25	4.82	3.08	5.49	2.84	6.65
3	2.81	3.91	2.69	4.33	2.5	5.03
2.5	2.37	3.09	2.28	3.35	2.15	3.74
2.2	2.1	2.64	2.03	2.82	1.92	3.1
2	1.92	2.35	1.86	2.5	1.77	2.71
1.8	1.73	2.08	1.69	2.19	1.61	2.35
1.6	1.55	1.81	1.51	1.9	1.45	2.01
1.5	1.45	1.68	1.42	1.75	1.37	1.85
1.4	1.36	1.56	1.33	1.62	1.29	1.7
1.3	1.27	1.43	1.24	1.48	1.2	1.55
1.2	1.17	1.31	1.15	1.35	1.12	1.41
1.1	1.08	1.19	1.06	1.22	1.03	1.27
1	0.98	1.07	0.97	1.1	0.94	1.14
0.95	0.93	1.02	0.92	1.04	0.9	1.07
0.9	0.88	0.96	0.87	0.98	0.85	1.01
0.85	0.84	0.9	0.83	0.92	0.81	0.94
0.8	0.79	0.84	0.78	0.86	0.76	0.88
0.78	0.77	0.82	0.76	0.84	0.75	0.86
0.76	0.75	0.8	0.74	0.81	0.73	0.83
0.74	0.73	0.78	0.72	0.79	0.71	0.81
0.72	0.71	0.75	0.7	0.77	0.69	0.78
0.7	0.69	0.73	0.68	0.74	0.67	0.76
0.68	0.67	0.71	0.66	0.72	0.66	0.73
0.66	0.65	0.69	0.65	0.7	0.64	0.71
0.64	0.63	0.67	0.63	0.68	0.62	0.69
0.62	0.61	0.64	0.61	0.65	0.6	0.66
0.6	0.59	0.62	0.59	0.63	0.58	0.64
0.59	0.58	0.61	0.58	0.62	0.57	0.63
0.58	0.57	0.6	0.57	0.61	0.56	0.62
0.57	0.56	0.59	0.56	0.6	0.55	0.61
0.56	0.55	0.58	0.55	0.59	0.54	0.59
0.55	0.54	0.57	0.54	0.57	0.53	0.58
0.54	0.53	0.56	0.53	0.56	0.53	0.57
0.53	0.52	0.55	0.52	0.55	0.52	0.56
0.52	0.52	0.54	0.51	0.54	0.51	0.55
0.51	0.51	0.52	0.5	0.53	0.5	0.54
0.5	0.5	0.51	0.49	0.52	0.49	0.53
0.49	0.49	0.5	0.48	0.51	0.48	0.51
0.48	0.48	0.49	0.47	0.5	0.47	0.5
0.47	0.47	0.48	0.46	0.49	0.46	0.49
0.46	0.46	0.47	0.45	0.48	0.45	0.48
0.45	0.45	0.46	0.44	0.46	0.44	0.47

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	9.02	INF	5.87	INF
20	6.25	INF	4.56	INF
10	4.78	INF	3.73	INF
7	3.98	INF	3.23	INF
5	3.25	55.54	2.74	INF
4	2.8	14.39	2.41	INF
3.5	2.55	9.41	2.23	22.44
3	2.28	6.44	2.02	10.63
2.5	1.98	4.47	1.78	6.12
2.2	1.79	3.57	1.63	4.54
2	1.66	3.06	1.52	3.74
1.8	1.52	2.6	1.4	3.08
1.6	1.38	2.19	1.28	2.52
1.5	1.3	2.01	1.22	2.27
1.4	1.23	1.83	1.15	2.04
1.3	1.15	1.66	1.09	1.83
1.2	1.07	1.49	1.02	1.63
1.1	0.99	1.34	0.95	1.44
1	0.91	1.19	0.87	1.27
0.95	0.87	1.12	0.84	1.19
0.9	0.83	1.05	0.8	1.11
0.85	0.79	0.98	0.76	1.03
0.8	0.75	0.91	0.72	0.96
0.78	0.73	0.88	0.7	0.93
0.76	0.71	0.86	0.69	0.9
0.74	0.69	0.83	0.67	0.87
0.72	0.68	0.81	0.66	0.84
0.7	0.66	0.78	0.64	0.81
0.68	0.64	0.75	0.62	0.78
0.66	0.62	0.73	0.61	0.76
0.64	0.61	0.7	0.59	0.73
0.62	0.59	0.68	0.57	0.7
0.6	0.57	0.65	0.56	0.68
0.59	0.56	0.64	0.55	0.66
0.58	0.55	0.63	0.54	0.65
0.57	0.54	0.62	0.53	0.64
0.56	0.54	0.61	0.52	0.62
0.55	0.53	0.59	0.51	0.61
0.54	0.52	0.58	0.51	0.6
0.53	0.51	0.57	0.5	0.59
0.52	0.5	0.56	0.49	0.57
0.51	0.49	0.55	0.48	0.56
0.5	0.48	0.53	0.47	0.55
0.49	0.47	0.52	0.46	0.54
0.48	0.46	0.51	0.45	0.52
0.47	0.45	0.5	0.45	0.51
0.46	0.44	0.49	0.44	0.5
0.45	0.44	0.48	0.43	0.49

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	100.99	INF	88.66	INF	76.47	INF
50	33.49	58.69	32.02	77.59	30.28	INF
20	16.73	21.26	16.35	23.3	15.88	27.03
15	13.09	15.7	12.86	16.78	12.57	18.62
12	10.75	12.44	10.59	13.11	10.39	14.2
10	9.12	10.3	9.01	10.76	8.86	11.48
8	7.43	8.19	7.35	8.47	7.26	8.91
7	6.56	7.15	6.5	7.36	6.43	7.69
6	5.68	6.11	5.63	6.26	5.58	6.5
5.5	5.23	5.59	5.19	5.72	5.14	5.91
5	4.77	5.07	4.74	5.18	4.7	5.34
4.5	4.32	4.56	4.29	4.64	4.26	4.77
4	3.86	4.05	3.84	4.11	3.81	4.21
3.8	3.67	3.84	3.65	3.9	3.63	3.99
3.6	3.48	3.64	3.47	3.69	3.45	3.77
3.4	3.3	3.43	3.28	3.48	3.26	3.55
3.2	3.11	3.23	3.1	3.27	3.08	3.33
3	2.92	3.03	2.91	3.06	2.89	3.11
2.8	2.73	2.82	2.72	2.85	2.71	2.9
2.6	2.54	2.62	2.53	2.65	2.52	2.68
2.4	2.35	2.42	2.34	2.44	2.33	2.47
2.2	2.16	2.21	2.15	2.23	2.14	2.26
2	1.97	2.01	1.96	2.03	1.95	2.05
1.9	1.87	1.91	1.86	1.92	1.86	1.94
1.8	1.77	1.81	1.77	1.82	1.76	1.84
1.7	1.68	1.71	1.67	1.72	1.67	1.73
1.6	1.58	1.61	1.58	1.62	1.57	1.63
1.5	1.48	1.51	1.48	1.51	1.47	1.53
1.4	1.38	1.41	1.38	1.41	1.38	1.42
1.3	1.29	1.3	1.28	1.31	1.28	1.32
1.2	1.19	1.2	1.19	1.21	1.18	1.22
1.1	1.09	1.1	1.09	1.11	1.09	1.11
1	0.99	1	0.99	1.01	0.99	1.01

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	58.31	INF	41.65	INF	28.93	INF
50	26.96	INF	22.77	INF	18.37	INF
20	14.93	33.15	13.55	46.26	11.87	96.14
15	11.96	21.32	11.06	26.06	9.92	36.77
12	9.98	15.72	9.35	18.14	8.52	22.73
10	8.56	12.44	8.09	13.91	7.47	16.45
8	7.05	9.48	6.74	10.3	6.3	11.63
7	6.27	8.1	6.02	8.7	5.67	9.62
6	5.46	6.79	5.26	7.2	5	7.81
5.5	5.04	6.15	4.88	6.49	4.65	6.98
5	4.62	5.53	4.48	5.8	4.29	6.19
4.5	4.19	4.92	4.08	5.13	3.92	5.44
4	3.75	4.33	3.66	4.49	3.53	4.72
3.8	3.58	4.1	3.5	4.24	3.38	4.44
3.6	3.4	3.86	3.33	3.99	3.22	4.17
3.4	3.22	3.63	3.16	3.74	3.06	3.9
3.2	3.04	3.4	2.98	3.5	2.9	3.64
3	2.86	3.18	2.81	3.26	2.73	3.38
2.8	2.68	2.95	2.63	3.03	2.57	3.13
2.6	2.5	2.73	2.46	2.79	2.4	2.88
2.4	2.31	2.51	2.28	2.56	2.23	2.63
2.2	2.13	2.29	2.1	2.33	2.06	2.39
2	1.94	2.07	1.92	2.11	1.88	2.16
1.9	1.85	1.97	1.82	2	1.79	2.04
1.8	1.75	1.86	1.73	1.89	1.7	1.92
1.7	1.66	1.75	1.64	1.78	1.62	1.81
1.6	1.56	1.65	1.55	1.67	1.53	1.69
1.5	1.47	1.54	1.45	1.56	1.43	1.58
1.4	1.37	1.43	1.36	1.45	1.34	1.47
1.3	1.28	1.33	1.27	1.34	1.25	1.36
1.2	1.18	1.22	1.17	1.24	1.16	1.25
1.1	1.08	1.12	1.08	1.13	1.07	1.14
1	0.99	1.02	0.98	1.02	0.97	1.03

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	20.13	INF	14.06	INF
50	14.39	INF	11.01	INF
20	10.08	INF	8.3	INF
15	8.64	86.31	7.3	INF
12	7.56	35.17	6.52	153.81
10	6.72	22.08	5.89	42.7
8	5.76	14.17	5.14	20.49
7	5.23	11.29	4.71	14.94
6	4.66	8.87	4.24	10.98
5.5	4.35	7.81	3.99	9.39
5	4.03	6.83	3.72	8
4.5	3.71	5.92	3.44	6.78
4	3.36	5.08	3.15	5.69
3.8	3.22	4.76	3.02	5.29
3.6	3.08	4.44	2.9	4.9
3.4	2.93	4.14	2.77	4.54
3.2	2.78	3.84	2.64	4.18
3	2.63	3.56	2.5	3.84
2.8	2.48	3.28	2.36	3.51
2.6	2.32	3	2.22	3.2
2.4	2.16	2.74	2.07	2.9
2.2	2	2.48	1.92	2.61
2	1.83	2.22	1.77	2.33
1.9	1.75	2.1	1.69	2.19
1.8	1.67	1.98	1.62	2.06
1.7	1.58	1.86	1.54	1.93
1.6	1.5	1.74	1.45	1.8
1.5	1.41	1.62	1.37	1.67
1.4	1.32	1.5	1.29	1.54
1.3	1.23	1.38	1.21	1.42
1.2	1.14	1.27	1.12	1.3
1.1	1.05	1.16	1.03	1.18
1	0.96	1.05	0.95	1.07

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	191.80	INF	178.29	INF	123.99	INF
100	65.79	INF	64.12	INF	55.41	INF
90	61.31	INF	59.86	INF	52.2	INF
80	56.51	INF	55.27	INF	48.68	INF
70	51.33	INF	50.31	INF	44.79	INF
60	45.75	87.22	44.94	INF	40.48	INF
50	39.7	67.56	39.09	85.57	35.68	INF
45	36.49	58.73	35.97	71.87	33.06	96.06
40	33.13	50.48	32.7	59.89	30.29	75.78
35	29.63	42.76	29.29	49.31	27.33	59.59
30	25.97	35.52	25.71	39.92	24.19	46.39
25	22.14	28.71	21.95	31.51	20.84	35.4
20	18.13	22.3	18	23.95	17.25	26.12
15	13.93	16.25	13.85	17.1	13.4	18.18
14	13.06	15.08	13	15.81	12.6	16.73
13	12.19	13.93	12.13	14.55	11.79	15.32
12	11.31	12.79	11.26	13.3	10.96	13.94
11	10.42	11.66	10.37	12.08	10.12	12.61
10	9.52	10.54	9.48	10.88	9.27	11.31
9.5	9.06	9.98	9.03	10.29	8.84	10.67
9	8.61	9.43	8.58	9.71	8.41	10.04
8.5	8.15	8.88	8.12	9.13	7.97	9.42
8	7.69	8.34	7.67	8.55	7.53	8.81
7.5	7.23	7.8	7.21	7.98	7.08	8.2
7	6.76	7.26	6.74	7.42	6.64	7.61
6.5	6.29	6.72	6.28	6.86	6.19	7.02
6	5.82	6.19	5.81	6.3	5.73	6.44
5.5	5.35	5.66	5.34	5.75	5.28	5.86
5	4.88	5.13	4.87	5.21	4.81	5.3
4.8	4.69	4.92	4.68	4.99	4.63	5.07
4.6	4.5	4.71	4.49	4.77	4.44	4.85
4.5	4.4	4.6	4.39	4.66	4.35	4.74
4.4	4.31	4.5	4.3	4.56	4.26	4.63
4.2	4.11	4.29	4.11	4.34	4.07	4.41
4	3.92	4.08	3.92	4.13	3.88	4.18
3.8	3.73	3.87	3.73	3.92	3.69	3.97
3.6	3.54	3.66	3.53	3.7	3.5	3.75
3.5	3.44	3.56	3.44	3.6	3.41	3.64
3.4	3.34	3.46	3.34	3.49	3.32	3.53
3.2	3.15	3.25	3.15	3.28	3.13	3.31
3	2.96	3.04	2.95	3.07	2.93	3.1
2.9	2.86	2.94	2.86	2.96	2.84	2.99
2.8	2.76	2.84	2.76	2.86	2.74	2.89
2.7	2.67	2.74	2.66	2.76	2.65	2.78
2.6	2.57	2.63	2.57	2.65	2.55	2.67

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.47	2.53	2.47	2.55	2.46	2.57
2.4	2.37	2.43	2.37	2.44	2.36	2.46
2.3	2.28	2.33	2.27	2.34	2.26	2.36
2.2	2.18	2.22	2.18	2.24	2.17	2.25
2.1	2.08	2.12	2.08	2.13	2.07	2.15
2	1.98	2.02	1.98	2.03	1.97	2.04
1.95	1.93	1.97	1.93	1.98	1.92	1.99
1.9	1.88	1.92	1.88	1.93	1.87	1.94
1.85	1.83	1.87	1.83	1.87	1.83	1.89
1.8	1.79	1.81	1.78	1.82	1.78	1.83
1.75	1.74	1.76	1.74	1.77	1.73	1.78
1.7	1.69	1.71	1.69	1.72	1.68	1.73
1.65	1.64	1.66	1.64	1.67	1.63	1.68
1.6	1.59	1.61	1.59	1.62	1.58	1.63
1.55	1.54	1.56	1.54	1.57	1.53	1.57
1.5	1.49	1.51	1.49	1.52	1.48	1.52
1.45	1.44	1.46	1.44	1.46	1.44	1.47
1.4	1.39	1.41	1.39	1.41	1.39	1.42
1.35	1.34	1.36	1.34	1.36	1.34	1.37
1.3	1.29	1.31	1.29	1.31	1.29	1.32
1.25	1.24	1.26	1.24	1.26	1.24	1.26
1.2	1.19	1.21	1.19	1.21	1.19	1.21
1.15	1.14	1.16	1.14	1.16	1.14	1.16
1.1	1.1	1.1	1.09	1.11	1.09	1.11
1.05	1.05	1.05	1.05	1.06	1.04	1.06
1	1	1	1	1.01	0.99	1.01
0.98	0.98	0.98	0.98	0.99	0.97	0.99
0.96	0.96	0.96	0.96	0.97	0.95	0.97
0.95	0.95	0.95	0.95	0.96	0.94	0.96
0.94	0.94	0.94	0.94	0.95	0.93	0.95
0.92	0.92	0.92	0.92	0.92	0.92	0.93
0.9	0.9	0.9	0.9	0.9	0.9	0.91
0.88	0.88	0.88	0.88	0.88	0.88	0.89
0.86	0.86	0.86	0.86	0.86	0.86	0.87
0.85	0.85	0.85	0.85	0.85	0.85	0.86
0.84	0.84	0.84	0.84	0.84	0.84	0.85
0.82	0.82	0.82	0.82	0.82	0.82	0.83
0.8	0.8	0.8	0.8	0.8	0.8	0.8
0.78	0.78	0.78	0.78	0.78	0.78	0.78
0.76	0.76	0.76	0.76	0.76	0.76	0.76
0.75	0.75	0.75	0.75	0.75	0.75	0.75
0.74	0.74	0.74	0.74	0.74	0.74	0.74
0.72	0.72	0.72	0.72	0.72	0.72	0.72
0.7	0.7	0.7	0.7	0.7	0.7	0.7

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	85.31	INF	58.55	INF	40.08	INF
100	46.1	INF	36.98	INF	28.66	INF
90	43.86	INF	35.53	INF	27.78	INF
80	41.34	INF	33.87	INF	26.76	INF
70	38.51	INF	31.94	INF	25.54	INF
60	35.28	INF	29.69	INF	24.09	INF
50	31.58	INF	27.03	INF	22.31	INF
45	29.51	INF	25.5	INF	21.26	INF
40	27.28	INF	23.82	INF	20.08	INF
35	24.87	82.82	21.96	INF	18.75	INF
30	22.24	59.32	19.89	INF	17.22	INF
25	19.38	42.45	17.57	58.32	15.46	INF
20	16.24	29.76	14.95	36.75	13.4	54.12
15	12.79	19.86	11.98	22.73	10.96	28.33
14	12.06	18.14	11.34	20.5	10.42	24.94
13	11.31	16.49	10.67	18.41	9.86	21.91
12	10.55	14.9	9.99	16.46	9.28	19.19
11	9.77	13.39	9.29	14.62	8.67	16.74
10	8.97	11.93	8.57	12.9	8.04	14.51
9.5	8.57	11.22	8.2	12.07	7.72	13.47
9	8.16	10.53	7.83	11.27	7.39	12.48
8.5	7.75	9.85	7.45	10.49	7.05	11.53
8	7.33	9.18	7.06	9.74	6.7	10.62
7.5	6.91	8.52	6.67	9	6.35	9.75
7	6.49	7.88	6.28	8.29	5.99	8.92
6.5	6.06	7.25	5.87	7.59	5.62	8.11
6	5.62	6.63	5.46	6.91	5.25	7.34
5.5	5.18	6.02	5.05	6.25	4.86	6.6
5	4.74	5.43	4.62	5.61	4.47	5.89
4.8	4.56	5.19	4.45	5.36	4.31	5.61
4.6	4.38	4.96	4.28	5.11	4.15	5.34
4.5	4.29	4.84	4.19	4.99	4.07	5.2
4.4	4.2	4.72	4.11	4.86	3.99	5.07
4.2	4.01	4.49	3.93	4.62	3.82	4.8
4	3.83	4.26	3.76	4.38	3.66	4.54
3.8	3.65	4.04	3.58	4.14	3.49	4.28
3.6	3.46	3.81	3.4	3.9	3.32	4.03
3.5	3.37	3.7	3.32	3.78	3.24	3.9
3.4	3.28	3.59	3.23	3.66	3.15	3.78
3.2	3.09	3.36	3.05	3.43	2.98	3.53
3	2.91	3.14	2.87	3.2	2.81	3.29
2.9	2.81	3.03	2.77	3.09	2.72	3.17
2.8	2.72	2.92	2.68	2.97	2.63	3.05
2.7	2.62	2.81	2.59	2.86	2.54	2.93
2.6	2.53	2.7	2.5	2.75	2.46	2.81

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.44	2.60	2.41	2.64	2.37	2.69
2.4	2.34	2.49	2.31	2.52	2.28	2.57
2.3	2.25	2.38	2.22	2.41	2.19	2.46
2.2	2.15	2.27	2.13	2.3	2.1	2.34
2.1	2.06	2.17	2.04	2.19	2.01	2.23
2	1.96	2.06	1.94	2.08	1.92	2.12
1.95	1.91	2.01	1.89	2.03	1.87	2.06
1.9	1.86	1.95	1.85	1.97	1.82	2
1.85	1.82	1.9	1.8	1.92	1.78	1.95
1.8	1.77	1.85	1.75	1.87	1.73	1.89
1.75	1.72	1.79	1.71	1.81	1.69	1.84
1.7	1.67	1.74	1.66	1.76	1.64	1.78
1.65	1.62	1.69	1.61	1.7	1.59	1.73
1.6	1.57	1.64	1.56	1.65	1.55	1.67
1.55	1.53	1.58	1.52	1.6	1.5	1.62
1.5	1.48	1.53	1.47	1.54	1.45	1.56
1.45	1.43	1.48	1.42	1.49	1.41	1.51
1.4	1.38	1.43	1.37	1.44	1.36	1.45
1.35	1.33	1.37	1.33	1.38	1.31	1.4
1.3	1.28	1.32	1.28	1.33	1.27	1.34
1.25	1.24	1.27	1.23	1.28	1.22	1.29
1.2	1.19	1.22	1.18	1.23	1.17	1.24
1.15	1.14	1.17	1.13	1.17	1.12	1.18
1.1	1.09	1.12	1.08	1.12	1.08	1.13
1.05	1.04	1.06	1.04	1.07	1.03	1.08
1	0.99	1.01	0.99	1.02	0.98	1.02
0.98	0.97	0.99	0.97	1	0.96	1
0.96	0.95	0.97	0.95	0.98	0.94	0.98
0.95	0.94	0.96	0.94	0.96	0.93	0.97
0.94	0.93	0.95	0.93	0.95	0.92	0.96
0.92	0.91	0.93	0.91	0.93	0.9	0.94
0.9	0.89	0.91	0.89	0.91	0.89	0.92
0.88	0.87	0.89	0.87	0.89	0.87	0.9
0.86	0.85	0.87	0.85	0.87	0.85	0.88
0.85	0.84	0.86	0.84	0.86	0.84	0.87
0.84	0.83	0.85	0.83	0.85	0.83	0.86
0.82	0.81	0.83	0.81	0.83	0.81	0.83
0.8	0.79	0.81	0.79	0.81	0.79	0.81
0.78	0.78	0.79	0.77	0.79	0.77	0.79
0.76	0.76	0.77	0.75	0.77	0.75	0.77
0.75	0.75	0.76	0.74	0.76	0.74	0.76
0.74	0.74	0.75	0.73	0.75	0.73	0.75
0.72	0.72	0.73	0.71	0.73	0.71	0.73
0.7	0.7	0.7	0.69	0.71	0.69	0.71

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27.46	INF	18.97	INF
100	21.59	INF	15.98	INF
90	21.09	INF	15.7	INF
80	20.49	INF	15.37	INF
70	19.78	INF	14.97	INF
60	18.89	INF	14.46	INF
50	17.78	INF	13.8	INF
45	17.11	INF	13.4	INF
40	16.34	INF	12.92	INF
35	15.45	INF	12.36	INF
30	14.4	INF	11.68	INF
25	13.15	INF	10.85	INF
20	11.63	INF	9.8	INF
15	9.76	42.84	8.44	INF
14	9.33	35.51	8.12	87.72
13	8.88	29.65	7.78	58.87
12	8.4	24.87	7.41	42.55
11	7.91	20.89	7.02	32.05
10	7.38	17.52	6.61	24.72
9.5	7.11	16.02	6.39	21.83
9	6.83	14.64	6.16	19.33
8.5	6.54	13.34	5.92	17.13
8	6.24	12.14	5.68	15.18
7.5	5.93	11.01	5.43	13.45
7	5.62	9.95	5.16	11.9
6.5	5.3	8.96	4.89	10.51
6	4.96	8.03	4.61	9.24
5.5	4.62	7.15	4.31	8.09
5	4.26	6.32	4	7.04
4.8	4.12	6	3.87	6.64
4.6	3.97	5.69	3.74	6.26
4.5	3.9	5.53	3.68	6.07
4.4	3.82	5.38	3.61	5.89
4.2	3.67	5.08	3.48	5.53
4	3.52	4.79	3.34	5.18
3.8	3.37	4.5	3.2	4.85
3.6	3.21	4.22	3.06	4.52
3.5	3.13	4.08	2.99	4.36
3.4	3.05	3.94	2.92	4.21
3.2	2.89	3.67	2.77	3.9
3	2.73	3.41	2.62	3.6
2.9	2.64	3.28	2.55	3.46
2.8	2.56	3.15	2.47	3.31
2.7	2.48	3.02	2.39	3.17
2.6	2.4	2.9	2.31	3.03

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2.5	2.31	2.77	2.24	2.89
2.4	2.23	2.65	2.16	2.76
2.3	2.14	2.53	2.08	2.63
2.2	2.05	2.4	2	2.49
2.1	1.97	2.28	1.91	2.36
2	1.88	2.16	1.83	2.24
1.95	1.84	2.11	1.79	2.17
1.9	1.79	2.05	1.75	2.11
1.85	1.75	1.99	1.71	2.05
1.8	1.7	1.93	1.66	1.99
1.75	1.66	1.87	1.62	1.92
1.7	1.61	1.81	1.58	1.86
1.65	1.57	1.76	1.54	1.8
1.6	1.53	1.7	1.49	1.74
1.55	1.48	1.64	1.45	1.68
1.5	1.43	1.59	1.41	1.62
1.45	1.39	1.53	1.36	1.56
1.4	1.34	1.47	1.32	1.5
1.35	1.3	1.42	1.28	1.45
1.3	1.25	1.36	1.23	1.39
1.25	1.21	1.31	1.19	1.33
1.2	1.16	1.25	1.14	1.27
1.15	1.11	1.2	1.1	1.22
1.1	1.07	1.14	1.05	1.16
1.05	1.02	1.09	1.01	1.1
1	0.97	1.03	0.96	1.05
0.98	0.95	1.01	0.94	1.02
0.96	0.94	0.99	0.93	1
0.95	0.93	0.98	0.92	0.99
0.94	0.92	0.97	0.91	0.98
0.92	0.9	0.95	0.89	0.96
0.9	0.88	0.93	0.87	0.94
0.88	0.86	0.9	0.85	0.91
0.86	0.84	0.88	0.83	0.89
0.85	0.83	0.87	0.82	0.88
0.84	0.82	0.86	0.82	0.87
0.82	0.8	0.84	0.8	0.85
0.8	0.78	0.82	0.78	0.83
0.78	0.77	0.8	0.76	0.8
0.76	0.75	0.78	0.74	0.78
0.75	0.74	0.77	0.73	0.77
0.74	0.73	0.76	0.72	0.76
0.72	0.71	0.73	0.7	0.74
0.7	0.69	0.71	0.68	0.72

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	361.09	INF	300.03	INF	207.29	INF
60	51.48	73.36	50.04	81.14	46.58	93.69
30	27.72	32.99	27.3	34.47	26.24	36.53
15	14.41	15.71	14.3	16.03	14.01	16.45
12	11.62	12.45	11.55	12.64	11.36	12.91
10	9.74	10.31	9.69	10.44	9.55	10.62
9	8.79	9.25	8.75	9.35	8.64	9.5
8	7.83	8.19	7.8	8.28	7.71	8.39
7	6.87	7.15	6.85	7.21	6.78	7.29
6	5.91	6.11	5.89	6.15	5.84	6.21
5.5	5.42	5.59	5.41	5.63	5.37	5.68
5	4.93	5.07	4.92	5.1	4.89	5.14
4.5	4.45	4.56	4.44	4.58	4.41	4.62
4	3.96	4.05	3.95	4.07	3.93	4.09
3.8	3.76	3.84	3.76	3.86	3.74	3.88
3.6	3.57	3.64	3.56	3.65	3.54	3.67
3.4	3.37	3.43	3.37	3.45	3.35	3.46
3.2	3.17	3.23	3.17	3.24	3.16	3.26
3	2.98	3.03	2.97	3.04	2.96	3.05
2.8	2.78	2.82	2.78	2.83	2.77	2.84
2.6	2.58	2.62	2.58	2.63	2.57	2.64
2.4	2.39	2.42	2.38	2.42	2.38	2.43
2.2	2.19	2.21	2.19	2.22	2.18	2.22
2	1.99	2.01	1.99	2.01	1.98	2.02
1.9	1.89	1.91	1.89	1.91	1.89	1.92
1.8	1.79	1.81	1.79	1.81	1.79	1.82
1.7	1.69	1.71	1.69	1.71	1.69	1.71
1.6	1.59	1.61	1.59	1.61	1.59	1.61
1.5	1.49	1.51	1.49	1.51	1.49	1.51
1.4	1.4	1.4	1.39	1.41	1.39	1.41
1.3	1.3	1.3	1.3	1.31	1.29	1.31
1.2	1.2	1.2	1.2	1.2	1.19	1.21
1.1	1.1	1.1	1.1	1.1	1.1	1.11
1	1	1	1	1	1	1

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	143.41	INF	99.30	INF	69.00	INF
60	42.36	119.5	37.47	193.94	32.17	1537.36
30	24.85	39.87	23.09	45.69	20.97	57.46
15	13.61	17.09	13.07	18.07	12.37	19.64
12	11.09	13.29	10.74	13.87	10.26	14.78
10	9.37	10.88	9.11	11.26	8.77	11.85
9	8.49	9.7	8.28	10	7.99	10.46
8	7.59	8.55	7.42	8.78	7.2	9.13
7	6.69	7.41	6.56	7.59	6.38	7.84
6	5.77	6.3	5.67	6.42	5.54	6.6
5.5	5.31	5.75	5.23	5.85	5.12	6
5	4.84	5.2	4.77	5.29	4.68	5.41
4.5	4.37	4.66	4.32	4.73	4.24	4.82
4	3.9	4.13	3.86	4.18	3.8	4.25
3.8	3.71	3.91	3.67	3.96	3.62	4.03
3.6	3.52	3.7	3.48	3.74	3.44	3.8
3.4	3.33	3.49	3.3	3.53	3.25	3.58
3.2	3.14	3.28	3.11	3.31	3.07	3.36
3	2.94	3.07	2.92	3.1	2.89	3.13
2.8	2.75	2.86	2.73	2.88	2.7	2.92
2.6	2.56	2.65	2.54	2.67	2.52	2.7
2.4	2.37	2.44	2.35	2.46	2.33	2.48
2.2	2.17	2.23	2.16	2.25	2.14	2.27
2	1.98	2.03	1.97	2.04	1.95	2.06
1.9	1.88	1.93	1.87	1.94	1.86	1.95
1.8	1.78	1.82	1.77	1.83	1.76	1.84
1.7	1.68	1.72	1.68	1.73	1.67	1.74
1.6	1.59	1.62	1.58	1.62	1.57	1.63
1.5	1.49	1.51	1.48	1.52	1.47	1.53
1.4	1.39	1.41	1.38	1.42	1.38	1.42
1.3	1.29	1.31	1.29	1.31	1.28	1.32
1.2	1.19	1.21	1.19	1.21	1.18	1.22
1.1	1.09	1.11	1.09	1.11	1.09	1.11
1	1	1.01	0.99	1.01	0.99	1.01

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	48.16	INF	33.77	INF
60	26.79	INF	21.68	INF
30	18.56	90.28	15.96	474.13
15	11.49	22.4	10.45	27.95
12	9.66	16.28	8.91	19.01
10	8.33	12.78	7.77	14.4
9	7.62	11.18	7.16	12.39
8	6.9	9.67	6.52	10.56
7	6.15	8.24	5.84	8.87
6	5.37	6.88	5.14	7.31
5.5	4.97	6.22	4.77	6.57
5	4.56	5.59	4.39	5.87
4.5	4.14	4.97	4	5.18
4	3.72	4.36	3.61	4.53
3.8	3.54	4.12	3.44	4.27
3.6	3.37	3.89	3.28	4.02
3.4	3.2	3.65	3.12	3.77
3.2	3.02	3.42	2.95	3.52
3	2.84	3.19	2.78	3.28
2.8	2.66	2.96	2.61	3.04
2.6	2.48	2.74	2.44	2.8
2.4	2.3	2.52	2.26	2.57
2.2	2.12	2.3	2.08	2.34
2	1.93	2.08	1.91	2.11
1.9	1.84	1.97	1.82	2
1.8	1.75	1.86	1.72	1.89
1.7	1.65	1.75	1.63	1.78
1.6	1.56	1.65	1.54	1.67
1.5	1.46	1.54	1.45	1.56
1.4	1.37	1.43	1.36	1.45
1.3	1.27	1.33	1.26	1.34
1.2	1.18	1.22	1.17	1.23
1.1	1.08	1.12	1.08	1.13
1	0.99	1.02	0.98	1.02

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	53.65	INF	46.05	INF	48.53	INF
10	8.45	12.26	8.24	14.06	8.31	20.64
8	6.98	9.38	6.83	10.39	6.88	13.57
7	6.21	8.03	6.09	8.76	6.13	10.91
6	5.41	6.74	5.32	7.24	5.35	8.64
5	4.59	5.5	4.52	5.83	4.54	6.7
4	3.73	4.31	3.69	4.51	3.7	5
3	2.85	3.17	2.83	3.27	2.83	3.52
2.5	2.39	2.62	2.38	2.68	2.38	2.85
2	1.93	2.07	1.92	2.11	1.93	2.21
1.8	1.75	1.86	1.74	1.89	1.74	1.97
1.6	1.56	1.64	1.55	1.67	1.55	1.73
1.5	1.46	1.54	1.46	1.56	1.46	1.61
1.4	1.37	1.43	1.36	1.45	1.36	1.5
1.3	1.27	1.33	1.27	1.34	1.27	1.38
1.2	1.18	1.22	1.17	1.24	1.17	1.27
1.1	1.08	1.12	1.08	1.13	1.08	1.16
1	0.98	1.02	0.98	1.03	0.98	1.05
0.95	0.94	0.96	0.93	0.97	0.93	0.99
0.9	0.89	0.91	0.89	0.92	0.89	0.94
0.85	0.84	0.86	0.84	0.87	0.84	0.88
0.8	0.79	0.81	0.79	0.82	0.79	0.83
0.75	0.74	0.76	0.74	0.76	0.74	0.77
0.7	0.69	0.71	0.69	0.71	0.69	0.72
0.65	0.64	0.66	0.64	0.66	0.64	0.67
0.62	0.62	0.63	0.62	0.63	0.62	0.64
0.6	0.59	0.61	0.59	0.61	0.59	0.61
0.58	0.58	0.58	0.57	0.59	0.57	0.59
0.56	0.56	0.56	0.56	0.57	0.56	0.57
0.55	0.55	0.55	0.55	0.56	0.55	0.56
0.54	0.54	0.54	0.54	0.55	0.54	0.55
0.52	0.52	0.52	0.52	0.53	0.52	0.53

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.50	0.50	0.50	0.50	0.50	0.51
0.49	0.49	0.49	0.49	0.49	0.49	0.5
0.48	0.48	0.48	0.48	0.48	0.48	0.49
0.47	0.47	0.47	0.47	0.47	0.47	0.48
0.46	0.46	0.46	0.46	0.46	0.46	0.47
0.45	0.45	0.45	0.45	0.45	0.45	0.46
0.44	0.44	0.44	0.44	0.44	0.44	0.45
0.43	0.43	0.43	0.43	0.43	0.43	0.44
0.42	0.42	0.42	0.42	0.42	0.42	0.43
0.41	0.41	0.41	0.41	0.41	0.41	0.42
0.4	0.4	0.4	0.4	0.4	0.4	0.4
0.39	0.39	0.39	0.39	0.39	0.39	0.39
0.38	0.38	0.38	0.38	0.38	0.38	0.38
0.37	0.37	0.37	0.37	0.38	0.37	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.37
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.33	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.29	0.29	0.29	0.29	0.29
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.24	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	36.69	INF	22.61	INF	13.86	INF
10	7.88	40.63	6.96	INF	5.84	INF
8	6.59	20.02	5.93	41.79	5.11	INF
7	5.89	14.7	5.37	23.75	4.68	INF
6	5.17	10.85	4.76	15.07	4.22	29.66
5	4.41	7.94	4.11	9.97	3.7	14.74
4	3.62	5.66	3.42	6.62	3.13	8.4
3	2.78	3.83	2.66	4.24	2.49	4.9
2.5	2.35	3.04	2.26	3.29	2.14	3.67
2	1.9	2.33	1.85	2.47	1.76	2.67
1.8	1.72	2.06	1.68	2.16	1.61	2.32
1.6	1.54	1.8	1.5	1.88	1.45	1.99
1.5	1.45	1.67	1.41	1.74	1.37	1.83
1.4	1.35	1.55	1.33	1.6	1.28	1.68
1.3	1.26	1.42	1.24	1.47	1.2	1.54
1.2	1.17	1.3	1.15	1.34	1.11	1.4
1.1	1.07	1.18	1.05	1.22	1.03	1.26
1	0.98	1.07	0.96	1.09	0.94	1.13
0.95	0.93	1.01	0.92	1.03	0.9	1.06
0.9	0.88	0.95	0.87	0.97	0.85	1
0.85	0.83	0.9	0.82	0.91	0.81	0.94
0.8	0.79	0.84	0.78	0.86	0.76	0.88
0.75	0.74	0.78	0.73	0.8	0.72	0.81
0.7	0.69	0.73	0.68	0.74	0.67	0.75
0.65	0.64	0.67	0.64	0.68	0.63	0.7
0.62	0.61	0.65	0.61	0.65	0.6	0.66
0.6	0.59	0.62	0.59	0.63	0.58	0.64
0.58	0.57	0.6	0.57	0.61	0.56	0.61
0.56	0.55	0.58	0.55	0.58	0.54	0.59
0.55	0.54	0.57	0.54	0.57	0.53	0.58
0.54	0.53	0.56	0.53	0.56	0.52	0.57
0.52	0.51	0.53	0.51	0.54	0.51	0.55

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.49	0.51	0.49	0.52	0.49	0.52
0.49	0.49	0.5	0.48	0.51	0.48	0.51
0.48	0.48	0.49	0.47	0.5	0.47	0.5
0.47	0.47	0.48	0.46	0.49	0.46	0.49
0.46	0.46	0.47	0.45	0.47	0.45	0.48
0.45	0.45	0.46	0.44	0.46	0.44	0.47
0.44	0.44	0.45	0.43	0.45	0.43	0.46
0.43	0.43	0.44	0.42	0.44	0.42	0.45
0.42	0.42	0.43	0.41	0.43	0.41	0.43
0.41	0.41	0.42	0.41	0.42	0.4	0.42
0.4	0.4	0.41	0.4	0.41	0.39	0.41
0.39	0.39	0.4	0.39	0.4	0.38	0.4
0.38	0.38	0.39	0.38	0.39	0.37	0.39
0.37	0.37	0.38	0.37	0.38	0.37	0.38
0.37	0.37	0.38	0.37	0.38	0.36	0.38
0.36	0.36	0.37	0.36	0.37	0.35	0.37
0.35	0.35	0.35	0.35	0.36	0.34	0.36
0.34	0.34	0.34	0.34	0.35	0.34	0.35
0.33	0.33	0.33	0.33	0.34	0.33	0.34
0.32	0.32	0.33	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.33
0.31	0.31	0.31	0.31	0.31	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.31
0.29	0.29	0.29	0.29	0.29	0.29	0.29
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.23	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	8.82	INF	5.80	INF
10	4.72	INF	3.71	INF
8	4.23	INF	3.4	INF
7	3.94	INF	3.21	INF
6	3.61	INF	2.99	INF
5	3.23	42.29	2.72	INF
4	2.78	13.3	2.4	70.59
3	2.27	6.21	2.01	9.91
2.5	1.97	4.35	1.78	5.87
2	1.65	3	1.52	3.64
1.8	1.52	2.56	1.4	3.01
1.6	1.37	2.17	1.28	2.47
1.5	1.3	1.98	1.22	2.23
1.4	1.23	1.81	1.15	2.01
1.3	1.15	1.64	1.08	1.8
1.2	1.07	1.48	1.02	1.61
1.1	0.99	1.33	0.95	1.43
1	0.91	1.18	0.87	1.26
0.95	0.87	1.11	0.83	1.18
0.9	0.83	1.04	0.8	1.1
0.85	0.79	0.97	0.76	1.02
0.8	0.74	0.9	0.72	0.95
0.75	0.7	0.84	0.68	0.88
0.7	0.66	0.78	0.64	0.81
0.65	0.62	0.71	0.6	0.74
0.62	0.59	0.68	0.58	0.7
0.6	0.57	0.65	0.56	0.67
0.58	0.55	0.63	0.54	0.65
0.56	0.54	0.6	0.52	0.62
0.55	0.53	0.59	0.51	0.61
0.54	0.52	0.58	0.51	0.59
0.52	0.5	0.56	0.49	0.57

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
0.5	0.48	0.53	0.47	0.54
0.49	0.47	0.52	0.46	0.53
0.48	0.46	0.51	0.45	0.52
0.47	0.45	0.5	0.45	0.51
0.46	0.44	0.49	0.44	0.5
0.45	0.44	0.47	0.43	0.48
0.44	0.43	0.46	0.42	0.47
0.43	0.42	0.45	0.41	0.46
0.42	0.41	0.44	0.4	0.45
0.41	0.4	0.43	0.39	0.44
0.4	0.39	0.42	0.38	0.42
0.39	0.38	0.41	0.37	0.41
0.38	0.37	0.4	0.37	0.4
0.37	0.36	0.39	0.36	0.39
0.37	0.36	0.38	0.36	0.39
0.36	0.35	0.37	0.35	0.38
0.35	0.34	0.36	0.34	0.37
0.34	0.33	0.35	0.33	0.36
0.33	0.32	0.34	0.32	0.34
0.32	0.32	0.33	0.31	0.34
0.32	0.31	0.33	0.31	0.33
0.31	0.3	0.32	0.3	0.32
0.3	0.3	0.31	0.29	0.31
0.29	0.29	0.3	0.28	0.3
0.28	0.28	0.29	0.27	0.29
0.28	0.27	0.28	0.27	0.29
0.27	0.27	0.27	0.27	0.28
0.26	0.26	0.26	0.26	0.27
0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24
0.24	0.23	0.24	0.23	0.24

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2.89	INF	2.26	INF	1.88	INF
10	2.28	INF	1.88	INF	1.61	INF
5	1.88	INF	1.60	INF	1.41	INF
3	1.53	INF	1.34	INF	1.21	INF
2.5	1.39	17.56	1.24	INF	1.13	INF
2	1.23	6.06	1.12	17.98	1.02	INF
1.8	1.16	4.45	1.06	8.54	0.98	INF
1.6	1.08	3.34	0.99	5.16	0.92	INF
1.4	0.99	2.52	0.92	3.42	0.86	60.17
1.2	0.89	1.91	0.83	2.36	0.78	6.40
1	0.78	1.42	0.74	1.65	0.70	2.85
0.9	0.73	1.22	0.69	1.37	0.66	2.08
0.85	0.69	1.12	0.66	1.25	0.63	1.8
0.8	0.66	1.03	0.63	1.13	0.61	1.56
0.75	0.63	0.94	0.6	1.03	0.58	1.35
0.7	0.6	0.86	0.57	0.93	0.55	1.18
0.65	0.56	0.78	0.54	0.84	0.52	1.02
0.6	0.53	0.71	0.51	0.75	0.49	0.89
0.55	0.49	0.63	0.48	0.67	0.46	0.77
0.5	0.45	0.56	0.44	0.59	0.43	0.66
0.48	0.44	0.54	0.43	0.56	0.42	0.62
0.46	0.42	0.51	0.41	0.53	0.4	0.59
0.44	0.41	0.48	0.4	0.5	0.39	0.55
0.42	0.39	0.46	0.38	0.47	0.37	0.51
0.4	0.37	0.43	0.37	0.45	0.36	0.48
0.39	0.36	0.42	0.36	0.43	0.35	0.47
0.38	0.36	0.41	0.35	0.42	0.34	0.45
0.37	0.35	0.4	0.34	0.41	0.34	0.43
0.36	0.34	0.38	0.33	0.39	0.33	0.42
0.35	0.33	0.37	0.33	0.38	0.32	0.4
0.34	0.32	0.36	0.32	0.37	0.31	0.39
0.33	0.31	0.35	0.31	0.36	0.31	0.37
0.32	0.31	0.34	0.3	0.34	0.3	0.36
0.31	0.3	0.33	0.29	0.33	0.29	0.35
0.3	0.29	0.31	0.28	0.32	0.28	0.33

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1.41	INF	1.01	INF	0.72	INF
10	1.26	INF	0.94	INF	0.69	INF
5	1.14	INF	0.87	INF	0.66	INF
3	1.01	INF	0.80	INF	0.62	INF
2.5	0.95	INF	0.76	INF	0.60	INF
2	0.88	INF	0.72	INF	0.57	INF
1.8	0.85	INF	0.70	INF	0.56	INF
1.6	0.81	INF	0.67	INF	0.54	INF
1.4	0.76	INF	0.64	INF	0.53	INF
1.2	0.70	INF	0.60	INF	0.50	INF
1	0.64	48.06	0.56	INF	0.47	INF
0.9	0.6	6.24	0.53	INF	0.46	INF
0.85	0.58	4.13	0.52	INF	0.45	INF
0.8	0.56	2.99	0.5	INF	0.43	INF
0.75	0.54	2.28	0.48	32.76	0.42	INF
0.7	0.52	1.8	0.47	6.24	0.41	INF
0.65	0.49	1.44	0.45	3.23	0.4	INF
0.6	0.47	1.17	0.43	2.07	0.38	INF
0.55	0.44	0.96	0.41	1.46	0.37	6.12
0.5	0.41	0.79	0.38	1.08	0.35	2.29
0.48	0.4	0.73	0.37	0.96	0.34	1.78
0.46	0.39	0.68	0.36	0.86	0.33	1.44
0.44	0.37	0.63	0.35	0.78	0.32	1.19
0.42	0.36	0.58	0.34	0.7	0.32	1
0.4	0.35	0.54	0.33	0.63	0.31	0.85
0.39	0.34	0.51	0.32	0.6	0.3	0.79
0.38	0.33	0.49	0.32	0.57	0.3	0.73
0.37	0.33	0.47	0.31	0.54	0.29	0.68
0.36	0.32	0.45	0.31	0.51	0.29	0.64
0.35	0.31	0.44	0.3	0.49	0.28	0.59
0.34	0.31	0.42	0.29	0.46	0.28	0.55
0.33	0.3	0.4	0.29	0.44	0.27	0.52
0.32	0.29	0.38	0.28	0.42	0.27	0.49
0.31	0.28	0.37	0.27	0.4	0.26	0.45
0.3	0.28	0.35	0.27	0.38	0.26	0.43

Compact Prime CP.2 15mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0.53	INF
10	0.51	INF
5	0.50	INF
3	0.48	INF
2.5	0.47	INF
2	0.45	INF
1.8	0.45	INF
1.6	0.44	INF
1.4	0.43	INF
1.2	0.41	INF
1	0.40	INF
0.9	0.38	INF
0.85	0.38	INF
0.8	0.37	INF
0.75	0.36	INF
0.7	0.36	INF
0.65	0.35	INF
0.6	0.34	INF
0.55	0.33	INF
0.5	0.31	INF
0.48	0.31	INF
0.46	0.3	INF
0.44	0.3	8.32
0.42	0.29	3.25
0.4	0.28	1.96
0.39	0.28	1.61
0.38	0.27	1.36
0.37	0.27	1.17
0.36	0.27	1.02
0.35	0.26	0.9
0.34	0.26	0.8
0.33	0.25	0.72
0.32	0.25	0.65
0.31	0.25	0.59
0.3	0.24	0.53

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3.21	INF	2.22	INF	1.50	INF
10	2.47	INF	1.84	INF	1.32	INF
5	2.01	INF	1.58	INF	1.19	INF
3	1.60	INF	1.33	INF	1.04	INF
2	1.28	INF	1.10	INF	0.91	INF
1.7	1.16	23.06	1.01	INF	0.85	INF
1.5	1.07	7.58	0.95	INF	0.80	INF
1.3	0.97	4.04	0.87	32.04	0.75	INF
1.1	0.86	2.47	0.78	5.10	0.69	INF
1	0.80	1.97	0.73	3.30	0.65	35.39
0.9	0.74	1.58	0.68	2.31	0.61	6.00
0.8	0.67	1.27	0.63	1.68	0.57	2.95
0.75	0.64	1.14	0.60	1.44	0.55	2.26
0.7	0.60	1.01	0.57	1.24	0.52	1.79
0.65	0.57	0.90	0.54	1.07	0.50	1.44
0.6	0.53	0.80	0.51	0.92	0.47	1.17
0.55	0.49	0.70	0.47	0.80	0.44	0.96
0.5	0.46	0.62	0.44	0.68	0.41	0.79
0.48	0.44	0.58	0.42	0.64	0.40	0.73
0.46	0.42	0.55	0.41	0.60	0.39	0.68
0.44	0.41	0.52	0.39	0.56	0.38	0.63
0.42	0.39	0.49	0.38	0.53	0.36	0.58
0.4	0.37	0.46	0.36	0.49	0.35	0.54
0.39	0.37	0.45	0.36	0.47	0.34	0.52
0.38	0.36	0.43	0.35	0.46	0.33	0.50
0.37	0.35	0.42	0.34	0.44	0.33	0.48
0.36	0.34	0.40	0.33	0.42	0.32	0.46
0.35	0.33	0.39	0.32	0.41	0.31	0.44
0.34	0.32	0.38	0.32	0.39	0.31	0.42
0.33	0.31	0.36	0.31	0.38	0.30	0.40
0.32	0.31	0.35	0.30	0.36	0.29	0.38
0.31	0.30	0.34	0.29	0.35	0.28	0.37
0.3	0.29	0.32	0.28	0.34	0.28	0.35
0.29	0.28	0.31	0.28	0.32	0.27	0.34
0.28	0.27	0.30	0.27	0.31	0.26	0.32
0.27	0.26	0.29	0.26	0.29	0.25	0.30
0.26	0.25	0.27	0.25	0.28	0.24	0.29
0.25	0.24	0.26	0.24	0.27	0.24	0.28
0.24	0.23	0.25	0.23	0.26	0.23	0.26

Compact Prime CP.2 21mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.03	INF
10	0.95	INF
5	0.89	INF
3	0.81	INF
2	0.73	INF
1.7	0.69	INF
1.5	0.66	INF
1.3	0.63	INF
1.1	0.59	INF
1	0.56	INF
0.9	0.53	INF
0.8	0.50	INF
0.75	0.49	13.73
0.7	0.47	4.99
0.65	0.45	2.88
0.6	0.43	1.93
0.55	0.41	1.39
0.5	0.38	1.05
0.48	0.37	0.94
0.46	0.36	0.85
0.44	0.35	0.76
0.42	0.34	0.69
0.4	0.33	0.62
0.39	0.32	0.59
0.38	0.32	0.56
0.37	0.31	0.54
0.36	0.31	0.51
0.35	0.30	0.49
0.34	0.29	0.46
0.33	0.29	0.44
0.32	0.28	0.42
0.31	0.27	0.40
0.3	0.27	0.38
0.29	0.26	0.36
0.28	0.25	0.34
0.27	0.25	0.32
0.26	0.24	0.30
0.25	0.23	0.29
0.24	0.22	0.27

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.93	INF	3.40	INF	2.36	INF
12	3.53	INF	2.68	INF	2.00	INF
6	2.75	INF	2.21	INF	1.73	INF
4	2.25	INF	1.88	INF	1.53	INF
3	1.91	14.33	1.64	INF	1.37	INF
2.5	1.7	7.15	1.49	26.43	1.26	INF
2	1.46	4.08	1.3	6.9	1.13	288.65
1.8	1.35	3.3	1.22	4.89	1.07	15.5
1.6	1.24	2.66	1.13	3.59	1	7.1
1.4	1.12	2.13	1.03	2.67	0.92	4.19
1.2	0.99	1.68	0.92	1.99	0.84	2.71
1.1	0.93	1.48	0.86	1.72	0.79	2.21
1	0.86	1.3	0.8	1.47	0.74	1.81
0.9	0.78	1.13	0.74	1.25	0.69	1.49
0.85	0.8	1.1	0.7	1.2	0.7	1.3
0.8	0.7	1.0	0.7	1.1	0.6	1.2
0.75	0.7	0.9	0.6	1.0	0.6	1.1
0.7	0.6	0.8	0.6	0.9	0.6	1.0
0.65	0.59	0.75	0.57	0.8	0.54	0.88
0.6	0.55	0.68	0.53	0.72	0.51	0.78
0.58	0.54	0.65	0.52	0.69	0.49	0.75
0.56	0.52	0.63	0.5	0.66	0.48	0.71
0.54	0.5	0.6	0.49	0.63	0.47	0.68
0.52	0.49	0.58	0.47	0.6	0.45	0.64
0.5	0.47	0.55	0.46	0.57	0.44	0.61
0.48	0.45	0.53	0.44	0.55	0.42	0.58
0.46	0.43	0.5	0.42	0.52	0.41	0.55
0.44	0.42	0.48	0.41	0.49	0.39	0.52
0.42	0.4	0.5	0.4	0.5	0.4	0.5
0.39	0.4	0.4	0.4	0.4	0.4	0.4
0.38	0.36	0.4	0.36	0.41	0.35	0.43
0.37	0.4	0.4	0.4	0.4	0.3	0.4
0.36	0.4	0.4	0.3	0.4	0.3	0.4
0.35	0.3	0.4	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4	0.3	0.4
0.33	0.32	0.35	0.31	0.35	0.31	0.36
0.32	0.31	0.33	0.31	0.34	0.3	0.35
0.31	0.3	0.32	0.3	0.33	0.29	0.34
0.3	0.29	0.31	0.29	0.32	0.28	0.32
0.29	0.28	0.3	0.28	0.31	0.27	0.31
0.28	0.27	0.29	0.27	0.29	0.27	0.3

Compact Prime CP.2 25mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	1.66	INF	1.18	INF
12	1.48	INF	1.09	INF
6	1.33	INF	1.01	INF
4	1.21	INF	0.95	INF
3	1.11	INF	0.89	INF
2.5	1.04	INF	0.84	INF
2	0.95	INF	0.79	INF
1.8	0.91	INF	0.76	INF
1.6	0.86	INF	0.73	INF
1.4	0.81	23.37	0.69	INF
1.2	0.74	5.61	0.64	INF
1.1	0.71	3.79	0.62	INF
1	0.67	2.72	0.59	10.51
0.9	0.63	2.03	0.56	4.39
0.85	0.6	1.8	0.5	3.3
0.8	0.6	1.5	0.5	2.5
0.75	0.6	1.3	0.5	2.0
0.7	0.5	1.2	0.5	1.7
0.65	0.5	1.02	0.46	1.36
0.6	0.48	0.89	0.44	1.13
0.58	0.46	0.84	0.43	1.05
0.56	0.45	0.8	0.42	0.97
0.54	0.44	0.75	0.41	0.91
0.52	0.43	0.71	0.4	0.84
0.5	0.42	0.67	0.39	0.78
0.48	0.4	0.63	0.38	0.73
0.46	0.39	0.59	0.37	0.67
0.44	0.38	0.56	0.36	0.63
0.42	0.36	0.52	0.34	0.58
0.39	0.34	0.47	0.33	0.52
0.38	0.34	0.45	0.32	0.5
0.37	0.3	0.4	0.3	0.5
0.36	0.3	0.4	0.3	0.5
0.35	0.3	0.4	0.3	0.4
0.34	0.3	0.4	0.3	0.4
0.33	0.3	0.38	0.29	0.4
0.32	0.29	0.36	0.28	0.39
0.31	0.28	0.35	0.27	0.37
0.3	0.28	0.34	0.27	0.35
0.29	0.27	0.32	0.26	0.34
0.28	0.26	0.31	0.25	0.32

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7.96	INF	6.04	INF	4.99	INF
4	2.70	7.86	2.45	11.96	2.26	INF
2	1.63	2.61	1.54	2.93	1.46	4.09
1.3	1.14	1.52	1.10	1.62	1.06	1.90
1	0.91	1.12	0.88	1.17	0.86	1.30
0.8	0.74	0.87	0.73	0.90	0.71	0.97
0.7	0.66	0.75	0.64	0.77	0.63	0.82
0.6	0.57	0.63	0.56	0.65	0.55	0.68
0.55	0.53	0.58	0.52	0.59	0.51	0.61
0.5	0.48	0.52	0.47	0.53	0.47	0.55
0.45	0.43	0.47	0.43	0.47	0.43	0.49
0.4	0.39	0.41	0.39	0.42	0.38	0.43
0.38	0.37	0.39	0.37	0.39	0.36	0.40
0.36	0.35	0.37	0.35	0.37	0.35	0.38
0.34	0.33	0.35	0.33	0.35	0.33	0.36
0.32	0.31	0.33	0.31	0.33	0.31	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.31
0.29	0.29	0.29	0.28	0.30	0.28	0.30
0.28	0.28	0.28	0.27	0.29	0.27	0.29
0.27	0.27	0.27	0.27	0.28	0.26	0.28
0.26	0.26	0.26	0.26	0.26	0.25	0.27
0.25	0.25	0.25	0.25	0.25	0.25	0.26
0.24	0.24	0.24	0.24	0.24	0.24	0.25
0.23	0.23	0.23	0.23	0.23	0.23	0.23
0.22	0.22	0.22	0.22	0.22	0.22	0.22
0.21	0.21	0.21	0.21	0.21	0.21	0.21
0.2	0.20	0.20	0.20	0.20	0.20	0.20
0.19	0.19	0.19	0.19	0.19	0.19	0.19
0.18	0.18	0.18	0.18	0.18	0.18	0.18
0.17	0.17	0.17	0.17	0.17	0.17	0.17

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3.74	INF	2.62	INF	1.81	INF
4	1.98	INF	1.63	INF	1.28	INF
2	1.34	8.28	1.18	INF	1.00	INF
1.3	1.00	2.44	0.91	3.82	0.80	16.87
1	0.82	1.52	0.76	1.94	0.69	3.08
0.8	0.69	1.08	0.65	1.26	0.59	1.64
0.7	0.61	0.89	0.58	1.01	0.54	1.23
0.6	0.54	0.73	0.52	0.80	0.48	0.92
0.55	0.50	0.65	0.48	0.71	0.45	0.79
0.5	0.46	0.58	0.44	0.62	0.42	0.68
0.45	0.42	0.51	0.41	0.54	0.39	0.58
0.4	0.38	0.44	0.37	0.46	0.35	0.49
0.38	0.36	0.42	0.35	0.43	0.34	0.46
0.36	0.34	0.39	0.33	0.41	0.32	0.43
0.34	0.32	0.37	0.32	0.38	0.31	0.40
0.32	0.31	0.34	0.30	0.35	0.29	0.37
0.3	0.29	0.32	0.28	0.33	0.28	0.34
0.29	0.28	0.31	0.28	0.31	0.27	0.32
0.28	0.27	0.29	0.27	0.30	0.26	0.31
0.27	0.26	0.28	0.26	0.29	0.25	0.30
0.26	0.25	0.27	0.25	0.28	0.25	0.28
0.25	0.24	0.26	0.24	0.26	0.24	0.27
0.24	0.23	0.25	0.23	0.25	0.23	0.26
0.23	0.23	0.24	0.22	0.24	0.22	0.24
0.22	0.22	0.23	0.21	0.23	0.21	0.23
0.21	0.21	0.22	0.21	0.22	0.20	0.22
0.2	0.20	0.20	0.20	0.21	0.19	0.21
0.19	0.19	0.19	0.19	0.19	0.19	0.20
0.18	0.18	0.18	0.18	0.18	0.18	0.18
0.17	0.17	0.17	0.17	0.17	0.17	0.17

Compact Prime CP.2 25mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1.26	INF
4	0.99	INF
2	0.82	INF
1.3	0.69	INF
1	0.60	20.65
0.8	0.53	2.86
0.7	0.49	1.77
0.6	0.45	1.18
0.55	0.42	0.97
0.5	0.40	0.80
0.45	0.37	0.66
0.4	0.34	0.54
0.38	0.32	0.50
0.36	0.31	0.46
0.34	0.30	0.42
0.32	0.28	0.39
0.3	0.27	0.36
0.29	0.26	0.34
0.28	0.26	0.32
0.27	0.25	0.31
0.26	0.24	0.29
0.25	0.23	0.28
0.24	0.22	0.26
0.23	0.22	0.25
0.22	0.21	0.24
0.21	0.20	0.22
0.2	0.19	0.21
0.19	0.18	0.20
0.18	0.18	0.19
0.17	0.17	0.17

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7.85	INF	5.61	INF	3.69	INF
10	4.44	INF	3.64	INF	2.73	INF
5	3.10	INF	2.69	INF	2.17	INF
3	2.21	10.43	2.00	INF	1.70	INF
2	1.62	3.7	1.51	5.85	1.34	20.19
1.6	1.35	2.49	1.28	3.29	1.15	5.38
1.4	1.21	2.02	1.15	2.5	1.05	3.53
1.2	1.06	1.62	1.01	1.9	0.94	2.42
1	0.9	1.26	0.87	1.42	0.82	1.68
0.9	0.82	1.1	0.8	1.22	0.75	1.4
0.8	0.74	0.95	0.72	1.03	0.68	1.15
0.75	0.7	0.88	0.68	0.95	0.65	1.05
0.7	0.66	0.81	0.64	0.86	0.61	0.94
0.65	0.61	0.74	0.6	0.78	0.58	0.85
0.6	0.6	0.7	0.6	0.7	0.5	0.8
0.55	0.5	0.6	0.5	0.6	0.5	0.7
0.5	0.5	0.5	0.5	0.6	0.5	0.6
0.48	0.5	0.5	0.5	0.5	0.4	0.6
0.46	0.44	0.5	0.44	0.51	0.43	0.54
0.44	0.43	0.47	0.42	0.49	0.41	0.51
0.42	0.41	0.45	0.4	0.46	0.39	0.48
0.4	0.39	0.42	0.38	0.44	0.38	0.45
0.39	0.38	0.41	0.37	0.42	0.37	0.44
0.38	0.37	0.4	0.37	0.41	0.36	0.42
0.37	0.36	0.39	0.36	0.4	0.35	0.41
0.36	0.35	0.38	0.35	0.39	0.34	0.4
0.35	0.34	0.37	0.34	0.37	0.33	0.38
0.34	0.33	0.36	0.33	0.36	0.32	0.37
0.33	0.3	0.3	0.3	0.4	0.3	0.4
0.32	0.3	0.3	0.3	0.3	0.3	0.4
0.31	0.3	0.3	0.3	0.3	0.3	0.3
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.3	0.28	0.3	0.28	0.31
0.28	0.28	0.29	0.27	0.29	0.27	0.3
0.27	0.27	0.28	0.26	0.28	0.26	0.29
0.26	0.26	0.27	0.26	0.27	0.25	0.27
0.25	0.25	0.26	0.25	0.26	0.24	0.26
0.24	0.24	0.25	0.24	0.25	0.23	0.25

Compact Prime CP.2 28mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2.44	INF	1.65	INF
10	1.99	INF	1.44	INF
5	1.68	INF	1.27	INF
3	1.39	INF	1.11	INF
2	1.14	INF	0.95	INF
1.6	1.01	38.34	0.86	INF
1.4	0.93	7.91	0.8	INF
1.2	0.84	3.84	0.74	24.22
1	0.75	2.24	0.67	4.24
0.9	0.69	1.75	0.62	2.73
0.8	0.64	1.38	0.58	1.9
0.75	0.61	1.22	0.56	1.6
0.7	0.58	1.08	0.53	1.36
0.65	0.54	0.95	0.5	1.16
0.6	0.5	0.8	0.5	1.0
0.55	0.5	0.7	0.5	0.8
0.5	0.4	0.6	0.4	0.7
0.48	0.4	0.6	0.4	0.7
0.46	0.41	0.57	0.39	0.63
0.44	0.4	0.54	0.38	0.59
0.42	0.38	0.5	0.36	0.55
0.4	0.36	0.47	0.35	0.51
0.39	0.36	0.46	0.34	0.49
0.38	0.35	0.44	0.34	0.47
0.37	0.34	0.43	0.33	0.45
0.36	0.33	0.41	0.32	0.44
0.35	0.32	0.4	0.31	0.42
0.34	0.32	0.38	0.31	0.4
0.33	0.3	0.4	0.3	0.4
0.32	0.3	0.4	0.3	0.4
0.31	0.3	0.3	0.3	0.4
0.3	0.3	0.3	0.3	0.3
0.29	0.28	0.32	0.27	0.33
0.28	0.27	0.3	0.26	0.31
0.27	0.26	0.29	0.25	0.3
0.26	0.25	0.28	0.24	0.29
0.25	0.24	0.27	0.24	0.27
0.24	0.23	0.25	0.23	0.26

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	21.86	INF	22.35	INF	18.09	INF
10	6.9	18.29	6.95	42.61	6.48	INF
6	4.74	8.2	4.76	10.98	4.54	19.38
4	3.41	4.86	3.42	5.69	3.3	7.31
3	2.66	3.45	2.66	3.84	2.59	4.5
2.5	2.26	2.8	2.26	3.05	2.21	3.45
2	1.85	2.18	1.85	2.33	1.82	2.55
1.8	1.68	1.95	1.68	2.06	1.65	2.23
1.6	1.5	1.71	1.5	1.8	1.48	1.92
1.4	1.33	1.48	1.33	1.55	1.31	1.64
1.3	1.24	1.37	1.24	1.42	1.22	1.5
1.2	1.15	1.26	1.15	1.3	1.14	1.36
1.1	1.06	1.15	1.06	1.18	1.05	1.23
1	0.96	1.04	0.96	1.07	0.96	1.11
0.95	0.92	0.99	0.92	1.01	0.91	1.05
0.9	0.87	0.93	0.87	0.95	0.87	0.98
0.85	0.82	0.88	0.82	0.9	0.82	0.92
0.8	0.78	0.82	0.78	0.84	0.77	0.86
0.75	0.73	0.77	0.73	0.78	0.73	0.8
0.7	0.68	0.72	0.68	0.73	0.68	0.75
0.65	0.64	0.66	0.64	0.67	0.63	0.69
0.6	0.59	0.61	0.59	0.62	0.59	0.63
0.58	0.57	0.59	0.57	0.6	0.57	0.61
0.56	0.55	0.57	0.55	0.58	0.55	0.59
0.54	0.53	0.55	0.53	0.56	0.53	0.56
0.52	0.51	0.53	0.51	0.53	0.51	0.54
0.5	0.49	0.51	0.49	0.51	0.49	0.52
0.49	0.48	0.5	0.48	0.5	0.48	0.51
0.48	0.47	0.49	0.47	0.49	0.47	0.5
0.47	0.46	0.48	0.46	0.48	0.46	0.49
0.46	0.45	0.47	0.45	0.47	0.45	0.48
0.45	0.44	0.46	0.44	0.46	0.44	0.47
0.44	0.43	0.45	0.43	0.45	0.43	0.45
0.43	0.42	0.44	0.42	0.44	0.42	0.44
0.42	0.42	0.43	0.42	0.43	0.41	0.43
0.41	0.41	0.41	0.41	0.42	0.4	0.42
0.4	0.4	0.4	0.4	0.41	0.39	0.41
0.39	0.39	0.39	0.39	0.4	0.39	0.4
0.38	0.38	0.38	0.38	0.39	0.38	0.39
0.37	0.37	0.37	0.37	0.38	0.37	0.38
0.36	0.36	0.36	0.36	0.37	0.36	0.37
0.35	0.35	0.35	0.35	0.35	0.35	0.36
0.34	0.34	0.34	0.34	0.34	0.34	0.35
0.33	0.33	0.33	0.33	0.33	0.33	0.34
0.32	0.32	0.32	0.32	0.32	0.32	0.33
0.31	0.31	0.31	0.31	0.31	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	12.50	INF	8.14	INF	5.28	INF
10	5.6	INF	4.53	INF	3.5	INF
6	4.09	INF	3.5	INF	2.85	INF
4	3.06	10.99	2.72	29.65	2.32	INF
3	2.45	5.65	2.23	8.29	1.96	21.52
2.5	2.11	4.07	1.94	5.26	1.74	8.55
2	1.74	2.87	1.63	3.4	1.49	4.49
1.8	1.59	2.46	1.5	2.84	1.38	3.56
1.6	1.44	2.09	1.36	2.36	1.26	2.82
1.4	1.27	1.76	1.22	1.93	1.14	2.23
1.3	1.19	1.6	1.14	1.74	1.07	1.97
1.2	1.11	1.44	1.07	1.56	1	1.74
1.1	1.02	1.3	0.99	1.39	0.94	1.53
1	0.94	1.16	0.91	1.23	0.86	1.33
0.95	0.89	1.09	0.87	1.15	0.83	1.24
0.9	0.85	1.02	0.83	1.07	0.79	1.15
0.85	0.81	0.96	0.78	1	0.75	1.07
0.8	0.76	0.89	0.74	0.93	0.72	0.99
0.75	0.72	0.83	0.7	0.86	0.68	0.91
0.7	0.67	0.77	0.66	0.79	0.64	0.83
0.65	0.63	0.71	0.61	0.73	0.6	0.76
0.6	0.58	0.65	0.57	0.66	0.55	0.69
0.58	0.56	0.62	0.55	0.64	0.54	0.66
0.56	0.54	0.6	0.53	0.61	0.52	0.63
0.54	0.52	0.57	0.52	0.59	0.5	0.61
0.52	0.51	0.55	0.5	0.56	0.49	0.58
0.5	0.49	0.53	0.48	0.54	0.47	0.55
0.49	0.48	0.52	0.47	0.53	0.46	0.54
0.48	0.47	0.51	0.46	0.52	0.45	0.53
0.47	0.46	0.49	0.45	0.5	0.44	0.52
0.46	0.45	0.48	0.44	0.49	0.44	0.5
0.45	0.44	0.47	0.43	0.48	0.43	0.49
0.44	0.43	0.46	0.43	0.47	0.42	0.48
0.43	0.42	0.45	0.42	0.46	0.41	0.47
0.42	0.41	0.44	0.41	0.44	0.4	0.45
0.41	0.4	0.43	0.4	0.43	0.39	0.44
0.4	0.39	0.42	0.39	0.42	0.38	0.43
0.39	0.38	0.4	0.38	0.41	0.37	0.42
0.38	0.37	0.39	0.37	0.4	0.37	0.41
0.37	0.36	0.38	0.36	0.39	0.36	0.39
0.36	0.35	0.37	0.35	0.38	0.35	0.38
0.35	0.34	0.36	0.34	0.36	0.34	0.37
0.34	0.34	0.35	0.33	0.35	0.33	0.36
0.33	0.33	0.34	0.32	0.34	0.32	0.35
0.32	0.32	0.33	0.31	0.33	0.31	0.34
0.31	0.31	0.32	0.3	0.32	0.3	0.32
0.3	0.3	0.31	0.29	0.31	0.29	0.31

Compact Prime CP.2 35mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3.52	INF	2.40	INF
10	2.64	INF	1.96	INF
6	2.26	INF	1.75	INF
4	1.92	INF	1.54	INF
3	1.66	INF	1.38	INF
2.5	1.51	69.69	1.27	INF
2	1.32	8.19	1.14	INF
1.8	1.23	5.5	1.07	25.65
1.6	1.14	3.9	1	8.64
1.4	1.04	2.84	0.93	4.66
1.3	0.99	2.43	0.89	3.63
1.2	0.93	2.08	0.84	2.89
1.1	0.87	1.78	0.79	2.33
1	0.81	1.52	0.74	1.89
0.95	0.78	1.4	0.72	1.7
0.9	0.75	1.28	0.69	1.53
0.85	0.71	1.18	0.66	1.38
0.8	0.68	1.08	0.63	1.24
0.75	0.64	0.98	0.6	1.12
0.7	0.61	0.89	0.57	1
0.65	0.57	0.81	0.54	0.89
0.6	0.53	0.73	0.51	0.79
0.58	0.52	0.7	0.5	0.75
0.56	0.5	0.67	0.48	0.72
0.54	0.49	0.64	0.47	0.68
0.52	0.47	0.61	0.45	0.65
0.5	0.46	0.58	0.44	0.61
0.49	0.45	0.56	0.43	0.6
0.48	0.44	0.55	0.42	0.58
0.47	0.43	0.54	0.42	0.57
0.46	0.42	0.52	0.41	0.55
0.45	0.42	0.51	0.4	0.53
0.44	0.41	0.49	0.4	0.52
0.43	0.4	0.48	0.39	0.5
0.42	0.39	0.47	0.38	0.49
0.41	0.38	0.45	0.37	0.47
0.4	0.38	0.44	0.36	0.46
0.39	0.37	0.43	0.36	0.45
0.38	0.36	0.42	0.35	0.43
0.37	0.35	0.4	0.34	0.42
0.36	0.34	0.39	0.33	0.4
0.35	0.33	0.38	0.32	0.39
0.34	0.32	0.37	0.32	0.38
0.33	0.32	0.35	0.31	0.36
0.32	0.31	0.34	0.3	0.35
0.31	0.3	0.33	0.29	0.34
0.3	0.29	0.32	0.28	0.32

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	46.20	INF	54.25	INF	52.28	INF
20	13.99	35.18	14.64	INF	14.49	INF
10	8.24	12.73	8.46	17.21	8.41	30.4
7	6.1	8.23	6.21	9.88	6.18	13.12
5	4.52	5.59	4.59	6.3	4.57	7.46
4	3.69	4.37	3.73	4.78	3.72	5.42
3.5	3.26	3.78	3.29	4.08	3.29	4.53
3	2.83	3.2	2.85	3.41	2.84	3.72
2.5	2.38	2.63	2.4	2.78	2.39	2.97
2.2	2.11	2.3	2.12	2.41	2.12	2.56
2	1.92	2.08	1.93	2.17	1.93	2.29
1.8	1.74	1.87	1.75	1.94	1.74	2.03
1.6	1.55	1.65	1.56	1.7	1.56	1.77
1.5	1.46	1.55	1.46	1.59	1.46	1.65
1.4	1.36	1.44	1.37	1.48	1.37	1.53
1.3	1.27	1.33	1.27	1.37	1.27	1.41
1.2	1.17	1.23	1.18	1.26	1.18	1.29
1.1	1.08	1.12	1.08	1.15	1.08	1.18
1	0.98	1.02	0.98	1.04	0.98	1.06
0.95	0.93	0.97	0.94	0.98	0.93	1
0.9	0.89	0.92	0.89	0.93	0.89	0.95
0.85	0.84	0.86	0.84	0.88	0.84	0.89
0.8	0.79	0.81	0.79	0.82	0.79	0.84
0.78	0.77	0.79	0.77	0.8	0.77	0.81
0.76	0.75	0.77	0.75	0.78	0.75	0.79
0.74	0.73	0.75	0.73	0.76	0.73	0.77
0.72	0.71	0.73	0.71	0.74	0.71	0.75
0.7	0.69	0.71	0.69	0.72	0.69	0.73
0.68	0.67	0.69	0.67	0.7	0.67	0.7
0.66	0.65	0.67	0.65	0.67	0.65	0.68
0.64	0.63	0.65	0.63	0.65	0.63	0.66
0.62	0.61	0.63	0.61	0.63	0.61	0.64
0.6	0.59	0.61	0.59	0.61	0.59	0.62
0.59	0.58	0.6	0.58	0.6	0.58	0.61
0.58	0.57	0.59	0.58	0.59	0.57	0.6
0.57	0.56	0.58	0.57	0.58	0.56	0.59
0.56	0.55	0.57	0.56	0.57	0.56	0.58
0.55	0.55	0.55	0.55	0.56	0.55	0.57
0.54	0.54	0.54	0.54	0.55	0.54	0.55
0.53	0.53	0.53	0.53	0.54	0.53	0.54
0.52	0.52	0.52	0.52	0.53	0.52	0.53
0.51	0.51	0.51	0.51	0.52	0.51	0.52
0.5	0.5	0.5	0.5	0.51	0.5	0.51
0.49	0.49	0.49	0.49	0.5	0.49	0.5
0.48	0.48	0.48	0.48	0.49	0.48	0.49
0.47	0.47	0.47	0.47	0.48	0.47	0.48
0.46	0.46	0.46	0.46	0.47	0.46	0.47
0.45	0.45	0.45	0.45	0.46	0.45	0.46

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	33.43	INF	19.44	INF	11.69	INF
20	12.54	INF	9.89	INF	7.41	INF
10	7.72	INF	6.63	INF	5.42	INF
7	5.8	19.75	5.17	48.13	4.41	INF
5	4.36	9.2	4	12.65	3.53	24.45
4	3.58	6.27	3.33	7.69	3.01	10.85
3.5	3.18	5.11	2.98	6.01	2.72	7.76
3	2.76	4.1	2.61	4.65	2.41	5.63
2.5	2.33	3.21	2.23	3.53	2.08	4.06
2.2	2.07	2.72	1.99	2.95	1.87	3.31
2	1.89	2.42	1.82	2.6	1.72	2.87
1.8	1.71	2.13	1.66	2.26	1.58	2.47
1.6	1.53	1.85	1.49	1.95	1.42	2.1
1.5	1.44	1.72	1.4	1.8	1.34	1.92
1.4	1.35	1.59	1.31	1.66	1.26	1.76
1.3	1.26	1.46	1.23	1.52	1.18	1.6
1.2	1.16	1.33	1.14	1.38	1.1	1.45
1.1	1.07	1.21	1.05	1.25	1.02	1.3
1	0.97	1.09	0.96	1.12	0.93	1.16
0.95	0.93	1.03	0.91	1.05	0.89	1.09
0.9	0.88	0.97	0.87	0.99	0.84	1.03
0.85	0.83	0.91	0.82	0.93	0.8	0.96
0.8	0.78	0.85	0.77	0.87	0.76	0.89
0.78	0.76	0.83	0.75	0.85	0.74	0.87
0.76	0.75	0.81	0.74	0.82	0.72	0.84
0.74	0.73	0.78	0.72	0.8	0.7	0.82
0.72	0.71	0.76	0.7	0.77	0.69	0.79
0.7	0.69	0.74	0.68	0.75	0.67	0.77
0.68	0.67	0.72	0.66	0.73	0.65	0.74
0.66	0.65	0.69	0.64	0.7	0.63	0.72
0.64	0.63	0.67	0.62	0.68	0.61	0.7
0.62	0.61	0.65	0.6	0.66	0.6	0.67
0.6	0.59	0.63	0.59	0.64	0.58	0.65
0.59	0.58	0.61	0.58	0.62	0.57	0.64
0.58	0.57	0.6	0.57	0.61	0.56	0.62
0.57	0.56	0.59	0.56	0.6	0.55	0.61
0.56	0.55	0.58	0.55	0.59	0.54	0.6
0.55	0.54	0.57	0.54	0.58	0.53	0.59
0.54	0.53	0.56	0.53	0.57	0.52	0.58
0.53	0.52	0.55	0.52	0.56	0.51	0.56
0.52	0.51	0.54	0.51	0.54	0.5	0.55
0.51	0.5	0.53	0.5	0.53	0.49	0.54
0.5	0.49	0.52	0.49	0.52	0.48	0.53
0.49	0.48	0.51	0.48	0.51	0.48	0.52
0.48	0.47	0.49	0.47	0.5	0.47	0.51
0.47	0.47	0.48	0.46	0.49	0.46	0.5
0.46	0.46	0.47	0.45	0.48	0.45	0.48
0.45	0.45	0.46	0.44	0.47	0.44	0.47

Compact Prime CP.2 50mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	7.41	INF	4.88	INF
20	5.44	INF	3.94	INF
10	4.29	INF	3.31	INF
7	3.64	INF	2.91	INF
5	3.02	INF	2.5	INF
4	2.63	25.17	2.23	INF
3.5	2.41	13.04	2.07	INF
3	2.16	7.94	1.89	18.86
2.5	1.9	5.13	1.69	8.15
2.2	1.72	3.98	1.55	5.56
2	1.6	3.35	1.45	4.4
1.8	1.47	2.81	1.34	3.5
1.6	1.34	2.34	1.23	2.79
1.5	1.27	2.13	1.17	2.49
1.4	1.2	1.92	1.11	2.22
1.3	1.12	1.73	1.05	1.97
1.2	1.05	1.56	0.99	1.74
1.1	0.97	1.39	0.92	1.53
1	0.9	1.23	0.85	1.33
0.95	0.86	1.15	0.81	1.24
0.9	0.82	1.08	0.78	1.15
0.85	0.78	1	0.74	1.07
0.8	0.73	0.93	0.7	0.99
0.78	0.72	0.9	0.69	0.96
0.76	0.7	0.88	0.67	0.93
0.74	0.68	0.85	0.66	0.89
0.72	0.67	0.82	0.64	0.86
0.7	0.65	0.79	0.63	0.83
0.68	0.63	0.77	0.61	0.81
0.66	0.62	0.74	0.6	0.78
0.64	0.6	0.72	0.58	0.75
0.62	0.58	0.69	0.56	0.72
0.6	0.56	0.66	0.55	0.69
0.59	0.56	0.65	0.54	0.68
0.58	0.55	0.64	0.53	0.66
0.57	0.54	0.63	0.52	0.65
0.56	0.53	0.61	0.52	0.64
0.55	0.52	0.6	0.51	0.62
0.54	0.51	0.59	0.5	0.61
0.53	0.5	0.58	0.49	0.6
0.52	0.49	0.57	0.48	0.58
0.51	0.49	0.55	0.47	0.57
0.5	0.48	0.54	0.47	0.56
0.49	0.47	0.53	0.46	0.54
0.48	0.46	0.52	0.45	0.53
0.47	0.45	0.5	0.44	0.52
0.46	0.44	0.49	0.43	0.51
0.45	0.43	0.48	0.42	0.49

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	121.68	INF	103.91	INF	80.76	INF
50	35.48	84.8	33.79	INF	30.92	INF
20	17.2	23.9	16.8	26.73	16.06	32.48
15	13.37	17.08	13.13	18.48	12.67	21.04
12	10.94	13.29	10.77	14.12	10.47	15.56
10	9.25	10.88	9.14	11.42	8.91	12.35
8	7.52	8.55	7.44	8.88	7.29	9.43
7	6.63	7.42	6.57	7.66	6.45	8.06
6	5.73	6.3	5.68	6.48	5.6	6.76
5.5	5.27	5.75	5.23	5.9	5.16	6.13
5	4.81	5.21	4.78	5.32	4.72	5.51
4.5	4.35	4.67	4.32	4.76	4.27	4.91
4	3.88	4.13	3.86	4.2	3.82	4.32
3.8	3.69	3.92	3.67	3.98	3.64	4.08
3.6	3.5	3.7	3.49	3.76	3.45	3.85
3.4	3.31	3.49	3.3	3.54	3.27	3.62
3.2	3.12	3.28	3.11	3.33	3.08	3.4
3	2.93	3.07	2.92	3.11	2.9	3.17
2.8	2.74	2.86	2.73	2.9	2.71	2.95
2.6	2.55	2.65	2.54	2.68	2.52	2.73
2.4	2.36	2.44	2.35	2.47	2.34	2.51
2.2	2.16	2.24	2.16	2.26	2.15	2.29
2	1.97	2.03	1.97	2.05	1.96	2.07
1.9	1.87	1.93	1.87	1.94	1.86	1.96
1.8	1.78	1.82	1.77	1.84	1.76	1.86
1.7	1.68	1.72	1.68	1.73	1.67	1.75
1.6	1.58	1.62	1.58	1.63	1.57	1.64
1.5	1.48	1.52	1.48	1.53	1.48	1.54
1.4	1.39	1.41	1.38	1.42	1.38	1.43
1.3	1.29	1.31	1.29	1.32	1.28	1.33
1.2	1.19	1.21	1.19	1.22	1.18	1.22
1.1	1.09	1.11	1.09	1.11	1.09	1.12
1	0.99	1.01	0.99	1.01	0.99	1.02

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	56.79	INF	38.32	INF	25.68	INF
50	26.63	INF	21.74	INF	17.01	INF
20	14.82	43.89	13.18	79.52	11.29	INF
15	11.89	25.29	10.81	34.05	9.51	63.13
12	9.93	17.76	9.17	21.66	8.22	30.6
10	8.52	13.69	7.96	15.88	7.23	20.19
8	7.03	10.18	6.64	11.34	6.13	13.37
7	6.25	8.61	5.94	9.42	5.53	10.77
6	5.44	7.14	5.21	7.68	4.89	8.56
5.5	5.03	6.44	4.83	6.88	4.56	7.56
5	4.61	5.76	4.44	6.11	4.21	6.64
4.5	4.18	5.1	4.04	5.37	3.85	5.78
4	3.75	4.47	3.64	4.67	3.48	4.97
3.8	3.57	4.22	3.47	4.4	3.33	4.66
3.6	3.39	3.97	3.3	4.13	3.18	4.36
3.4	3.22	3.73	3.14	3.87	3.02	4.07
3.2	3.04	3.49	2.97	3.61	2.86	3.78
3	2.86	3.25	2.79	3.35	2.7	3.5
2.8	2.68	3.01	2.62	3.1	2.54	3.23
2.6	2.49	2.78	2.44	2.86	2.38	2.97
2.4	2.31	2.55	2.27	2.62	2.21	2.71
2.2	2.12	2.33	2.09	2.38	2.04	2.45
2	1.94	2.1	1.91	2.15	1.87	2.2
1.9	1.84	1.99	1.82	2.03	1.78	2.08
1.8	1.75	1.88	1.73	1.92	1.69	1.96
1.7	1.66	1.77	1.63	1.8	1.6	1.84
1.6	1.56	1.66	1.54	1.69	1.52	1.72
1.5	1.47	1.56	1.45	1.58	1.43	1.61
1.4	1.37	1.45	1.36	1.47	1.34	1.49
1.3	1.27	1.34	1.26	1.36	1.25	1.38
1.2	1.18	1.23	1.17	1.25	1.15	1.26
1.1	1.08	1.13	1.07	1.14	1.06	1.15
1	0.99	1.02	0.98	1.03	0.97	1.04

Compact Prime CP.2 85mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	17.47	INF	12.01	INF
50	12.98	INF	9.71	INF
20	9.37	INF	7.54	INF
15	8.11	INF	6.71	INF
12	7.16	72.59	6.05	INF
10	6.4	32.6	5.5	INF
8	5.53	17.85	4.84	33.71
7	5.03	13.49	4.46	20.89
6	4.5	10.17	4.04	13.86
5.5	4.22	8.8	3.81	11.42
5	3.92	7.57	3.57	9.42
4.5	3.61	6.47	3.31	7.77
4	3.28	5.47	3.04	6.37
3.8	3.15	5.1	2.92	5.86
3.6	3.01	4.74	2.8	5.39
3.4	2.87	4.39	2.68	4.95
3.2	2.73	4.06	2.56	4.53
3	2.58	3.74	2.43	4.13
2.8	2.43	3.43	2.3	3.75
2.6	2.28	3.13	2.16	3.4
2.4	2.13	2.84	2.03	3.06
2.2	1.97	2.56	1.88	2.73
2	1.81	2.29	1.74	2.43
1.9	1.73	2.16	1.66	2.28
1.8	1.65	2.03	1.59	2.13
1.7	1.56	1.9	1.51	1.99
1.6	1.48	1.78	1.43	1.85
1.5	1.39	1.65	1.35	1.72
1.4	1.31	1.53	1.27	1.59
1.3	1.22	1.41	1.19	1.46
1.2	1.13	1.29	1.11	1.33
1.1	1.05	1.17	1.02	1.21
1	0.96	1.06	0.94	1.08

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	159.86	INF	142.81	INF	99.47	INF
100	61.58	INF	58.87	INF	49.93	INF
90	57.64	INF	55.26	INF	47.31	INF
80	53.37	INF	51.33	INF	44.4	INF
70	48.74	INF	47.03	INF	41.14	INF
60	43.68	95.94	42.3	INF	37.48	INF
50	38.13	72.67	37.08	97.15	33.33	INF
45	35.16	62.55	34.26	79.86	31.03	INF
40	32.03	53.28	31.29	65.33	28.58	89.23
35	28.75	44.75	28.15	52.94	25.94	67.6
30	25.29	36.88	24.83	42.26	23.09	51.09
25	21.65	29.59	21.31	32.95	20.02	38.07
20	17.8	22.83	17.57	24.77	16.69	27.54
15	13.73	16.53	13.59	17.52	13.06	18.86
14	12.89	15.32	12.77	16.16	12.3	17.3
13	12.04	14.13	11.93	14.84	11.52	15.79
12	11.18	12.96	11.09	13.55	10.73	14.33
11	10.31	11.8	10.23	12.29	9.93	12.92
10	9.42	10.65	9.36	11.05	9.11	11.56
9.5	8.98	10.09	8.92	10.44	8.69	10.9
9	8.53	9.52	8.48	9.84	8.27	10.24
8.5	8.08	8.96	8.04	9.24	7.85	9.6
8	7.63	8.41	7.59	8.65	7.42	8.96
7.5	7.17	7.86	7.14	8.07	6.99	8.34
7	6.72	7.31	6.68	7.49	6.55	7.72
6.5	6.25	6.77	6.23	6.92	6.12	7.11
6	5.79	6.22	5.77	6.35	5.67	6.52
5.5	5.32	5.69	5.3	5.8	5.22	5.93
5	4.86	5.15	4.84	5.24	4.77	5.35
4.8	4.67	4.94	4.65	5.02	4.59	5.12
4.6	4.48	4.73	4.46	4.8	4.41	4.89
4.5	4.38	4.62	4.37	4.69	4.32	4.78
4.4	4.29	4.52	4.28	4.58	4.22	4.67
4.2	4.1	4.31	4.09	4.37	4.04	4.44
4	3.91	4.1	3.9	4.15	3.85	4.22
3.8	3.72	3.89	3.71	3.94	3.67	4
3.6	3.53	3.68	3.52	3.72	3.48	3.77
3.5	3.43	3.57	3.42	3.61	3.39	3.66
3.4	3.33	3.47	3.33	3.51	3.3	3.55
3.2	3.14	3.26	3.13	3.29	3.11	3.34
3	2.95	3.05	2.94	3.08	2.92	3.12
2.9	2.85	2.95	2.85	2.98	2.82	3.01
2.8	2.76	2.85	2.75	2.87	2.73	2.9
2.7	2.66	2.74	2.65	2.77	2.63	2.79
2.6	2.56	2.64	2.56	2.66	2.54	2.69

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.47	2.54	2.46	2.56	2.44	2.58
2.4	2.37	2.43	2.36	2.45	2.35	2.47
2.3	2.27	2.33	2.27	2.35	2.25	2.37
2.2	2.17	2.23	2.17	2.24	2.16	2.26
2.1	2.08	2.12	2.07	2.14	2.06	2.15
2	1.98	2.02	1.98	2.03	1.97	2.05
1.95	1.93	1.97	1.93	1.98	1.92	2
1.9	1.88	1.92	1.88	1.93	1.87	1.94
1.85	1.83	1.87	1.83	1.88	1.82	1.89
1.8	1.78	1.82	1.78	1.83	1.77	1.84
1.75	1.73	1.77	1.73	1.78	1.72	1.79
1.7	1.68	1.72	1.68	1.72	1.68	1.73
1.65	1.64	1.66	1.63	1.67	1.63	1.68
1.6	1.59	1.61	1.58	1.62	1.58	1.63
1.55	1.54	1.56	1.54	1.57	1.53	1.58
1.5	1.49	1.51	1.49	1.52	1.48	1.53
1.45	1.44	1.46	1.44	1.47	1.43	1.47
1.4	1.39	1.41	1.39	1.42	1.38	1.42
1.35	1.34	1.36	1.34	1.36	1.34	1.37
1.3	1.29	1.31	1.29	1.31	1.29	1.32
1.25	1.24	1.26	1.24	1.26	1.24	1.27
1.2	1.19	1.21	1.19	1.21	1.19	1.22
1.15	1.14	1.16	1.14	1.16	1.14	1.16
1.1	1.09	1.11	1.09	1.11	1.09	1.11
1.05	1.04	1.06	1.04	1.06	1.04	1.06
1	1	1	0.99	1.01	0.99	1.01
0.98	0.98	0.98	0.97	0.99	0.97	0.99
0.96	0.96	0.96	0.96	0.97	0.95	0.97
0.95	0.95	0.95	0.95	0.96	0.94	0.96
0.94	0.94	0.94	0.94	0.95	0.93	0.95
0.92	0.92	0.92	0.92	0.93	0.91	0.93
0.9	0.9	0.9	0.9	0.91	0.89	0.91
0.88	0.88	0.88	0.88	0.89	0.87	0.89
0.86	0.86	0.86	0.86	0.86	0.85	0.87
0.85	0.85	0.85	0.85	0.85	0.84	0.86
0.84	0.84	0.84	0.84	0.84	0.84	0.85
0.82	0.82	0.82	0.82	0.82	0.82	0.83
0.8	0.8	0.8	0.8	0.8	0.8	0.81
0.78	0.78	0.78	0.78	0.78	0.78	0.79
0.76	0.76	0.76	0.76	0.76	0.76	0.77
0.75	0.75	0.75	0.75	0.75	0.75	0.75
0.74	0.74	0.74	0.74	0.74	0.74	0.74
0.72	0.72	0.72	0.72	0.72	0.72	0.72
0.7	0.7	0.7	0.7	0.7	0.7	0.7

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	68.77	INF	47.46	INF	32.70	INF
100	40.81	INF	32.24	INF	24.69	INF
90	39.04	INF	31.13	INF	24.04	INF
80	37.04	INF	29.85	INF	23.26	INF
70	34.75	INF	28.34	INF	22.34	INF
60	32.1	INF	26.56	INF	21.22	INF
50	29.01	INF	24.41	INF	19.83	INF
45	27.26	INF	23.16	INF	19	INF
40	25.35	INF	21.77	INF	18.05	INF
35	23.25	INF	20.2	INF	16.97	INF
30	20.94	71.26	18.44	INF	15.71	INF
25	18.38	48.22	16.43	76.11	14.23	INF
20	15.54	32.48	14.12	43.08	12.47	78.12
15	12.35	21.03	11.44	25	10.34	33.74
14	11.67	19.11	10.85	22.32	9.86	29.03
13	10.97	17.28	10.25	19.86	9.35	25
12	10.25	15.55	9.62	17.61	8.83	21.51
11	9.51	13.9	8.97	15.52	8.28	18.47
10	8.76	12.34	8.3	13.59	7.7	15.79
9.5	8.37	11.58	7.95	12.68	7.41	14.57
9	7.98	10.84	7.6	11.79	7.1	13.41
8.5	7.59	10.12	7.24	10.94	6.79	12.32
8	7.19	9.42	6.88	10.12	6.47	11.29
7.5	6.78	8.73	6.51	9.33	6.14	10.31
7	6.37	8.05	6.13	8.56	5.8	9.38
6.5	5.96	7.4	5.74	7.82	5.46	8.49
6	5.54	6.75	5.35	7.1	5.1	7.65
5.5	5.11	6.12	4.95	6.41	4.74	6.85
5	4.68	5.51	4.54	5.74	4.37	6.08
4.8	4.5	5.26	4.38	5.47	4.21	5.79
4.6	4.33	5.02	4.21	5.21	4.06	5.5
4.5	4.24	4.9	4.13	5.08	3.98	5.35
4.4	4.15	4.78	4.05	4.95	3.9	5.21
4.2	3.97	4.55	3.88	4.7	3.75	4.93
4	3.79	4.31	3.71	4.45	3.59	4.65
3.8	3.61	4.08	3.54	4.2	3.43	4.38
3.6	3.43	3.85	3.36	3.96	3.27	4.12
3.5	3.34	3.73	3.28	3.84	3.18	3.98
3.4	3.25	3.62	3.19	3.72	3.1	3.85
3.2	3.07	3.39	3.01	3.48	2.94	3.6
3	2.88	3.17	2.84	3.24	2.77	3.34
2.9	2.79	3.06	2.75	3.12	2.68	3.22
2.8	2.7	2.94	2.66	3.01	2.6	3.09
2.7	2.61	2.83	2.57	2.89	2.51	2.97
2.6	2.51	2.72	2.48	2.78	2.43	2.85

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2.5	2.42	2.61	2.39	2.66	2.34	2.73
2.4	2.33	2.5	2.3	2.55	2.25	2.61
2.3	2.23	2.39	2.2	2.43	2.16	2.49
2.2	2.14	2.29	2.11	2.32	2.08	2.37
2.1	2.04	2.18	2.02	2.21	1.99	2.26
2	1.95	2.07	1.93	2.1	1.9	2.14
1.95	1.9	2.02	1.88	2.04	1.85	2.08
1.9	1.86	1.96	1.84	1.99	1.81	2.02
1.85	1.81	1.91	1.79	1.93	1.76	1.97
1.8	1.76	1.85	1.74	1.88	1.72	1.91
1.75	1.71	1.8	1.7	1.82	1.67	1.85
1.7	1.66	1.75	1.65	1.77	1.63	1.8
1.65	1.62	1.7	1.6	1.71	1.58	1.74
1.6	1.57	1.64	1.56	1.66	1.54	1.68
1.55	1.52	1.59	1.51	1.61	1.49	1.63
1.5	1.47	1.54	1.46	1.55	1.44	1.57
1.45	1.43	1.48	1.41	1.5	1.4	1.52
1.4	1.38	1.43	1.37	1.44	1.35	1.46
1.35	1.33	1.38	1.32	1.39	1.31	1.41
1.3	1.28	1.33	1.27	1.34	1.26	1.35
1.25	1.23	1.27	1.22	1.28	1.21	1.3
1.2	1.18	1.22	1.18	1.23	1.17	1.24
1.15	1.14	1.17	1.13	1.18	1.12	1.19
1.1	1.09	1.12	1.08	1.13	1.07	1.14
1.05	1.04	1.07	1.03	1.07	1.03	1.08
1	0.99	1.01	0.98	1.02	0.98	1.03
0.98	0.97	0.99	0.97	1	0.96	1.01
0.96	0.95	0.97	0.95	0.98	0.94	0.99
0.95	0.94	0.96	0.94	0.97	0.93	0.97
0.94	0.93	0.95	0.93	0.96	0.92	0.96
0.92	0.91	0.93	0.91	0.94	0.9	0.94
0.9	0.89	0.91	0.89	0.92	0.88	0.92
0.88	0.87	0.89	0.87	0.89	0.86	0.9
0.86	0.85	0.87	0.85	0.87	0.84	0.88
0.85	0.84	0.86	0.84	0.86	0.83	0.87
0.84	0.83	0.85	0.83	0.85	0.83	0.86
0.82	0.81	0.83	0.81	0.83	0.81	0.84
0.8	0.79	0.81	0.79	0.81	0.79	0.82
0.78	0.77	0.79	0.77	0.79	0.77	0.8
0.76	0.75	0.77	0.75	0.77	0.75	0.77
0.75	0.74	0.76	0.74	0.76	0.74	0.76
0.74	0.73	0.75	0.73	0.75	0.73	0.75
0.72	0.72	0.73	0.71	0.73	0.71	0.73
0.7	0.7	0.71	0.69	0.71	0.69	0.71

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	22.55	INF	15.66	INF
100	18.44	INF	13.57	INF
90	18.07	INF	13.37	INF
80	17.64	INF	13.13	INF
70	17.1	INF	12.83	INF
60	16.44	INF	12.46	INF
50	15.6	INF	11.97	INF
45	15.08	INF	11.66	INF
40	14.48	INF	11.3	INF
35	13.78	INF	10.87	INF
30	12.94	INF	10.35	INF
25	11.92	INF	9.69	INF
20	10.66	INF	8.84	INF
15	9.07	65.32	7.72	INF
14	8.7	49.65	7.46	INF
13	8.31	38.89	7.17	INF
12	7.89	31.04	6.86	82.54
11	7.45	25.06	6.52	50.4
10	6.98	20.36	6.16	34.35
9.5	6.74	18.36	5.97	29
9	6.48	16.56	5.77	24.73
8.5	6.22	14.92	5.57	21.23
8	5.95	13.43	5.35	18.31
7.5	5.68	12.06	5.13	15.85
7	5.39	10.8	4.89	13.73
6.5	5.09	9.64	4.65	11.9
6	4.78	8.57	4.39	10.3
5.5	4.46	7.57	4.12	8.89
5	4.13	6.64	3.84	7.63
4.8	3.99	6.29	3.72	7.16
4.6	3.86	5.95	3.6	6.72
4.5	3.79	5.78	3.54	6.5
4.4	3.72	5.61	3.48	6.29
4.2	3.57	5.29	3.35	5.88
4	3.43	4.97	3.23	5.49
3.8	3.28	4.66	3.1	5.12
3.6	3.13	4.36	2.97	4.75
3.5	3.06	4.21	2.9	4.58
3.4	2.98	4.06	2.83	4.4
3.2	2.83	3.78	2.69	4.07
3	2.67	3.5	2.55	3.74
2.9	2.6	3.36	2.48	3.59
2.8	2.52	3.23	2.41	3.43
2.7	2.44	3.09	2.34	3.28
2.6	2.36	2.96	2.26	3.13

Compact Prime CP.2 100mm/T2.1 CF T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2.5	2.27	2.83	2.19	2.98
2.4	2.19	2.7	2.11	2.84
2.3	2.11	2.57	2.03	2.7
2.2	2.03	2.45	1.96	2.56
2.1	1.94	2.32	1.88	2.42
2	1.86	2.2	1.8	2.29
1.95	1.81	2.14	1.76	2.22
1.9	1.77	2.08	1.72	2.16
1.85	1.73	2.02	1.68	2.09
1.8	1.68	1.96	1.64	2.03
1.75	1.64	1.9	1.6	1.96
1.7	1.6	1.84	1.56	1.9
1.65	1.55	1.78	1.52	1.83
1.6	1.51	1.72	1.47	1.77
1.55	1.47	1.66	1.43	1.71
1.5	1.42	1.6	1.39	1.65
1.45	1.38	1.55	1.35	1.59
1.4	1.33	1.49	1.3	1.53
1.35	1.29	1.43	1.26	1.47
1.3	1.24	1.37	1.22	1.41
1.25	1.2	1.32	1.18	1.35
1.2	1.15	1.26	1.13	1.29
1.15	1.11	1.21	1.09	1.23
1.1	1.06	1.15	1.04	1.17
1.05	1.01	1.09	1	1.11
1	0.97	1.04	0.95	1.06
0.98	0.95	1.02	0.94	1.03
0.96	0.93	1	0.92	1.01
0.95	0.92	0.98	0.91	1
0.94	0.91	0.97	0.9	0.99
0.92	0.89	0.95	0.88	0.97
0.9	0.88	0.93	0.86	0.94
0.88	0.86	0.91	0.85	0.92
0.86	0.84	0.89	0.83	0.9
0.85	0.83	0.88	0.82	0.89
0.84	0.82	0.87	0.81	0.88
0.82	0.8	0.84	0.79	0.85
0.8	0.78	0.82	0.77	0.83
0.78	0.76	0.8	0.76	0.81
0.76	0.74	0.78	0.74	0.79
0.75	0.73	0.77	0.73	0.78
0.74	0.72	0.76	0.72	0.77
0.72	0.71	0.74	0.7	0.74
0.7	0.69	0.72	0.68	0.72

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	298.48	INF	243.82	INF	169.32	INF
60	49.99	76.62	48.2	86.53	44.36	104.26
30	27.28	33.63	26.74	35.4	25.52	38.03
15	14.29	15.85	14.15	16.22	13.8	16.75
12	11.54	12.53	11.45	12.77	11.22	13.09
10	9.68	10.37	9.62	10.52	9.46	10.74
9	8.74	9.3	8.69	9.42	8.56	9.59
8	7.8	8.23	7.75	8.33	7.65	8.46
7	6.84	7.18	6.81	7.25	6.73	7.35
6	5.89	6.13	5.86	6.18	5.8	6.25
5.5	5.4	5.61	5.39	5.65	5.34	5.71
5	4.92	5.09	4.91	5.12	4.86	5.17
4.5	4.44	4.57	4.42	4.6	4.39	4.64
4	3.95	4.06	3.94	4.08	3.91	4.11
3.8	3.76	3.85	3.75	3.87	3.72	3.9
3.6	3.56	3.64	3.55	3.66	3.53	3.69
3.4	3.36	3.44	3.36	3.45	3.34	3.48
3.2	3.17	3.23	3.16	3.25	3.15	3.27
3	2.97	3.03	2.97	3.04	2.95	3.06
2.8	2.78	2.83	2.77	2.84	2.76	2.85
2.6	2.58	2.62	2.58	2.63	2.57	2.64
2.4	2.38	2.42	2.38	2.43	2.37	2.44
2.2	2.19	2.22	2.18	2.22	2.18	2.23
2	1.99	2.01	1.99	2.02	1.98	2.02
1.9	1.89	1.91	1.89	1.92	1.88	1.92
1.8	1.79	1.81	1.79	1.81	1.78	1.82
1.7	1.69	1.71	1.69	1.71	1.69	1.72
1.6	1.59	1.61	1.59	1.61	1.59	1.61
1.5	1.49	1.51	1.49	1.51	1.49	1.51
1.4	1.39	1.41	1.39	1.41	1.39	1.41
1.3	1.3	1.3	1.29	1.31	1.29	1.31
1.2	1.2	1.2	1.2	1.21	1.19	1.21
1.1	1.1	1.1	1.1	1.1	1.09	1.11
1	1	1	1	1	1	1

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	117.66	INF	81.81	INF	57.05	INF
60	39.8	146.24	34.69	334.33	29.32	INF
30	23.95	42.45	22.01	50.68	19.73	69.67
15	13.33	17.54	12.72	18.79	11.93	20.88
12	10.91	13.56	10.5	14.29	9.96	15.46
10	9.24	11.06	8.94	11.53	8.55	12.28
9	8.38	9.84	8.14	10.22	7.81	10.8
8	7.51	8.66	7.31	8.94	7.05	9.38
7	6.62	7.49	6.47	7.71	6.27	8.03
6	5.72	6.36	5.61	6.51	5.46	6.73
5.5	5.27	5.8	5.17	5.92	5.04	6.11
5	4.81	5.24	4.73	5.34	4.62	5.49
4.5	4.35	4.69	4.28	4.77	4.19	4.89
4	3.88	4.15	3.83	4.21	3.76	4.3
3.8	3.69	3.93	3.64	3.99	3.58	4.07
3.6	3.5	3.72	3.46	3.77	3.4	3.84
3.4	3.31	3.51	3.28	3.55	3.23	3.61
3.2	3.12	3.29	3.09	3.33	3.05	3.39
3	2.93	3.08	2.9	3.11	2.87	3.16
2.8	2.74	2.87	2.72	2.9	2.68	2.94
2.6	2.55	2.66	2.53	2.68	2.5	2.72
2.4	2.36	2.45	2.34	2.47	2.32	2.5
2.2	2.17	2.24	2.15	2.26	2.13	2.28
2	1.97	2.03	1.96	2.05	1.94	2.07
1.9	1.87	1.93	1.86	1.94	1.85	1.96
1.8	1.78	1.83	1.77	1.84	1.75	1.85
1.7	1.68	1.72	1.67	1.73	1.66	1.75
1.6	1.58	1.62	1.58	1.63	1.56	1.64
1.5	1.49	1.52	1.48	1.52	1.47	1.53
1.4	1.39	1.41	1.38	1.42	1.37	1.43
1.3	1.29	1.31	1.28	1.32	1.28	1.32
1.2	1.19	1.21	1.19	1.21	1.18	1.22
1.1	1.09	1.11	1.09	1.11	1.09	1.12
1	0.99	1.01	0.99	1.01	0.99	1.01

Compact Prime CP.2 135mm/T2.1 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	39.93	INF	28.06	INF
60	24.05	INF	19.19	INF
30	17.21	148.2	14.58	INF
15	10.97	24.77	9.85	33.67
12	9.28	17.49	8.47	21.48
10	8.05	13.51	7.43	15.76
9	7.39	11.74	6.87	13.39
8	6.71	10.08	6.28	11.27
7	6	8.53	5.65	9.36
6	5.25	7.08	4.99	7.64
5.5	4.87	6.39	4.64	6.84
5	4.47	5.72	4.28	6.07
4.5	4.07	5.07	3.92	5.34
4	3.66	4.44	3.54	4.65
3.8	3.5	4.19	3.38	4.37
3.6	3.33	3.95	3.22	4.11
3.4	3.16	3.71	3.06	3.85
3.2	2.98	3.47	2.9	3.59
3	2.81	3.23	2.74	3.34
2.8	2.64	3	2.57	3.09
2.6	2.46	2.77	2.4	2.84
2.4	2.28	2.54	2.23	2.6
2.2	2.1	2.32	2.06	2.37
2	1.92	2.09	1.89	2.13
1.9	1.83	1.98	1.8	2.02
1.8	1.74	1.87	1.71	1.91
1.7	1.64	1.76	1.62	1.79
1.6	1.55	1.66	1.53	1.68
1.5	1.46	1.55	1.44	1.57
1.4	1.36	1.44	1.35	1.46
1.3	1.27	1.33	1.26	1.35
1.2	1.17	1.23	1.16	1.24
1.1	1.08	1.12	1.07	1.13
1	0.98	1.02	0.98	1.03

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	44.73	INF	37.32	INF	35.90	INF
10	8.19	12.84	7.91	15.14	7.84	24.27
8	6.81	9.71	6.61	10.96	6.56	15.05
7	6.07	8.27	5.91	9.16	5.88	11.83
6	5.31	6.91	5.19	7.51	5.16	9.21
5	4.51	5.61	4.43	6	4.4	7.03
4	3.68	4.38	3.63	4.61	3.61	5.19
3	2.82	3.21	2.79	3.33	2.78	3.61
2.5	2.38	2.64	2.35	2.72	2.35	2.9
2	1.92	2.09	1.91	2.14	1.9	2.25
1.8	1.74	1.87	1.72	1.91	1.72	1.99
1.6	1.55	1.65	1.54	1.68	1.54	1.75
1.5	1.46	1.55	1.45	1.57	1.45	1.63
1.4	1.36	1.44	1.35	1.46	1.35	1.51
1.3	1.27	1.33	1.26	1.35	1.26	1.39
1.2	1.17	1.23	1.17	1.24	1.17	1.28
1.1	1.08	1.12	1.07	1.14	1.07	1.16
1	0.98	1.02	0.98	1.03	0.98	1.05
0.95	0.93	0.97	0.93	0.98	0.93	1
0.9	0.89	0.92	0.88	0.92	0.88	0.94
0.85	0.84	0.86	0.83	0.87	0.83	0.89
0.8	0.79	0.81	0.79	0.82	0.79	0.83
0.75	0.74	0.76	0.74	0.77	0.74	0.78
0.7	0.69	0.71	0.69	0.71	0.69	0.72
0.65	0.64	0.66	0.64	0.66	0.64	0.67
0.62	0.62	0.63	0.62	0.63	0.61	0.64
0.6	0.59	0.61	0.59	0.61	0.59	0.62
0.58	0.57	0.59	0.57	0.59	0.57	0.59
0.56	0.55	0.57	0.55	0.57	0.55	0.57
0.55	0.55	0.56	0.54	0.56	0.54	0.56
0.54	0.54	0.54	0.53	0.55	0.53	0.55
0.52	0.52	0.52	0.51	0.53	0.51	0.53

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	2.1		2.8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.50	0.50	0.50	0.51	0.50	0.51
0.49	0.49	0.49	0.49	0.5	0.49	0.5
0.48	0.48	0.48	0.48	0.49	0.48	0.49
0.47	0.47	0.47	0.47	0.48	0.47	0.48
0.46	0.46	0.46	0.46	0.46	0.46	0.47
0.45	0.45	0.45	0.45	0.45	0.45	0.46
0.44	0.44	0.44	0.44	0.44	0.44	0.45
0.43	0.43	0.43	0.43	0.43	0.43	0.44
0.42	0.42	0.42	0.42	0.42	0.42	0.43
0.41	0.41	0.41	0.41	0.41	0.41	0.42
0.4	0.4	0.4	0.4	0.4	0.4	0.41
0.39	0.39	0.39	0.39	0.39	0.39	0.4
0.38	0.38	0.38	0.38	0.38	0.38	0.38
0.37	0.37	0.37	0.37	0.38	0.37	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.37
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.33	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3
0.29	0.29	0.29	0.29	0.29	0.29	0.29
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.24	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	26.64	INF	17.02	INF	10.80	INF
10	7.3	70.13	6.33	INF	5.23	INF
8	6.18	25.23	5.47	INF	4.63	INF
7	5.56	17.31	4.99	36.43	4.28	INF
6	4.92	12.2	4.46	19.33	3.89	77.56
5	4.23	8.64	3.89	11.66	3.45	21.22
4	3.49	6	3.26	7.31	2.95	10.16
3	2.71	3.98	2.57	4.51	2.37	5.43
2.5	2.3	3.14	2.2	3.45	2.05	3.96
2	1.87	2.38	1.8	2.55	1.71	2.82
1.8	1.69	2.1	1.64	2.23	1.56	2.43
1.6	1.52	1.83	1.47	1.93	1.41	2.07
1.5	1.43	1.7	1.39	1.78	1.33	1.9
1.4	1.34	1.57	1.3	1.64	1.25	1.74
1.3	1.25	1.44	1.22	1.5	1.17	1.58
1.2	1.15	1.32	1.13	1.37	1.09	1.43
1.1	1.06	1.2	1.04	1.24	1.01	1.29
1	0.97	1.08	0.95	1.11	0.93	1.15
0.95	0.92	1.02	0.91	1.05	0.88	1.08
0.9	0.87	0.96	0.86	0.99	0.84	1.02
0.85	0.83	0.9	0.82	0.92	0.8	0.95
0.8	0.78	0.85	0.77	0.86	0.75	0.89
0.75	0.73	0.79	0.72	0.81	0.71	0.83
0.7	0.69	0.73	0.68	0.75	0.67	0.76
0.65	0.64	0.68	0.63	0.69	0.62	0.7
0.62	0.61	0.65	0.61	0.66	0.6	0.67
0.6	0.59	0.62	0.58	0.63	0.58	0.64
0.58	0.57	0.6	0.57	0.61	0.56	0.62
0.56	0.55	0.58	0.55	0.59	0.54	0.6
0.55	0.54	0.57	0.54	0.58	0.53	0.59
0.54	0.53	0.56	0.53	0.56	0.52	0.57
0.52	0.51	0.54	0.51	0.54	0.5	0.55

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	5.6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0.5	0.49	0.51	0.49	0.52	0.48	0.53
0.49	0.48	0.5	0.48	0.51	0.47	0.52
0.48	0.47	0.49	0.47	0.5	0.47	0.5
0.47	0.46	0.48	0.46	0.49	0.46	0.49
0.46	0.45	0.47	0.45	0.48	0.45	0.48
0.45	0.44	0.46	0.44	0.47	0.44	0.47
0.44	0.44	0.45	0.43	0.45	0.43	0.46
0.43	0.43	0.44	0.42	0.44	0.42	0.45
0.42	0.42	0.43	0.41	0.43	0.41	0.44
0.41	0.41	0.42	0.4	0.42	0.4	0.43
0.4	0.4	0.41	0.39	0.41	0.39	0.42
0.39	0.39	0.4	0.38	0.4	0.38	0.4
0.38	0.38	0.39	0.37	0.39	0.37	0.39
0.37	0.37	0.38	0.37	0.38	0.37	0.39
0.37	0.37	0.38	0.37	0.38	0.36	0.38
0.36	0.36	0.37	0.36	0.37	0.35	0.37
0.35	0.35	0.36	0.35	0.36	0.34	0.36
0.34	0.34	0.35	0.34	0.35	0.33	0.35
0.33	0.33	0.33	0.33	0.34	0.32	0.34
0.32	0.32	0.33	0.32	0.33	0.32	0.33
0.32	0.32	0.32	0.32	0.33	0.32	0.33
0.31	0.31	0.31	0.31	0.32	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.31
0.29	0.29	0.29	0.29	0.29	0.29	0.3
0.28	0.28	0.28	0.28	0.28	0.28	0.28
0.28	0.28	0.28	0.28	0.28	0.27	0.28
0.27	0.27	0.27	0.27	0.27	0.27	0.27
0.26	0.26	0.26	0.26	0.26	0.26	0.26
0.25	0.25	0.25	0.25	0.25	0.25	0.25
0.24	0.24	0.24	0.24	0.24	0.24	0.24
0.24	0.24	0.24	0.24	0.24	0.23	0.24

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	7.04	INF	4.71	INF
10	4.17	INF	3.23	INF
8	3.78	INF	3	INF
7	3.55	INF	2.85	INF
6	3.28	INF	2.68	INF
5	2.96	INF	2.46	INF
4	2.59	21.81	2.2	INF
3	2.14	7.57	1.87	16.83
2.5	1.87	4.97	1.67	7.73
2	1.58	3.28	1.44	4.27
1.8	1.46	2.76	1.33	3.42
1.6	1.33	2.3	1.22	2.74
1.5	1.26	2.09	1.17	2.45
1.4	1.19	1.9	1.11	2.18
1.3	1.12	1.71	1.05	1.94
1.2	1.04	1.54	0.98	1.71
1.1	0.97	1.37	0.92	1.51
1	0.89	1.22	0.85	1.32
0.95	0.85	1.14	0.81	1.23
0.9	0.81	1.07	0.78	1.14
0.85	0.77	0.99	0.74	1.06
0.8	0.73	0.92	0.7	0.98
0.75	0.69	0.86	0.67	0.9
0.7	0.65	0.79	0.63	0.83
0.65	0.61	0.72	0.59	0.76
0.62	0.58	0.69	0.57	0.72
0.6	0.56	0.66	0.55	0.69
0.58	0.55	0.64	0.53	0.66
0.56	0.53	0.61	0.52	0.63
0.55	0.52	0.6	0.51	0.62
0.54	0.51	0.59	0.5	0.61
0.52	0.49	0.56	0.48	0.58

Compact Prime CP.2 50mm/T2.1 Macro T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
0.5	0.48	0.54	0.47	0.55
0.49	0.47	0.53	0.46	0.54
0.48	0.46	0.51	0.45	0.53
0.47	0.45	0.5	0.44	0.52
0.46	0.44	0.49	0.43	0.5
0.45	0.43	0.48	0.42	0.49
0.44	0.42	0.47	0.41	0.48
0.43	0.41	0.46	0.41	0.47
0.42	0.4	0.44	0.4	0.45
0.41	0.4	0.43	0.39	0.44
0.4	0.39	0.42	0.38	0.43
0.39	0.38	0.41	0.37	0.42
0.38	0.37	0.4	0.36	0.41
0.37	0.36	0.39	0.36	0.4
0.37	0.36	0.39	0.35	0.39
0.36	0.35	0.38	0.35	0.38
0.35	0.34	0.36	0.34	0.37
0.34	0.33	0.35	0.33	0.36
0.33	0.32	0.34	0.32	0.35
0.32	0.32	0.34	0.31	0.34
0.32	0.31	0.33	0.31	0.33
0.31	0.3	0.32	0.3	0.32
0.3	0.29	0.31	0.29	0.31
0.29	0.28	0.3	0.28	0.3
0.28	0.28	0.29	0.27	0.29
0.28	0.27	0.28	0.27	0.29
0.27	0.27	0.28	0.26	0.28
0.26	0.26	0.27	0.25	0.27
0.25	0.25	0.25	0.25	0.26
0.24	0.24	0.24	0.24	0.24
0.24	0.23	0.24	0.23	0.24