



Depth of Field Tables in Meter

for

Compact Prime CP.2 Super Speed Lenses

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.2 35 mm/T1.5 Super Speed	■	■	■
CP.2 50 mm/T1.5 Super Speed	■	■	■
CP.2 85 mm/T1.5 Super Speed	■	■	■

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	48.53	INF	44.88	INF	36.63	INF
10	8.32	12.65	8.21	15.14	7.89	21.31
6	5.36	6.85	5.31	7.51	5.18	8.74
4	3.71	4.35	3.69	4.61	3.62	5.03
3	2.84	3.19	2.82	3.32	2.79	3.53
2	1.93	2.08	1.92	2.13	1.91	2.21
1.6	1.55	1.65	1.55	1.68	1.54	1.73
1.4	1.37	1.44	1.36	1.46	1.36	1.5
1.2	1.18	1.23	1.17	1.24	1.17	1.27
1.1	1.08	1.12	1.08	1.14	1.07	1.16
1	0.98	1.02	0.98	1.03	0.98	1.04
0.9	0.89	0.91	0.89	0.92	0.88	0.94
0.8	0.79	0.81	0.79	0.82	0.79	0.83
0.75	0.74	0.76	0.74	0.76	0.74	0.77
0.7	0.69	0.71	0.69	0.71	0.69	0.72
0.65	0.64	0.66	0.64	0.66	0.64	0.67
0.6	0.59	0.61	0.59	0.61	0.59	0.61
0.58	0.58	0.58	0.58	0.59	0.57	0.59
0.56	0.56	0.56	0.56	0.57	0.55	0.57
0.54	0.54	0.54	0.54	0.55	0.53	0.55
0.52	0.52	0.52	0.52	0.53	0.52	0.53
0.5	0.5	0.5	0.5	0.51	0.5	0.51
0.48	0.48	0.48	0.48	0.48	0.48	0.49
0.46	0.46	0.46	0.46	0.46	0.46	0.47
0.44	0.44	0.44	0.44	0.44	0.44	0.45
0.42	0.42	0.42	0.42	0.42	0.42	0.43
0.4	0.4	0.4	0.4	0.4	0.4	0.4
0.39	0.39	0.39	0.39	0.39	0.39	0.39
0.38	0.38	0.38	0.38	0.38	0.38	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.37
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	27.02	INF	17.94	INF	11.57	INF
10	7.34	44.16	6.47	INF	5.42	INF
6	4.94	11.06	4.53	16.24	4	40.18
4	3.51	5.71	3.3	6.81	3.01	9.02
3	2.72	3.85	2.6	4.31	2.42	5.08
2	1.87	2.33	1.82	2.48	1.73	2.71
1.6	1.52	1.8	1.48	1.89	1.43	2.01
1.4	1.34	1.55	1.31	1.61	1.27	1.7
1.2	1.16	1.3	1.14	1.35	1.1	1.4
1.1	1.06	1.18	1.05	1.22	1.02	1.27
1	0.97	1.07	0.96	1.09	0.94	1.13
0.9	0.88	0.95	0.87	0.97	0.85	1
0.8	0.78	0.84	0.77	0.86	0.76	0.88
0.75	0.73	0.78	0.73	0.8	0.72	0.82
0.7	0.69	0.73	0.68	0.74	0.67	0.76
0.65	0.64	0.67	0.63	0.68	0.63	0.7
0.6	0.59	0.62	0.59	0.63	0.58	0.64
0.58	0.57	0.6	0.57	0.61	0.56	0.61
0.56	0.55	0.58	0.55	0.58	0.54	0.59
0.54	0.53	0.55	0.53	0.56	0.52	0.57
0.52	0.51	0.53	0.51	0.54	0.51	0.55
0.5	0.49	0.51	0.49	0.52	0.49	0.52
0.48	0.47	0.49	0.47	0.5	0.47	0.5
0.46	0.46	0.47	0.45	0.47	0.45	0.48
0.44	0.44	0.45	0.43	0.45	0.43	0.46
0.42	0.42	0.43	0.41	0.43	0.41	0.43
0.4	0.4	0.41	0.4	0.41	0.39	0.41
0.39	0.39	0.4	0.39	0.4	0.38	0.4
0.38	0.38	0.39	0.38	0.39	0.37	0.39
0.37	0.37	0.38	0.37	0.38	0.36	0.38
0.36	0.36	0.36	0.36	0.37	0.35	0.37
0.35	0.35	0.35	0.35	0.36	0.34	0.36
0.34	0.34	0.34	0.34	0.35	0.34	0.35
0.33	0.33	0.33	0.33	0.34	0.33	0.34
0.32	0.32	0.32	0.32	0.32	0.32	0.33
0.31	0.31	0.31	0.31	0.31	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.31

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7.58	INF	5.08	INF	3.47	INF
10	4.36	INF	3.41	INF	2.62	INF
6	3.4	INF	2.8	INF	2.25	INF
4	2.67	16.1	2.29	INF	1.91	INF
3	2.19	6.71	1.93	12.22	1.66	INF
2	1.62	3.1	1.48	3.88	1.32	6.04
1.6	1.35	2.21	1.25	2.56	1.14	3.33
1.4	1.21	1.83	1.13	2.07	1.04	2.52
1.2	1.06	1.49	1	1.64	0.93	1.91
1.1	0.98	1.34	0.93	1.45	0.87	1.65
1	0.9	1.19	0.86	1.27	0.81	1.42
0.9	0.82	1.04	0.79	1.11	0.75	1.22
0.8	0.74	0.91	0.72	0.95	0.68	1.03
0.75	0.7	0.84	0.68	0.88	0.65	0.94
0.7	0.66	0.78	0.64	0.81	0.61	0.86
0.65	0.61	0.71	0.6	0.74	0.57	0.78
0.6	0.57	0.65	0.56	0.67	0.54	0.71
0.58	0.55	0.63	0.54	0.65	0.52	0.68
0.56	0.53	0.6	0.52	0.62	0.51	0.65
0.54	0.52	0.58	0.51	0.6	0.49	0.62
0.52	0.5	0.56	0.49	0.57	0.47	0.59
0.5	0.48	0.53	0.47	0.54	0.46	0.56
0.48	0.46	0.51	0.45	0.52	0.44	0.54
0.46	0.44	0.49	0.44	0.5	0.43	0.51
0.44	0.43	0.46	0.42	0.47	0.41	0.48
0.42	0.41	0.44	0.4	0.45	0.39	0.46
0.4	0.39	0.42	0.38	0.42	0.38	0.43
0.39	0.38	0.41	0.37	0.41	0.37	0.42
0.38	0.37	0.39	0.37	0.4	0.36	0.41
0.37	0.36	0.38	0.36	0.39	0.35	0.4
0.36	0.35	0.37	0.35	0.38	0.34	0.38
0.35	0.34	0.36	0.34	0.37	0.33	0.37
0.34	0.33	0.35	0.33	0.35	0.33	0.36
0.33	0.32	0.34	0.32	0.34	0.32	0.35
0.32	0.31	0.33	0.31	0.33	0.31	0.34
0.31	0.3	0.32	0.3	0.32	0.3	0.33
0.3	0.3	0.31	0.29	0.31	0.29	0.31

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	282.03	INF	124.08	INF	48.71	INF
20	18.67	INF	17.22	INF	14.2	INF
10	9.65	20.16	9.25	32.06	8.31	88.64
7	6.83	10.77	6.63	13.41	6.13	18.26
5	4.91	6.65	4.81	7.56	4.54	8.87
4	3.94	4.98	3.88	5.47	3.7	6.12
3.5	3.46	4.22	3.4	4.56	3.27	5.01
3	2.97	3.51	2.93	3.74	2.83	4.03
2.5	2.48	2.84	2.45	2.99	2.38	3.17
2.2	2.18	2.46	2.16	2.57	2.11	2.7
2	1.99	2.21	1.97	2.29	1.92	2.4
1.8	1.79	1.96	1.77	2.03	1.74	2.11
1.7	1.69	1.85	1.68	1.9	1.65	1.97
1.6	1.59	1.73	1.58	1.78	1.55	1.84
1.5	1.49	1.61	1.48	1.65	1.46	1.71
1.4	1.39	1.49	1.38	1.53	1.36	1.58
1.3	1.29	1.38	1.29	1.41	1.27	1.45
1.2	1.19	1.27	1.19	1.29	1.17	1.32
1.1	1.1	1.16	1.09	1.18	1.08	1.2
1	1	1.04	0.99	1.06	0.98	1.08
0.95	0.95	0.99	0.94	1.01	0.93	1.02
0.9	0.9	0.94	0.89	0.95	0.89	0.96
0.85	0.85	0.88	0.84	0.89	0.84	0.91
0.8	0.8	0.83	0.79	0.84	0.79	0.85
0.78	0.78	0.81	0.78	0.82	0.77	0.83
0.76	0.76	0.78	0.76	0.79	0.75	0.8
0.74	0.74	0.76	0.74	0.77	0.73	0.78
0.72	0.72	0.74	0.72	0.75	0.71	0.76
0.7	0.7	0.72	0.7	0.73	0.69	0.74
0.68	0.68	0.7	0.68	0.71	0.67	0.71
0.66	0.66	0.68	0.66	0.68	0.65	0.69
0.64	0.64	0.66	0.64	0.66	0.63	0.67
0.62	0.62	0.63	0.62	0.64	0.61	0.65
0.6	0.6	0.61	0.6	0.62	0.59	0.62
0.59	0.59	0.6	0.59	0.61	0.58	0.61
0.58	0.58	0.59	0.58	0.6	0.57	0.6
0.57	0.57	0.58	0.57	0.59	0.56	0.59
0.56	0.56	0.57	0.56	0.58	0.55	0.58
0.55	0.55	0.56	0.55	0.57	0.54	0.57
0.54	0.54	0.55	0.54	0.55	0.54	0.56
0.53	0.53	0.54	0.53	0.54	0.53	0.55
0.52	0.52	0.53	0.52	0.53	0.52	0.54
0.51	0.51	0.52	0.51	0.52	0.51	0.53
0.5	0.5	0.51	0.5	0.51	0.5	0.52
0.49	0.49	0.5	0.49	0.5	0.49	0.5
0.48	0.48	0.49	0.48	0.49	0.48	0.49
0.47	0.47	0.48	0.47	0.48	0.47	0.48
0.46	0.46	0.47	0.46	0.47	0.46	0.47
0.45	0.45	0.46	0.45	0.46	0.45	0.46

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	24.12	INF	13.77	INF	8.54	INF
20	10.96	INF	8.19	INF	6.01	INF
10	7.09	INF	5.83	INF	4.64	INF
7	5.45	33.22	4.67	INF	3.88	INF
5	4.16	11.32	3.69	18.08	3.18	109.3
4	3.45	7.18	3.12	9.39	2.75	16.48
3.5	3.07	5.69	2.81	6.99	2.51	10.26
3	2.68	4.46	2.48	5.21	2.25	6.82
2.5	2.28	3.42	2.13	3.85	1.96	4.64
2.2	2.02	2.88	1.91	3.17	1.77	3.68
2	1.86	2.54	1.76	2.76	1.64	3.14
1.8	1.68	2.22	1.61	2.39	1.51	2.66
1.7	1.6	2.07	1.53	2.21	1.44	2.44
1.6	1.51	1.92	1.45	2.04	1.37	2.24
1.5	1.42	1.77	1.36	1.88	1.29	2.04
1.4	1.33	1.63	1.28	1.72	1.22	1.85
1.3	1.24	1.5	1.2	1.57	1.14	1.68
1.2	1.15	1.36	1.11	1.42	1.07	1.51
1.1	1.06	1.23	1.03	1.28	0.99	1.35
1	0.96	1.11	0.94	1.14	0.91	1.2
0.95	0.92	1.05	0.9	1.08	0.87	1.13
0.9	0.87	0.98	0.85	1.01	0.83	1.05
0.85	0.82	0.92	0.81	0.95	0.78	0.98
0.8	0.78	0.86	0.76	0.88	0.74	0.92
0.78	0.76	0.84	0.74	0.86	0.73	0.89
0.76	0.74	0.82	0.73	0.84	0.71	0.86
0.74	0.72	0.79	0.71	0.81	0.69	0.84
0.72	0.7	0.77	0.69	0.79	0.67	0.81
0.7	0.68	0.75	0.67	0.76	0.66	0.78
0.68	0.66	0.72	0.65	0.74	0.64	0.76
0.66	0.65	0.7	0.64	0.71	0.62	0.73
0.64	0.63	0.68	0.62	0.69	0.6	0.71
0.62	0.61	0.65	0.6	0.67	0.59	0.68
0.6	0.59	0.63	0.58	0.64	0.57	0.66
0.59	0.58	0.62	0.57	0.63	0.56	0.65
0.58	0.57	0.61	0.56	0.62	0.55	0.63
0.57	0.56	0.6	0.55	0.61	0.54	0.62
0.56	0.55	0.59	0.54	0.6	0.53	0.61
0.55	0.54	0.58	0.53	0.58	0.52	0.6
0.54	0.53	0.56	0.52	0.57	0.52	0.58
0.53	0.52	0.55	0.52	0.56	0.51	0.57
0.52	0.51	0.54	0.51	0.55	0.5	0.56
0.51	0.5	0.53	0.5	0.54	0.49	0.55
0.5	0.49	0.52	0.49	0.53	0.48	0.54
0.49	0.48	0.51	0.48	0.52	0.47	0.52
0.48	0.47	0.5	0.47	0.5	0.46	0.51
0.47	0.46	0.49	0.46	0.49	0.45	0.5
0.46	0.45	0.48	0.45	0.48	0.44	0.49
0.45	0.44	0.47	0.44	0.47	0.43	0.48

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	264.33	INF	115.73	INF	109.04	INF
50	42.07	61.63	34.96	54.36	34.33	68.84
20	18.6	21.63	17.08	20.66	16.93	22.45
15	14.2	15.89	13.3	15.37	13.21	16.33
12	11.49	12.56	10.89	12.24	10.83	12.83
10	9.64	10.39	9.22	10.16	9.18	10.57
8	7.77	8.25	7.5	8.1	7.47	8.36
7	6.82	7.19	6.61	7.08	6.59	7.27
6	5.87	6.14	5.72	6.06	5.7	6.2
5.5	5.39	5.61	5.26	5.55	5.25	5.67
5	4.91	5.09	4.8	5.04	4.79	5.14
4.5	4.43	4.58	4.34	4.53	4.33	4.61
4	3.94	4.06	3.87	4.03	3.87	4.09
3.8	3.75	3.85	3.69	3.82	3.68	3.88
3.6	3.55	3.65	3.5	3.62	3.49	3.67
3.4	3.36	3.44	3.31	3.42	3.3	3.46
3.2	3.16	3.24	3.12	3.22	3.11	3.25
3	2.97	3.03	2.93	3.01	2.93	3.05
2.8	2.77	2.83	2.74	2.81	2.74	2.84
2.6	2.58	2.62	2.55	2.61	2.54	2.64
2.4	2.38	2.42	2.36	2.41	2.35	2.43
2.2	2.18	2.22	2.16	2.21	2.16	2.22
2	1.99	2.01	1.97	2.01	1.97	2.02
1.9	1.89	1.91	1.87	1.91	1.87	1.92
1.8	1.79	1.81	1.78	1.81	1.77	1.82
1.7	1.69	1.71	1.68	1.7	1.68	1.71
1.6	1.59	1.61	1.58	1.6	1.58	1.61
1.5	1.49	1.51	1.48	1.5	1.48	1.51
1.4	1.39	1.41	1.39	1.4	1.38	1.41
1.3	1.29	1.31	1.29	1.3	1.29	1.31
1.2	1.2	1.2	1.19	1.2	1.19	1.21
1.1	1.1	1.1	1.09	1.1	1.09	1.11
1	1	1	0.99	1	0.99	1

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	97.19	INF	75.24	INF	53.49	INF
50	33.06	105.67	30.08	266.82	25.89	INF
20	16.61	25.3	15.83	29.55	14.59	37.06
15	13.02	17.79	12.53	19.78	11.75	22.87
12	10.7	13.71	10.37	14.86	9.83	16.54
10	9.08	11.16	8.85	11.9	8.45	12.95
8	7.4	8.72	7.25	9.17	6.98	9.77
7	6.54	7.54	6.42	7.87	6.21	8.31
6	5.66	6.39	5.57	6.63	5.41	6.93
5.5	5.22	5.83	5.14	6.02	5	6.27
5	4.76	5.27	4.7	5.42	4.59	5.63
4.5	4.31	4.71	4.26	4.84	4.16	5
4	3.85	4.17	3.81	4.26	3.73	4.39
3.8	3.66	3.95	3.63	4.04	3.56	4.15
3.6	3.48	3.73	3.44	3.81	3.38	3.91
3.4	3.29	3.52	3.26	3.59	3.21	3.67
3.2	3.1	3.31	3.08	3.36	3.03	3.44
3	2.92	3.09	2.89	3.14	2.85	3.21
2.8	2.73	2.88	2.71	2.92	2.67	2.98
2.6	2.54	2.67	2.52	2.71	2.49	2.75
2.4	2.35	2.46	2.33	2.49	2.3	2.53
2.2	2.16	2.25	2.14	2.27	2.12	2.31
2	1.96	2.04	1.95	2.06	1.93	2.09
1.9	1.87	1.93	1.86	1.95	1.84	1.98
1.8	1.77	1.83	1.76	1.85	1.75	1.87
1.7	1.67	1.73	1.67	1.74	1.65	1.76
1.6	1.58	1.62	1.57	1.64	1.56	1.65
1.5	1.48	1.52	1.47	1.53	1.46	1.55
1.4	1.38	1.42	1.38	1.43	1.37	1.44
1.3	1.29	1.32	1.28	1.32	1.27	1.33
1.2	1.19	1.21	1.18	1.22	1.18	1.23
1.1	1.09	1.11	1.09	1.12	1.08	1.12
1	0.99	1.01	0.99	1.01	0.99	1.02

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	37.03	INF	25.59	INF	17.78	INF
50	21.32	INF	16.97	INF	13.15	INF
20	13.03	55.68	11.27	181.01	9.46	INF
15	10.71	28.79	9.5	44.77	8.18	202.99
12	9.1	19.42	8.21	25.54	7.21	45.88
10	7.9	14.65	7.23	17.87	6.44	25.86
8	6.61	10.7	6.13	12.32	5.56	15.63
7	5.91	8.98	5.53	10.08	5.06	12.19
6	5.19	7.39	4.89	8.12	4.52	9.42
5.5	4.81	6.64	4.55	7.22	4.23	8.23
5	4.42	5.92	4.21	6.38	3.93	7.15
4.5	4.03	5.23	3.85	5.58	3.62	6.16
4	3.63	4.56	3.48	4.82	3.29	5.25
3.8	3.46	4.3	3.33	4.53	3.16	4.91
3.6	3.3	4.05	3.18	4.25	3.02	4.57
3.4	3.13	3.79	3.02	3.97	2.88	4.25
3.2	2.96	3.54	2.86	3.7	2.74	3.94
3	2.79	3.3	2.7	3.43	2.59	3.64
2.8	2.62	3.06	2.54	3.17	2.44	3.34
2.6	2.44	2.82	2.38	2.91	2.29	3.06
2.4	2.26	2.58	2.21	2.66	2.13	2.78
2.2	2.09	2.35	2.04	2.42	1.98	2.52
2	1.91	2.12	1.87	2.18	1.82	2.25
1.9	1.82	2.01	1.78	2.06	1.73	2.13
1.8	1.72	1.9	1.69	1.94	1.65	2
1.7	1.63	1.79	1.61	1.82	1.57	1.88
1.6	1.54	1.68	1.52	1.71	1.48	1.75
1.5	1.45	1.57	1.43	1.59	1.4	1.63
1.4	1.36	1.46	1.34	1.48	1.31	1.51
1.3	1.26	1.35	1.25	1.37	1.22	1.4
1.2	1.17	1.24	1.15	1.26	1.14	1.28
1.1	1.07	1.13	1.06	1.15	1.05	1.17
1	0.98	1.03	0.97	1.04	0.96	1.05

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	38.71	INF	34.07	INF	26.75	INF
10	7.98	13.54	7.77	16.95	7.32	27.15
6	5.22	7.1	5.13	7.92	4.93	9.58
4	3.64	4.45	3.6	4.75	3.5	5.29
3	2.8	3.24	2.77	3.4	2.72	3.66
2	1.91	2.1	1.9	2.16	1.87	2.26
1.6	1.54	1.66	1.54	1.7	1.52	1.76
1.4	1.36	1.45	1.35	1.47	1.34	1.52
1.2	1.17	1.23	1.17	1.25	1.16	1.28
1.1	1.07	1.13	1.07	1.14	1.06	1.17
1	0.98	1.02	0.98	1.03	0.97	1.05
0.9	0.88	0.92	0.88	0.93	0.88	0.94
0.8	0.79	0.81	0.79	0.82	0.78	0.83
0.75	0.74	0.76	0.74	0.77	0.73	0.78
0.7	0.69	0.71	0.69	0.71	0.69	0.72
0.65	0.64	0.66	0.64	0.66	0.64	0.67
0.6	0.59	0.61	0.59	0.61	0.59	0.62
0.58	0.57	0.59	0.57	0.59	0.57	0.59
0.56	0.55	0.57	0.55	0.57	0.55	0.57
0.54	0.54	0.55	0.53	0.55	0.53	0.55
0.52	0.52	0.52	0.52	0.53	0.51	0.53
0.5	0.5	0.5	0.5	0.51	0.49	0.51
0.48	0.48	0.48	0.48	0.49	0.47	0.49
0.46	0.46	0.46	0.46	0.47	0.46	0.47
0.44	0.44	0.44	0.44	0.44	0.44	0.45
0.42	0.42	0.42	0.42	0.42	0.42	0.43
0.4	0.4	0.4	0.4	0.4	0.4	0.41
0.39	0.39	0.39	0.39	0.39	0.39	0.4
0.38	0.38	0.38	0.38	0.38	0.38	0.38
0.37	0.37	0.37	0.37	0.37	0.37	0.37
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	19.49	INF	13.18	INF	8.72	INF
10	6.66	121.57	5.74	INF	4.71	INF
6	4.62	13.12	4.17	24.24	3.6	INF
4	3.35	6.2	3.11	7.88	2.79	12.14
3	2.62	4.06	2.47	4.71	2.27	5.92
2	1.83	2.4	1.76	2.61	1.66	2.93
1.6	1.49	1.84	1.45	1.95	1.38	2.12
1.4	1.32	1.58	1.28	1.66	1.23	1.77
1.2	1.14	1.32	1.12	1.38	1.08	1.46
1.1	1.05	1.2	1.03	1.24	1	1.31
1	0.96	1.08	0.94	1.11	0.92	1.16
0.9	0.87	0.96	0.85	0.99	0.83	1.03
0.8	0.78	0.85	0.76	0.87	0.75	0.89
0.75	0.73	0.79	0.72	0.81	0.71	0.83
0.7	0.68	0.73	0.67	0.75	0.66	0.77
0.65	0.64	0.68	0.63	0.69	0.62	0.71
0.6	0.59	0.62	0.58	0.63	0.57	0.65
0.58	0.57	0.6	0.56	0.61	0.56	0.62
0.56	0.55	0.58	0.54	0.59	0.54	0.6
0.54	0.53	0.56	0.53	0.57	0.52	0.57
0.52	0.51	0.54	0.51	0.54	0.5	0.55
0.5	0.49	0.51	0.49	0.52	0.48	0.53
0.48	0.47	0.49	0.47	0.5	0.46	0.51
0.46	0.45	0.47	0.45	0.48	0.45	0.48
0.44	0.43	0.45	0.43	0.45	0.43	0.46
0.42	0.41	0.43	0.41	0.43	0.41	0.44
0.4	0.4	0.41	0.39	0.41	0.39	0.42
0.39	0.39	0.4	0.38	0.4	0.38	0.4
0.38	0.38	0.39	0.37	0.39	0.37	0.39
0.37	0.37	0.38	0.36	0.38	0.36	0.38
0.36	0.36	0.37	0.36	0.37	0.35	0.37
0.35	0.35	0.36	0.35	0.36	0.34	0.36
0.34	0.34	0.34	0.34	0.35	0.33	0.35
0.33	0.33	0.33	0.33	0.34	0.32	0.34
0.32	0.32	0.32	0.32	0.33	0.31	0.33
0.31	0.31	0.31	0.31	0.32	0.31	0.32
0.3	0.3	0.3	0.3	0.3	0.3	0.31

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5.83	INF	3.97	INF	2.75	INF
10	3.73	INF	2.88	INF	2.19	INF
6	3.01	INF	2.44	INF	1.93	INF
4	2.42	47	2.04	INF	1.68	INF
3	2.03	9.19	1.76	41.44	1.49	INF
2	1.53	3.52	1.38	4.94	1.21	11.75
1.6	1.29	2.41	1.18	2.98	1.06	4.5
1.4	1.16	1.97	1.08	2.32	0.97	3.13
1.2	1.02	1.58	0.96	1.79	0.88	2.22
1.1	0.95	1.4	0.9	1.56	0.83	1.88
1	0.88	1.24	0.83	1.36	0.77	1.58
0.9	0.8	1.08	0.76	1.17	0.72	1.33
0.8	0.72	0.93	0.69	1	0.66	1.11
0.75	0.68	0.86	0.66	0.92	0.62	1
0.7	0.64	0.8	0.62	0.84	0.59	0.91
0.65	0.6	0.73	0.58	0.76	0.56	0.82
0.6	0.56	0.66	0.54	0.69	0.52	0.74
0.58	0.54	0.64	0.53	0.66	0.51	0.7
0.56	0.53	0.61	0.51	0.64	0.49	0.67
0.54	0.51	0.59	0.5	0.61	0.48	0.64
0.52	0.49	0.56	0.48	0.58	0.46	0.61
0.5	0.47	0.54	0.46	0.56	0.45	0.58
0.48	0.46	0.52	0.45	0.53	0.43	0.55
0.46	0.44	0.49	0.43	0.5	0.42	0.52
0.44	0.42	0.47	0.41	0.48	0.4	0.5
0.42	0.4	0.44	0.4	0.45	0.39	0.47
0.4	0.39	0.42	0.38	0.43	0.37	0.44
0.39	0.38	0.41	0.37	0.42	0.36	0.43
0.38	0.37	0.4	0.36	0.41	0.35	0.42
0.37	0.36	0.39	0.35	0.39	0.35	0.4
0.36	0.35	0.38	0.34	0.38	0.34	0.39
0.35	0.34	0.36	0.34	0.37	0.33	0.38
0.34	0.33	0.35	0.33	0.36	0.32	0.37
0.33	0.32	0.34	0.32	0.35	0.31	0.35
0.32	0.31	0.33	0.31	0.34	0.3	0.34
0.31	0.3	0.32	0.3	0.32	0.3	0.33
0.3	0.29	0.31	0.29	0.31	0.29	0.32

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	96.57	INF	56.39	INF	29.23	INF
20	16.58	INF	14.78	INF	11.9	INF
10	9.07	23.35	8.5	46.5	7.47	INF
7	6.53	11.62	6.23	15.4	5.66	24.35
5	4.76	6.96	4.6	8.14	4.28	10.08
4	3.84	5.15	3.74	5.76	3.53	6.67
3.5	3.38	4.34	3.3	4.77	3.14	5.37
3	2.91	3.59	2.85	3.88	2.73	4.26
2.5	2.44	2.89	2.4	3.07	2.31	3.31
2.2	2.15	2.5	2.12	2.63	2.05	2.79
2	1.96	2.24	1.93	2.34	1.88	2.47
1.8	1.77	1.99	1.75	2.07	1.7	2.17
1.7	1.67	1.87	1.65	1.94	1.61	2.02
1.6	1.57	1.75	1.56	1.81	1.52	1.88
1.5	1.48	1.63	1.46	1.68	1.43	1.74
1.4	1.38	1.51	1.37	1.55	1.34	1.61
1.3	1.28	1.39	1.27	1.43	1.25	1.48
1.2	1.19	1.28	1.18	1.31	1.16	1.35
1.1	1.09	1.16	1.08	1.19	1.06	1.22
1	0.99	1.05	0.98	1.07	0.97	1.1
0.95	0.94	1	0.94	1.01	0.92	1.04
0.9	0.89	0.94	0.89	0.96	0.88	0.98
0.85	0.84	0.89	0.84	0.9	0.83	0.92
0.8	0.79	0.83	0.79	0.84	0.78	0.86
0.78	0.77	0.81	0.77	0.82	0.76	0.83
0.76	0.75	0.79	0.75	0.8	0.74	0.81
0.74	0.73	0.77	0.73	0.78	0.72	0.79
0.72	0.72	0.74	0.71	0.75	0.71	0.76
0.7	0.7	0.72	0.69	0.73	0.69	0.74
0.68	0.68	0.7	0.67	0.71	0.67	0.72
0.66	0.66	0.68	0.65	0.69	0.65	0.7
0.64	0.64	0.66	0.63	0.67	0.63	0.67
0.62	0.62	0.64	0.61	0.64	0.61	0.65
0.6	0.6	0.62	0.59	0.62	0.59	0.63
0.59	0.59	0.61	0.58	0.61	0.58	0.62
0.58	0.58	0.59	0.58	0.6	0.57	0.61
0.57	0.57	0.58	0.57	0.59	0.56	0.6
0.56	0.56	0.57	0.56	0.58	0.55	0.58
0.55	0.55	0.56	0.55	0.57	0.54	0.57
0.54	0.54	0.55	0.54	0.56	0.53	0.56
0.53	0.53	0.54	0.53	0.55	0.52	0.55
0.52	0.52	0.53	0.52	0.54	0.51	0.54
0.51	0.51	0.52	0.51	0.52	0.5	0.53
0.5	0.5	0.51	0.5	0.51	0.49	0.52
0.49	0.49	0.5	0.49	0.5	0.48	0.51
0.48	0.48	0.49	0.48	0.49	0.47	0.5
0.47	0.47	0.48	0.47	0.48	0.46	0.49
0.46	0.46	0.47	0.46	0.47	0.45	0.47
0.45	0.45	0.46	0.45	0.46	0.44	0.46

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16.46	INF	10.03	INF	6.45	INF
20	9.06	INF	6.71	INF	4.9	INF
10	6.25	INF	5.04	INF	3.95	INF
7	4.94	94.42	4.16	INF	3.39	INF
5	3.86	14.5	3.37	36.06	2.85	INF
4	3.24	8.33	2.89	12.64	2.5	46.27
3.5	2.9	6.39	2.62	8.63	2.3	17.05
3	2.55	4.87	2.33	6.07	2.08	9.26
2.5	2.18	3.66	2.02	4.29	1.83	5.65
2.2	1.95	3.04	1.82	3.46	1.67	4.28
2	1.8	2.66	1.69	2.98	1.55	3.56
1.8	1.63	2.31	1.54	2.54	1.43	2.95
1.7	1.55	2.15	1.47	2.34	1.37	2.69
1.6	1.47	1.99	1.4	2.15	1.3	2.44
1.5	1.38	1.83	1.32	1.97	1.24	2.2
1.4	1.3	1.68	1.24	1.8	1.17	1.99
1.3	1.21	1.54	1.16	1.63	1.1	1.79
1.2	1.13	1.4	1.08	1.47	1.03	1.6
1.1	1.04	1.26	1	1.32	0.96	1.42
1	0.95	1.13	0.92	1.18	0.88	1.25
0.95	0.9	1.06	0.88	1.11	0.84	1.17
0.9	0.86	1	0.84	1.04	0.81	1.09
0.85	0.81	0.94	0.79	0.97	0.77	1.02
0.8	0.77	0.88	0.75	0.9	0.73	0.94
0.78	0.75	0.85	0.73	0.88	0.71	0.92
0.76	0.73	0.83	0.72	0.85	0.69	0.89
0.74	0.71	0.8	0.7	0.83	0.68	0.86
0.72	0.7	0.78	0.68	0.8	0.66	0.83
0.7	0.68	0.76	0.66	0.77	0.64	0.8
0.68	0.66	0.73	0.65	0.75	0.63	0.78
0.66	0.64	0.71	0.63	0.72	0.61	0.75
0.64	0.62	0.68	0.61	0.7	0.59	0.72
0.62	0.6	0.66	0.59	0.68	0.58	0.7
0.6	0.58	0.64	0.57	0.65	0.56	0.67
0.59	0.57	0.63	0.56	0.64	0.55	0.66
0.58	0.56	0.62	0.56	0.63	0.54	0.65
0.57	0.56	0.6	0.55	0.62	0.53	0.63
0.56	0.55	0.59	0.54	0.6	0.53	0.62
0.55	0.54	0.58	0.53	0.59	0.52	0.61
0.54	0.53	0.57	0.52	0.58	0.51	0.59
0.53	0.52	0.56	0.51	0.57	0.5	0.58
0.52	0.51	0.55	0.5	0.56	0.49	0.57
0.51	0.5	0.54	0.49	0.54	0.48	0.56
0.5	0.49	0.52	0.48	0.53	0.47	0.54
0.49	0.48	0.51	0.47	0.52	0.46	0.53
0.48	0.47	0.5	0.46	0.51	0.46	0.52
0.47	0.46	0.49	0.45	0.5	0.45	0.51
0.46	0.45	0.48	0.45	0.49	0.44	0.5
0.45	0.44	0.47	0.44	0.47	0.43	0.48

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	211.50	INF	100.81	INF	90.92	INF
50	40.47	65.44	33.47	58.42	32.31	78.76
20	18.28	22.07	16.72	21.22	16.42	23.4
15	14.02	16.13	13.08	15.68	12.9	16.83
12	11.36	12.71	10.75	12.43	10.62	13.14
10	9.55	10.49	9.12	10.3	9.03	10.78
8	7.71	8.31	7.43	8.19	7.37	8.49
7	6.78	7.23	6.56	7.14	6.51	7.37
6	5.84	6.17	5.68	6.1	5.64	6.27
5.5	5.36	5.64	5.23	5.59	5.2	5.72
5	4.89	5.12	4.77	5.07	4.75	5.18
4.5	4.41	4.59	4.32	4.56	4.3	4.65
4	3.93	4.07	3.86	4.05	3.84	4.12
3.8	3.74	3.87	3.67	3.84	3.66	3.9
3.6	3.54	3.66	3.48	3.64	3.47	3.69
3.4	3.35	3.45	3.3	3.43	3.28	3.48
3.2	3.15	3.25	3.11	3.23	3.1	3.27
3	2.96	3.04	2.92	3.03	2.91	3.06
2.8	2.77	2.84	2.73	2.82	2.72	2.86
2.6	2.57	2.63	2.54	2.62	2.53	2.65
2.4	2.37	2.43	2.35	2.42	2.34	2.44
2.2	2.18	2.22	2.16	2.21	2.15	2.23
2	1.98	2.02	1.97	2.01	1.96	2.03
1.9	1.88	1.92	1.87	1.91	1.87	1.92
1.8	1.79	1.81	1.77	1.81	1.77	1.82
1.7	1.69	1.71	1.68	1.71	1.67	1.72
1.6	1.59	1.61	1.58	1.61	1.58	1.62
1.5	1.49	1.51	1.48	1.51	1.48	1.51
1.4	1.39	1.41	1.38	1.41	1.38	1.41
1.3	1.29	1.31	1.29	1.3	1.28	1.31
1.2	1.19	1.21	1.19	1.2	1.19	1.21
1.1	1.1	1.1	1.09	1.1	1.09	1.11
1	1	1	0.99	1	0.99	1.01

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	77.59	INF	58.92	INF	41.84	INF
50	30.45	145.86	27.09	INF	22.82	INF
20	15.93	27.08	14.97	33.16	13.57	45.97
15	12.6	18.64	11.99	21.32	11.08	25.96
12	10.41	14.21	9.99	15.72	9.36	18.09
10	8.88	11.49	8.57	12.44	8.1	13.88
8	7.27	8.92	7.06	9.48	6.74	10.29
7	6.44	7.69	6.27	8.1	6.02	8.69
6	5.58	6.5	5.46	6.79	5.27	7.19
5.5	5.15	5.91	5.04	6.15	4.88	6.48
5	4.71	5.34	4.62	5.53	4.48	5.79
4.5	4.26	4.77	4.19	4.92	4.08	5.13
4	3.81	4.21	3.76	4.33	3.67	4.49
3.8	3.63	3.99	3.58	4.1	3.5	4.23
3.6	3.45	3.77	3.4	3.86	3.33	3.99
3.4	3.26	3.55	3.22	3.63	3.16	3.74
3.2	3.08	3.33	3.04	3.4	2.98	3.5
3	2.9	3.12	2.86	3.18	2.81	3.26
2.8	2.71	2.9	2.68	2.95	2.64	3.02
2.6	2.52	2.69	2.5	2.73	2.46	2.79
2.4	2.33	2.47	2.31	2.51	2.28	2.56
2.2	2.14	2.26	2.13	2.29	2.1	2.33
2	1.95	2.05	1.94	2.07	1.92	2.11
1.9	1.86	1.94	1.85	1.97	1.83	2
1.8	1.76	1.84	1.75	1.86	1.73	1.89
1.7	1.67	1.73	1.66	1.75	1.64	1.78
1.6	1.57	1.63	1.56	1.65	1.55	1.67
1.5	1.48	1.53	1.47	1.54	1.45	1.56
1.4	1.38	1.42	1.37	1.43	1.36	1.45
1.3	1.28	1.32	1.28	1.33	1.27	1.34
1.2	1.18	1.22	1.18	1.22	1.17	1.24
1.1	1.09	1.11	1.08	1.12	1.08	1.13
1	0.99	1.01	0.99	1.02	0.98	1.02

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	29.11	INF	20.23	INF	14.12	INF
50	18.44	INF	14.44	INF	11.04	INF
20	11.9	94.93	10.1	INF	8.32	INF
15	9.94	36.59	8.66	84.58	7.32	INF
12	8.54	22.66	7.58	34.88	6.53	145.32
10	7.48	16.41	6.73	21.97	5.9	42.02
8	6.31	11.61	5.77	14.13	5.15	20.33
7	5.67	9.6	5.24	11.26	4.72	14.86
6	5	7.81	4.66	8.86	4.25	10.93
5.5	4.65	6.97	4.36	7.8	4	9.36
5	4.29	6.18	4.04	6.82	3.73	7.98
4.5	3.92	5.43	3.71	5.91	3.45	6.76
4	3.54	4.71	3.37	5.07	3.15	5.68
3.8	3.38	4.44	3.22	4.75	3.03	5.28
3.6	3.22	4.16	3.08	4.44	2.9	4.9
3.4	3.06	3.9	2.93	4.14	2.77	4.53
3.2	2.9	3.63	2.79	3.84	2.64	4.17
3	2.74	3.38	2.63	3.55	2.5	3.84
2.8	2.57	3.12	2.48	3.27	2.36	3.51
2.6	2.4	2.88	2.32	3	2.22	3.2
2.4	2.23	2.63	2.16	2.73	2.08	2.9
2.2	2.06	2.39	2	2.48	1.93	2.61
2	1.88	2.15	1.84	2.22	1.77	2.33
1.9	1.79	2.04	1.75	2.1	1.69	2.19
1.8	1.71	1.92	1.67	1.98	1.62	2.06
1.7	1.62	1.81	1.58	1.85	1.54	1.92
1.6	1.53	1.69	1.5	1.74	1.45	1.8
1.5	1.44	1.58	1.41	1.62	1.37	1.67
1.4	1.34	1.47	1.32	1.5	1.29	1.54
1.3	1.25	1.36	1.23	1.38	1.21	1.42
1.2	1.16	1.25	1.14	1.27	1.12	1.3
1.1	1.07	1.14	1.05	1.16	1.03	1.18
1	0.97	1.03	0.96	1.05	0.95	1.07

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	32.21	INF	27.47	INF	21.08	INF
10	7.67	14.56	7.37	19.24	6.83	37.41
6	5.08	7.37	4.95	8.38	4.71	10.59
4	3.58	4.55	3.51	4.91	3.39	5.58
3	2.76	3.3	2.72	3.48	2.65	3.79
2	1.89	2.12	1.88	2.19	1.84	2.31
1.6	1.53	1.68	1.52	1.72	1.5	1.79
1.4	1.35	1.46	1.34	1.49	1.32	1.54
1.2	1.16	1.24	1.16	1.26	1.15	1.3
1.1	1.07	1.13	1.07	1.15	1.05	1.18
1	0.98	1.03	0.97	1.04	0.96	1.06
0.9	0.88	0.92	0.88	0.93	0.87	0.95
0.8	0.79	0.82	0.78	0.82	0.78	0.84
0.75	0.74	0.76	0.74	0.77	0.73	0.78
0.7	0.69	0.71	0.69	0.72	0.68	0.73
0.65	0.64	0.66	0.64	0.66	0.64	0.67
0.6	0.59	0.61	0.59	0.61	0.59	0.62
0.58	0.57	0.59	0.57	0.59	0.57	0.6
0.56	0.55	0.57	0.55	0.57	0.55	0.58
0.54	0.53	0.55	0.53	0.55	0.53	0.55
0.52	0.51	0.53	0.51	0.53	0.51	0.53
0.5	0.5	0.51	0.49	0.51	0.49	0.51
0.48	0.48	0.48	0.47	0.49	0.47	0.49
0.46	0.46	0.46	0.46	0.47	0.45	0.47
0.44	0.44	0.44	0.44	0.45	0.43	0.45
0.42	0.42	0.42	0.42	0.42	0.42	0.43
0.4	0.4	0.4	0.4	0.4	0.4	0.41
0.39	0.39	0.39	0.39	0.39	0.39	0.4
0.38	0.38	0.38	0.38	0.38	0.38	0.39
0.37	0.37	0.37	0.37	0.37	0.37	0.38
0.36	0.36	0.36	0.36	0.36	0.36	0.36
0.35	0.35	0.35	0.35	0.35	0.35	0.35
0.34	0.34	0.34	0.34	0.34	0.34	0.34
0.33	0.33	0.33	0.33	0.33	0.33	0.33
0.32	0.32	0.32	0.32	0.32	0.32	0.32
0.31	0.31	0.31	0.31	0.31	0.31	0.31
0.3	0.3	0.3	0.3	0.3	0.3	0.3

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	15.26	INF	10.42	INF	7.00	INF
10	6.09	INF	5.16	INF	4.17	INF
6	4.35	16.14	3.86	47.93	3.28	INF
4	3.2	6.79	2.93	9.36	2.59	18.63
3	2.54	4.3	2.37	5.18	2.14	7.11
2	1.79	2.48	1.71	2.74	1.59	3.18
1.6	1.47	1.88	1.41	2.03	1.33	2.25
1.4	1.3	1.61	1.26	1.71	1.2	1.86
1.2	1.13	1.34	1.09	1.41	1.05	1.51
1.1	1.04	1.22	1.01	1.27	0.97	1.35
1	0.95	1.09	0.93	1.14	0.9	1.2
0.9	0.86	0.97	0.84	1.01	0.82	1.05
0.8	0.77	0.86	0.76	0.88	0.74	0.91
0.75	0.72	0.8	0.71	0.82	0.7	0.85
0.7	0.68	0.74	0.67	0.76	0.65	0.78
0.65	0.63	0.68	0.62	0.7	0.61	0.72
0.6	0.58	0.63	0.58	0.64	0.57	0.65
0.58	0.57	0.61	0.56	0.62	0.55	0.63
0.56	0.55	0.58	0.54	0.59	0.53	0.61
0.54	0.53	0.56	0.52	0.57	0.51	0.58
0.52	0.51	0.54	0.5	0.55	0.5	0.56
0.5	0.49	0.52	0.49	0.52	0.48	0.53
0.48	0.47	0.5	0.47	0.5	0.46	0.51
0.46	0.45	0.47	0.45	0.48	0.44	0.49
0.44	0.43	0.45	0.43	0.46	0.42	0.46
0.42	0.41	0.43	0.41	0.43	0.41	0.44
0.4	0.39	0.41	0.39	0.41	0.39	0.42
0.39	0.38	0.4	0.38	0.4	0.38	0.41
0.38	0.38	0.39	0.37	0.39	0.37	0.4
0.37	0.37	0.38	0.36	0.38	0.36	0.38
0.36	0.36	0.37	0.35	0.37	0.35	0.37
0.35	0.35	0.36	0.34	0.36	0.34	0.36
0.34	0.34	0.35	0.33	0.35	0.33	0.35
0.33	0.33	0.34	0.33	0.34	0.32	0.34
0.32	0.32	0.32	0.32	0.33	0.31	0.33
0.31	0.31	0.31	0.31	0.32	0.3	0.32
0.3	0.3	0.3	0.3	0.31	0.29	0.31

Compact Prime CP.2 35mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4.75	INF	3.26	INF	2.28	INF
10	3.26	INF	2.5	INF	1.89	INF
6	2.7	INF	2.16	INF	1.69	INF
4	2.22	INF	1.85	INF	1.5	INF
3	1.89	14.62	1.62	INF	1.35	INF
2	1.45	4.08	1.29	6.84	1.12	343.41
1.6	1.24	2.65	1.12	3.55	0.99	7.03
1.4	1.12	2.12	1.02	2.65	0.92	4.14
1.2	0.99	1.67	0.92	1.97	0.83	2.67
1.1	0.92	1.48	0.86	1.7	0.79	2.18
1	0.86	1.29	0.8	1.46	0.74	1.79
0.9	0.78	1.12	0.74	1.24	0.69	1.46
0.8	0.71	0.96	0.68	1.05	0.63	1.2
0.75	0.67	0.89	0.64	0.96	0.6	1.08
0.7	0.63	0.82	0.61	0.87	0.57	0.97
0.65	0.59	0.75	0.57	0.79	0.54	0.87
0.6	0.55	0.68	0.53	0.71	0.51	0.77
0.58	0.54	0.65	0.52	0.68	0.5	0.74
0.56	0.52	0.62	0.5	0.65	0.48	0.7
0.54	0.5	0.6	0.49	0.62	0.47	0.67
0.52	0.49	0.57	0.47	0.6	0.45	0.63
0.5	0.47	0.55	0.46	0.57	0.44	0.6
0.48	0.45	0.52	0.44	0.54	0.43	0.57
0.46	0.44	0.5	0.42	0.51	0.41	0.54
0.44	0.42	0.47	0.41	0.49	0.4	0.51
0.42	0.4	0.45	0.39	0.46	0.38	0.48
0.4	0.38	0.43	0.38	0.44	0.37	0.45
0.39	0.37	0.41	0.37	0.42	0.36	0.44
0.38	0.36	0.4	0.36	0.41	0.35	0.42
0.37	0.36	0.39	0.35	0.4	0.34	0.41
0.36	0.35	0.38	0.34	0.39	0.33	0.4
0.35	0.34	0.37	0.33	0.37	0.33	0.38
0.34	0.33	0.36	0.32	0.36	0.32	0.37
0.33	0.32	0.34	0.32	0.35	0.31	0.36
0.32	0.31	0.33	0.31	0.34	0.3	0.35
0.31	0.3	0.32	0.3	0.33	0.29	0.33
0.3	0.29	0.31	0.29	0.31	0.28	0.32

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	58.29	INF	36.51	INF	20.90	INF
20	14.91	INF	12.95	INF	10.25	INF
10	8.55	27.76	7.87	84.73	6.79	INF
7	6.26	12.6	5.89	18.09	5.27	36.6
5	4.61	7.29	4.41	8.83	4.05	11.69
4	3.75	5.33	3.61	6.1	3.37	7.33
3.5	3.31	4.47	3.2	4.99	3.01	5.78
3	2.86	3.68	2.78	4.02	2.64	4.52
2.5	2.4	2.95	2.35	3.16	2.24	3.46
2.2	2.12	2.54	2.08	2.69	2	2.9
2	1.94	2.27	1.9	2.39	1.84	2.56
1.8	1.75	2.01	1.72	2.11	1.67	2.23
1.7	1.65	1.89	1.63	1.97	1.58	2.08
1.6	1.56	1.77	1.54	1.84	1.49	1.93
1.5	1.46	1.64	1.44	1.7	1.41	1.78
1.4	1.37	1.52	1.35	1.57	1.32	1.64
1.3	1.27	1.4	1.26	1.45	1.23	1.5
1.2	1.18	1.29	1.17	1.32	1.14	1.37
1.1	1.08	1.17	1.07	1.2	1.05	1.24
1	0.98	1.06	0.98	1.08	0.96	1.11
0.95	0.94	1	0.93	1.02	0.91	1.05
0.9	0.89	0.95	0.88	0.96	0.87	0.99
0.85	0.84	0.89	0.83	0.91	0.82	0.93
0.8	0.79	0.83	0.79	0.85	0.77	0.87
0.78	0.77	0.81	0.77	0.83	0.76	0.84
0.76	0.75	0.79	0.75	0.8	0.74	0.82
0.74	0.73	0.77	0.73	0.78	0.72	0.79
0.72	0.71	0.75	0.71	0.76	0.7	0.77
0.7	0.69	0.73	0.69	0.74	0.68	0.75
0.68	0.67	0.7	0.67	0.71	0.66	0.72
0.66	0.65	0.68	0.65	0.69	0.64	0.7
0.64	0.63	0.66	0.63	0.67	0.62	0.68
0.62	0.61	0.64	0.61	0.65	0.61	0.66
0.6	0.59	0.62	0.59	0.62	0.59	0.63
0.59	0.59	0.61	0.58	0.61	0.58	0.62
0.58	0.58	0.6	0.57	0.6	0.57	0.61
0.57	0.57	0.59	0.56	0.59	0.56	0.6
0.56	0.56	0.57	0.55	0.58	0.55	0.59
0.55	0.55	0.56	0.54	0.57	0.54	0.58
0.54	0.54	0.55	0.53	0.56	0.53	0.57
0.53	0.53	0.54	0.52	0.55	0.52	0.55
0.52	0.52	0.53	0.51	0.54	0.51	0.54
0.51	0.51	0.52	0.5	0.53	0.5	0.53
0.5	0.5	0.51	0.49	0.52	0.49	0.52
0.49	0.49	0.5	0.48	0.5	0.48	0.51
0.48	0.48	0.49	0.48	0.49	0.47	0.5
0.47	0.47	0.48	0.47	0.48	0.46	0.49
0.46	0.46	0.47	0.46	0.47	0.45	0.48
0.45	0.45	0.46	0.45	0.46	0.44	0.47

Compact Prime CP.2 50mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	12.51	INF	7.89	INF	5.18	INF
20	7.73	INF	5.69	INF	4.14	INF
10	5.59	INF	4.45	INF	3.45	INF
7	4.52	INF	3.74	INF	3.01	INF
5	3.6	20.18	3.09	INF	2.58	INF
4	3.05	9.92	2.69	19.37	2.29	INF
3.5	2.76	7.28	2.45	11.3	2.12	51.31
3	2.44	5.37	2.2	7.27	1.93	14.46
2.5	2.1	3.93	1.92	4.84	1.72	7.21
2.2	1.89	3.22	1.74	3.81	1.57	5.11
2	1.74	2.8	1.62	3.23	1.47	4.12
1.8	1.59	2.42	1.49	2.72	1.36	3.32
1.7	1.51	2.24	1.42	2.5	1.31	2.99
1.6	1.43	2.06	1.35	2.28	1.25	2.68
1.5	1.35	1.9	1.28	2.08	1.19	2.4
1.4	1.27	1.73	1.21	1.88	1.13	2.14
1.3	1.19	1.58	1.13	1.7	1.06	1.91
1.2	1.11	1.43	1.06	1.53	1	1.69
1.1	1.02	1.29	0.98	1.37	0.93	1.49
1	0.94	1.15	0.9	1.21	0.86	1.31
0.95	0.89	1.08	0.86	1.14	0.82	1.22
0.9	0.85	1.02	0.82	1.06	0.79	1.14
0.85	0.8	0.95	0.78	0.99	0.75	1.05
0.8	0.76	0.89	0.74	0.92	0.71	0.98
0.78	0.74	0.86	0.72	0.9	0.69	0.94
0.76	0.72	0.84	0.7	0.87	0.68	0.91
0.74	0.71	0.81	0.69	0.84	0.66	0.88
0.72	0.69	0.79	0.67	0.81	0.65	0.85
0.7	0.67	0.76	0.65	0.79	0.63	0.83
0.68	0.65	0.74	0.64	0.76	0.62	0.8
0.66	0.63	0.72	0.62	0.74	0.6	0.77
0.64	0.62	0.69	0.6	0.71	0.58	0.74
0.62	0.6	0.67	0.58	0.69	0.57	0.71
0.6	0.58	0.64	0.57	0.66	0.55	0.69
0.59	0.57	0.63	0.56	0.65	0.54	0.67
0.58	0.56	0.62	0.55	0.64	0.53	0.66
0.57	0.55	0.61	0.54	0.62	0.53	0.64
0.56	0.54	0.6	0.53	0.61	0.52	0.63
0.55	0.53	0.59	0.52	0.6	0.51	0.62
0.54	0.52	0.57	0.51	0.59	0.5	0.61
0.53	0.51	0.56	0.51	0.57	0.49	0.59
0.52	0.5	0.55	0.5	0.56	0.48	0.58
0.51	0.5	0.54	0.49	0.55	0.48	0.57
0.5	0.49	0.53	0.48	0.54	0.47	0.55
0.49	0.48	0.52	0.47	0.53	0.46	0.54
0.48	0.47	0.51	0.46	0.51	0.45	0.53
0.47	0.46	0.49	0.45	0.5	0.44	0.52
0.46	0.45	0.48	0.44	0.49	0.43	0.5
0.45	0.44	0.47	0.43	0.48	0.42	0.49

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	1.5		2		2.8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	176.27	INF	89.31	INF	77.97	INF
50	38.98	69.75	32.11	63.13	30.51	92.03
20	17.98	22.54	16.37	21.81	15.95	24.44
15	13.83	16.38	12.87	15.99	12.61	17.36
12	11.24	12.87	10.6	12.63	10.42	13.46
10	9.47	10.59	9.01	10.43	8.88	10.99
8	7.66	8.37	7.36	8.27	7.27	8.62
7	6.74	7.28	6.51	7.21	6.44	7.47
6	5.81	6.21	5.64	6.15	5.58	6.34
5.5	5.34	5.67	5.19	5.63	5.15	5.78
5	4.87	5.14	4.75	5.1	4.71	5.23
4.5	4.39	4.61	4.29	4.58	4.27	4.69
4	3.91	4.09	3.84	4.07	3.81	4.15
3.8	3.72	3.88	3.65	3.86	3.63	3.93
3.6	3.53	3.67	3.47	3.65	3.45	3.72
3.4	3.34	3.46	3.28	3.45	3.27	3.5
3.2	3.15	3.26	3.1	3.24	3.08	3.29
3	2.95	3.05	2.91	3.04	2.9	3.08
2.8	2.76	2.84	2.72	2.83	2.71	2.87
2.6	2.56	2.64	2.53	2.63	2.52	2.66
2.4	2.37	2.43	2.34	2.42	2.33	2.45
2.2	2.17	2.23	2.15	2.22	2.15	2.24
2	1.98	2.02	1.96	2.02	1.96	2.03
1.9	1.88	1.92	1.87	1.91	1.86	1.93
1.8	1.78	1.82	1.77	1.81	1.76	1.83
1.7	1.69	1.72	1.67	1.71	1.67	1.72
1.6	1.59	1.61	1.58	1.61	1.57	1.62
1.5	1.49	1.51	1.48	1.51	1.48	1.52
1.4	1.39	1.41	1.38	1.41	1.38	1.42
1.3	1.29	1.31	1.28	1.31	1.28	1.31
1.2	1.19	1.21	1.19	1.21	1.18	1.21
1.1	1.09	1.11	1.09	1.1	1.09	1.11
1	1	1	0.99	1	0.99	1.01

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	4		5.6		8	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	64.58	INF	48.42	INF	34.37	INF
50	28.23	235.5	24.64	INF	20.41	INF
20	15.3	29.12	14.19	37.77	12.68	60.55
15	12.2	19.59	11.49	23.14	10.48	30.04
12	10.14	14.76	9.65	16.68	8.93	19.97
10	8.68	11.84	8.31	13.04	7.78	14.96
8	7.14	9.13	6.89	9.82	6.52	10.87
7	6.33	7.84	6.14	8.35	5.84	9.09
6	5.5	6.61	5.36	6.96	5.13	7.46
5.5	5.08	6	4.96	6.29	4.76	6.7
5	4.65	5.41	4.55	5.64	4.39	5.97
4.5	4.22	4.83	4.13	5.01	4	5.27
4	3.78	4.26	3.71	4.4	3.6	4.59
3.8	3.6	4.03	3.54	4.16	3.44	4.33
3.6	3.42	3.81	3.36	3.92	3.27	4.07
3.4	3.24	3.58	3.19	3.68	3.11	3.81
3.2	3.06	3.36	3.01	3.45	2.94	3.56
3	2.87	3.14	2.84	3.21	2.77	3.31
2.8	2.69	2.92	2.66	2.98	2.6	3.07
2.6	2.51	2.7	2.48	2.76	2.43	2.83
2.4	2.32	2.49	2.3	2.53	2.25	2.59
2.2	2.13	2.27	2.11	2.31	2.08	2.36
2	1.95	2.06	1.93	2.09	1.9	2.13
1.9	1.85	1.95	1.84	1.98	1.81	2.02
1.8	1.76	1.85	1.74	1.87	1.72	1.9
1.7	1.66	1.74	1.65	1.76	1.63	1.79
1.6	1.57	1.64	1.55	1.66	1.54	1.68
1.5	1.47	1.53	1.46	1.55	1.44	1.57
1.4	1.37	1.43	1.37	1.44	1.35	1.46
1.3	1.28	1.32	1.27	1.33	1.26	1.35
1.2	1.18	1.22	1.18	1.23	1.17	1.24
1.1	1.08	1.12	1.08	1.12	1.07	1.13
1	0.99	1.01	0.98	1.02	0.98	1.03

Compact Prime CP.2 85mm/T1.5 Super Speed T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

Gravur Engraving	T-Blende / T-Stop					
	11		16		22	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	23.99	INF	16.74	INF	11.72	INF
50	16.25	INF	12.57	INF	9.53	INF
20	10.95	323.41	9.16	INF	7.43	INF
15	9.27	50.22	7.96	784.84	6.63	INF
12	8.04	27.22	7.03	55.08	5.98	INF
10	7.1	18.67	6.3	28.54	5.44	112.8
8	6.03	12.69	5.45	16.57	4.8	29.14
7	5.45	10.33	4.97	12.75	4.43	19.05
6	4.83	8.28	4.45	9.75	4.01	13.03
5.5	4.5	7.35	4.17	8.48	3.78	10.85
5	4.16	6.47	3.88	7.33	3.54	9.04
4.5	3.81	5.65	3.58	6.3	3.29	7.5
4	3.45	4.88	3.26	5.35	3.02	6.19
3.8	3.3	4.58	3.13	4.99	2.9	5.71
3.6	3.15	4.29	2.99	4.65	2.79	5.27
3.4	3	4.01	2.85	4.32	2.67	4.84
3.2	2.84	3.73	2.71	4	2.55	4.44
3	2.69	3.46	2.57	3.68	2.42	4.06
2.8	2.52	3.19	2.42	3.38	2.29	3.69
2.6	2.36	2.93	2.27	3.09	2.16	3.35
2.4	2.2	2.68	2.12	2.81	2.02	3.02
2.2	2.03	2.43	1.96	2.54	1.88	2.7
2	1.86	2.19	1.8	2.27	1.73	2.4
1.9	1.77	2.07	1.72	2.14	1.66	2.26
1.8	1.69	1.95	1.64	2.01	1.58	2.12
1.7	1.6	1.83	1.56	1.89	1.51	1.98
1.6	1.51	1.71	1.48	1.76	1.43	1.84
1.5	1.42	1.6	1.39	1.64	1.35	1.71
1.4	1.33	1.48	1.31	1.52	1.27	1.58
1.3	1.24	1.37	1.22	1.4	1.19	1.45
1.2	1.15	1.26	1.13	1.29	1.11	1.32
1.1	1.06	1.15	1.04	1.17	1.02	1.2
1	0.97	1.04	0.95	1.06	0.94	1.08