

The background image shows a man in a blue cap with a red 'L' logo and a blue jacket, aiming a rifle. The rifle has a Zeiss-branded scope with a large objective lens and a reticle. The man is lying on the ground, and the background is a blurred natural setting.

ZEISS

Seeing beyond

**ZEISS Hunting and Shooting
Pocket Catalog and Price List**
Effective July 2023

Table of Contents

Thermal Imaging Cameras	
DTI – NEW	4
Riflescopes	
LRP S5	14
LRP S3 – NEW	16
V8 – NEW	18
Conquest V6	19
Conquest V4	20
Binoculars	
Victory RF	22
Victory HT	22
Victory SF	23
Victory Pocket	23
SFL 40	23
SFL 30 – NEW	23
Conquest HD	24
Terra ED / Pocket	25
Specialty	
Image Stabilization Binocular	26
Monoculars	26
Spotting Scopes	
Victory Harpia	27
Conquest Gavia	27
Dialyt	27
Accessories	
Rings	28
Flip-Up Lens Covers	28
Magnification Throw Levers	28
Sunshades	29
Soft Scope Covers	29
Mounts and Adapters	30
Bags and Straps	30
DTI 6 Thermal Imaging Cameras	30
Tripods	31
Spotting Scope Accessories	31
Lens Care	31
Reticles	32



Highly Sophisticated Thermal Imaging Cameras

For exceptional nighttime observation.



ZEISS presents a completely new series of DTI thermal imaging cameras especially developed for hunting. The excellent optics deliver highly detailed images, allowing hunters to accurately identify their target for greater success in the field. The ZEISS DTI cameras allow you to observe and capture unique hunting experiences and unforgettable moments. The ergonomic design and intelligent arrangement of the

control buttons make the cameras exceptionally easy to handle and their operation extremely intuitive. The high-resolution displays combined with either 0.1 or 0.5 zoom increments deliver detailed images for reliable spotting. As a result, the thermal imaging cameras continue to open up a completely new world of hunting and observation!



DTI 1

Very Good



DTI 3 Gen2

Better



DTI 4

Great



DTI 6

Superior

Thermal Image Quality

Thermal Image Quality

ZEISS DTI 1/19 and 1/25 Thermal Imaging Cameras

Discover legendary
ZEISS image quality

New!



ZEISS DTI 1/25 model
illustrated.

Very Good Thermal Image Quality

The ZEISS DTI 1 models mark the entry point into the ZEISS thermal products. These cameras offer a slimmer and lighter body, which makes them more comfortable to handle and easier to carry. The technology and feature enhancements such as ‘Transition Zoom’ allows you to keep your targets in an uninterrupted sight picture while zooming in and out. See other information below.




Four New Color Modes

Now with four additional and new color modes. These reduce the blinding effect and eye fatigue from the display screen when using the device in a dark environment.



Detection Mode

Highlights heat sources even more, while reducing the cold background. This enables you to spot animals behind trees and bushes more quickly.



Personalized Settings

Adjust and select best color modes and zoom levels to your personal preference.

DTI 1/19 and 1/25 Thermal Imaging Cameras

DTI 1/19, 384 x 288 resolution, 19 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 1.8x optical zoom with 4x digital zoom, LCOS display, ZSIP

DTI 1/25, 384 x 288 resolution, 25 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 2.5x optical zoom with 4x digital zoom, LCOS, ZSIP

PRODUCT NUMBER	MODEL	RETAIL
52 70 04	1/19 (For a wider field-of-view)	\$1,799.99
52 70 05	1/25 (For maximum magnification)	\$1,999.99

ZEISS DTI 3/25 and 3/35 Gen 2 Thermal Imaging Cameras

New!

See even more details and enjoy enhanced features



ZEISS DTI 3/35 Gen 2 model illustrated.

Better Thermal Image Quality

ZEISS DTI 3 Gen 2 models include all of the benefits of the DTI 1 while offering many more features and improved performance.

New core for improved image – More powerful hardware enables improved image quality, pushing the boundaries of the 384 x 288 sensors even further.

AMOLED Display – The new 1024 x 786 AMOLED display improves the contrast (true black) and color reproduction for a more detailed, sharper and refined image.

Movement Alert – This allows for movement recognition of the hottest heat source in the field-of-view and alerts the user via flashing LED and display activation.

Compass Overlay – Confirm the direction you are observing and take bearings of specific game/targets.

Shortcuts – Quickly access and control DTI 3 popular features using specific button combinations.

Fog Mode – The Fog Mode is proven to work for increasing visibility in humid environments.

Customized Settings via App – Allows for changing of the DTI 3 settings via the ZEISS Hunting App.

Smart Standby – Automatically switches the device to standby when not in use.

Auto Off – Select a time frame in which the device automatically turns off when not being used.

DTI 3/25 and 3/35 Thermal Imaging Cameras

DTI 3/25, 384 x 288 resolution, 25 mm objective, 17 micron pixel pitch, 50 Hz frame rate, 1.7x optical zoom with 4x digital zoom, AMOLED, ZSIP

DTI 3/35, 384 x 288 resolution, 35 mm objective, 17 micron pixel pitch, 50 Hz frame rate, 2.4x optical zoom with 4x digital zoom, AMOLED, ZSIP

PRODUCT NUMBER	MODEL	RETAIL
52 70 14	3/25 Gen 2 (For a wider field-of-view)	\$2,499.99
52 70 13	3/35 Gen 2 (For maximum magnification)	\$2,699.99

ZEISS DTI 4/35 and 4/50

New!

Thermal Imaging Cameras

Experience higher magnifications, greater detection capabilities, and highly-refined image quality



Image Focus

On/Off

Video | Photo

Zoom | Menu
With 0.5 zoom increments

Menu | Color
Modes



LED Light

Screen Focus

ZEISS DTI 4/50 model
illustrated.

Great Thermal Image Quality

The ZEISS DTI 4 models are based on the same features and technology stack as the DTI 3 Gen 2 models. In addition, it offers a higher resolution sensor with larger objective lens option. Discover better image quality and realize increased viewing distance.

New Image Sensor

The new 640 x 512 sensor offers a higher image resolution for a better image quality at all zoom levels, as well an increased viewing distance with less pixelation. Witness more detail recognition at longer distances.



New 50 mm Lens

The exchangeable lens provides 2.9x optical magnification and delivers a greater range of thermal detection.



DTI 4/35 and 4/50 Thermal Imaging Cameras

DTI 4/35, 640 x 512 resolution, 35 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 2.0x optical zoom with 4x digital zoom, AMOLED, ZSIP

DTI 4/50, 640 x 512 resolution, 50 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 2.9x optical zoom with 4x digital zoom, AMOLED, ZSIP

PRODUCT NUMBER	MODEL	RETAIL
52 70 14	4/35 (For a wider field-of-view)	\$3,699.99
52 70 13	4/50 (For maximum magnification)	\$3,999.99

ZEISS DTI 6 Thermal Imaging Cameras

Superior image quality for photos and videos



Flip-Down
Lens Cover

Manual Focus
Lens

Exchangeable
Lens System

LED Indicator
On/Off



Scroll Wheel
With 0.1 zoom increments

Menu Button

Shutter Button
(Video/Photo)

Binocular-Style
Ocular

ZEISS DTI 6/40 model
illustrated.

Superior Thermal Image Quality

When hunting at night, every detail counts. With the DTI 6 thermal imaging cameras, you won't miss a thing thanks to ZEISS' proprietary ZEISS Smart Image Processing (ZSIP Pro) algorithm. This software delivers a sharp, high-contrast thermal image via the 640 x 480 sensor with 12 micron pixel pitch and the 1024 x 768 HD AMOLED display. ZSIP Pro ensures that you can easily identify key details under difficult environmental conditions and with low thermal contrast. You can recognize specific details more reliably in order to identify your game for better hunting success. The ZEISS DTI 40 has been designed specifically for hunting in the open terrain and provides a detection range of up to 2,180 yards. It boasts a whopping 3x optical magnification, with up to 10x digital zoom, to ensure that small details are easily discovered. The exchangeable battery supports 6.5 hours of continuous run time and can be quickly replaced while on the go.

Superior Image Quality

- Germanium objective lens
- State-of-the-art thermal sensor
- ZSIP Pro proprietary ZEISS image processing software
- Extra-large AMOLED display screen
- Large ocular with extendable eyecup

Revolutionary Device Management

- Unparalleled usability
- Fully customizable user-select settings
- Easy operation and friendly ergonomics with Scroll Wheel
- Digitally controlled battery management

Precision Build Quality

- Precise mechanics and controls – with no backlash
- Made in Germany with precision assembly control processes
- Each sensor hand-calibrated and tested for best thermal performance

DTI 6/20 and 6/40 Thermal Imaging Cameras

DTI 6/20, 640 x 480 resolution, 20 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 1.5x optical zoom with 10x digital zoom, AMOLED, ZSIP Pro

DTI 6/40, 640 x 480 resolution, 40 mm objective, 12 micron pixel pitch, 50 Hz frame rate, 3.0x optical zoom with 10x digital zoom, AMOLED, ZSIP Pro

PRODUCT NUMBER	MODEL	RETAIL
527020-9901	6/20 (For a wider field-of-view)	\$4,499.99
527020-9902	6/40 (For maximum magnification)	\$4,799.99

Dominate the competition.

With ZEISS LRP S5 First Focal Plane Riflescopes.

Premium Optical Design
Ensures clearest and brightest images.

Compact and Heavy-Duty
Offers German design, engineering, manufacturing, and craftsmanship – from the only brand with 175 years of optical authority: ZEISS.

Daylight Visible Illuminated Reticle
Confirms the exact point of aim in low light or harsh light shooting conditions.

Best-In-Class Total Elevation Travel
Provides 40.7 milliradian (MRAD) or 140 minutes of angle (MOA)

Side Parallax Adjustment
Adjusts for utmost accuracy and best image quality.

External Locking Windage Turret
Allows for swift engagement of the target with extreme confidence.

European-style Diopter Adjustment
Allows for quick focus adjustment.

Ballistic Stop Elevation Turret
Offers an easily identifiable and return to zero with authority and speed.

zeiss.com/lrp-s5





Image above illustrates LRP S5 525-56


These first focal plane riflescopes help you dominate the competition and win the match. The ZEISS LRP S5 318-50 and 525-56 models represent the pinnacle of precision riflescopes available today.



Smart Reticles:



ZF-MRi



ZF-MOAi

Elevation Turrets:



MRAD



MOA

LRP S5 First Focal Plane Riflescopes

34 mm Main Tube - Digital Illumination - External Elevation Turret with Ballistic Stop - External Locking Windage Turret - Fluoride FL Lens Elements - SCHOTT Glass - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating

318-50



PRODUCT NUMBER	RETICLE	RETAIL
522265 9917 090	ZF-MOAi	\$3,699.99
140 MOA Total Elevation Travel		
522275 9916 090	ZF-MRi	\$3,699.99
40.7 MRAD Total Elevation Travel		

525-56



PRODUCT NUMBER	RETICLE	RETAIL
522285 9917 090	ZF-MOAi	\$3,999.99
140 MOA Total Elevation Travel		
522295 9916 090	ZF-MRi	\$3,999.99
40.7 MRAD Total Elevation Travel		

Ready for competition.

With ZEISS LRP S3

First Focal Plane

Riflescopes.

New!

Advanced Optics

For excellent resolution, vivid color reproduction, and a brighter image.

Daylight Visible Illuminated Reticle

Confirms the exact point of aim in low light or harsh light shooting conditions.

Side Parallax Adjustment

Adjusts for utmost accuracy and best image quality.

European-style Diopter Adjustment

Allows for quick focus adjustment.

Rugged design

Impact tested over 800 cycles at 1,000 g-force; and final tested over multiple impact cycles at 1,500 g-force.

Best-In-Class Total Elevation Travel

Provides 160 MOA/46.5 MRAD for 425-50 and 110 MOA/32 MRAD for 636-56

External Locking Windage Turret

Allows for swift engagement of the target with extreme confidence.

Ballistic Stop Elevation Turret

Offers an easily identifiable and return to zero with authority and speed.


zeiss.com/lrp-s3

Image above illustrates LRP S3 636-56


ZEISS' newest first focal plane riflescopes are ready for ultra-long-range precision shooting, competition, and long-range hunting. The LRP S3 425-50 and 636-56 models are unparalleled for ruggedness, features, and advanced optical performance at a most attractive price.

1ST

Smart Reticles:



ZF-MRi



ZF-MOAI

Elevation Turrets:



MRAD



MOA

LRP S3 First Focal Plane Riflescopes

34 mm Main Tube - Matte Black - First Focal Plane - Daylight Visible Illuminated Reticle - Ballistic Stop - 0.1 MRAD or .25 MOA - External Locking Windage Turret - Side Parallax Adjustment - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating

425-50



PRODUCT NUMBER	RETICLE	RETAIL
522665 9917 090	ZF-MOAI	\$2,299.99
160 MOA Total Elevation Travel		
522675 9916 090	ZF-MRi	\$2,299.99
46.5 MRAD Total Elevation Travel		

636-56



PRODUCT NUMBER	RETICLE	RETAIL
522685 9917 090	ZF-MOAI	\$2,499.99
110 MOA Total Elevation Travel		
522695 9916 090	ZF-MRi	\$2,499.99
32.0 MRAD Total Elevation Travel		

V8

30 or 34 mm Main Tube - Matte Black - Second Focal Plane - Digital Illuminated Reticle - Ballistic Stop or Capped - 1.0 cm/.33 MOA - Capped Windage - Side Parallax Adjustment - FL and HT Glass - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating

1.1-8x24 Elev. Adj. 70 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522101 9960 000	Plex Illum. #60	\$2,999.99
Capped Turrets - Fixed Parallax, .33 MOA		

1.8-14x50 Elev. Adj. 70 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522111 9960 000	Plex Illum. #60	\$3,399.99
Capped Turrets - Parallax Adj., .33 MOA		
522111 9960 040	Plex Illum. #60	\$3,599.99
Ext. Elevation Turret, w/BDC (ASV) and Inserts - Parallax Adj., .33 MOA		

2.8-20x56 Elev. Adj. 80 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522131 9943 040	Illum. Mil-Dot #43	\$3,899.99
Ext. Elevation Turret, w/BDC (ASV) and Inserts - Parallax Adj., .33 MOA		
522131 9960 040	Plex Illum. #60	\$3,899.99
Ext. Elevation Turret, w/BDC (ASV) and Inserts - Parallax Adj., .33 MOA		

4.8-35x60 Elev. Adj. 80 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522141 9943 040	Illum. Mil-Dot #43	\$3,999.99
Ext. Elevation Turret, w/ BDC (ASV) and Inserts - Parallax Adj., .33 MOA (34 mm main tube)		
522141 9960 040	Plex Illum. #60	\$3,999.99
Ext. Elevation Turret, w/ BDC (ASV) and Inserts - Parallax Adj., .33 MOA (34 mm main tube)		

SFP = Second Focal Plane.

Conquest V6

30 mm Main Tube - Matte Black - Second Focal Plane - SCHOTT FL Glass - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating

1-6x24 Elev. Adj. 103 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522215 9960 000	Plex Illum. #60	\$1,999.99
Capped Turrets - .5 MOA - Fixed Parallax, Single Turn		
522215 9995 070	ZMOA-4 Illum. #95	\$1,999.99
Ext. Elevation Turret, Locking - Ballistic Stop - Capped Windage Turret - .5 MOA - Fixed Parallax, Single Turn		

2-12x50 (European Configuration) Elev. Adj. 103 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522225 9960 000	Plex Illum. #60	\$2,249.99
Capped Turrets - .33 MOA - Single Turn		
522225 9960 060	Plex Illum. #60	\$2,349.99
Ext. Elevation Turret - Ballistic Stop - Capped Windage Turret - .33 MOA - Parallax Adj.		

3-18x50 Elev. Adj. 103 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522241 9906 000	Plex #6	\$2,149.99
Capped Turrets - .25 MOA - Parallax Adj.		
522241 9906 070	Plex #6	\$2,199.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		
522241 9992 070	ZBR-2 #92	\$2,199.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		
522241 9994 070	ZMOA-2 #94	\$2,199.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		

5-30x50 Elev. Adj. 62 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522251 9906 070	Plex #6	\$2,299.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		
522251 9991 070	ZBR-1 #91	\$2,399.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		
522251 9993 070	ZMOA-1 #93	\$2,399.99
Ext. Turrets - Ballistic Stop - .25 MOA - Parallax Adj.		

SFP = Second Focal Plane.

Conquest V4

30 mm Main Tube - Matte Black - Second Focal Plane - Capped Windage
Turret - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating

3-12x44 Elev. Adj. 70 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522961 9920 000	Plex #20	\$799.99
Capped Elev. Turret - Capped Wind. - .25 MOA - Fixed Parallax		

3-12x56 Elev. Adj. 70 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522921 9920 000	Plex #20	\$999.99
Capped Elev. Turret - Capped Wind. - .25 MOA - Fixed Parallax		
522925 9960 000	Plex Illum. #60	\$1,099.99
Capped Elev. Turret - Capped Wind. - .25 MOA - Fixed Parallax		

4-16x44 Elev. Adj. 80 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522931 9920 080*	Z-Plex #20	\$1,099.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9960 000	Plex Illum. #60	\$1,199.99
Capped Elev. Turret - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9960 080	Plex Illum #60	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9964 080	ZMOAi-T30 Illum. #64	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9964 090	ZMOAi-T30 Illum. #64	\$1,299.99
Ext. Elev. Turret - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		
522935 9968 000	ZBi Illum #68	\$1,199.99
Capped Elev. Turret - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9968 080	ZBi Illum #68	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522935 9968 090	ZBi Illum #68	\$1,299.99
Ext. Elev. Turret - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		

SFP = Second Focal Plane.

4-16x50 Elev. Adj. 80 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522945 9964 080	ZMOAi-T30 Illum. #64	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522945 9964 090	ZMOAi-T30 Illum. #64	\$1,299.99
Ext. Elev. Turret - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		
522945 9968 080	ZBi Illum #68	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522945 9993 080*	ZMOAi-1 Illum. #93	\$1,249.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		

6-24x50 Elev. Adj. 80 MOA



PRODUCT NUMBER	RETICLE	RETAIL
522955 9960 080	Plex Illum. #60	\$1,349.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522955 9965 080*	ZMOAi-T20 Illum. #65	\$1,349.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		
522955 9965 090	ZMOAi-T20 Illum. #65	\$1,399.99
Ext. Elev. - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		
522955 9968 090	ZBi Illum #68	\$1,399.99
Ext. Elev. - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		
522955 9989 090	ZMOAi-20 Illum. #89	\$1,399.99
Ext. Elev. - Ballistic Stop - Ext. Locking Wind. - .25 MOA - Parallax Adj.		
522955 9993 080*	ZMOAi-1 Illum. #93	\$1,349.99
Ext. Elev. Turret - Ballistic Stop - Capped Wind. - .25 MOA - Parallax Adj.		

*The specific Conquest V4 scope incorporates the original pre-2020 product features and specifications. (E.g. Standard engravings and parallax adjustment of 50 yards to infinity.)



Victory RF Laser Rangefinder

10 to 2,500 Yards - Bluetooth® enabled - Angle Compensation - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating - Adjustable Red LED Display - Compact Design



PRODUCT NUMBER	MODEL	RETAIL
52 45 48	8x42	\$3,999.99
52 45 49	10x42	\$3,999.99



PRODUCT NUMBER	MODEL	RETAIL
52 56 48	8x54	\$4,199.99
52 56 49	10x54	\$4,199.99

Victory HT

95% Light Transmission - SCHOTT HT/FL Glass - ComfortFocus - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating - Includes eyepiece and lens cap, neoprene strap and cordura pouch with belt loop



PRODUCT NUMBER	MODEL	RETAIL
52 56 28	8x54	\$2,899.99
52 56 29	10x54	\$2,899.99

Victory SF

Ultra-FL Lens System - SCHOTT Glass - Ergo-Balance System - SmartFocus - Leading FOV: 360/444 ft@1000 yds - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating



PRODUCT NUMBER	MODEL	RETAIL
52 32 24	8x32	\$2,499.99
52 32 25	10x32	\$2,499.99
52 42 23	8x42	\$2,999.99
52 42 24	10x42	\$2,999.99

Victory Pocket

SCHOTT FL Glass - Exceptionally compact - 10.2 oz - FOV: 344/426 ft@1000 yds - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating - Includes eyepiece and lens cap, neoprene strap and cordura pouch with belt loop



PRODUCT NUMBER	MODEL	RETAIL
522038 9901 000	8x25	\$899.99
522039 9901 000	10x25	\$899.99

SFL

UHD lens system - 22.6 oz - FOV: 420/345 ft @ 1,000 yds - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating



PRODUCT NUMBER	MODEL	RETAIL
52 30 23	8x30	\$1,499.99
52 30 24	10x30	\$1,499.99
52 40 23	8x40	\$1,799.99
52 40 24	10x40	\$1,799.99

Conquest HD

HD-Lens System - Dielectric prism coatings - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating - Includes eyepiece and lens cap, neoprene strap and thermo-forming case with belt loop and carrying strap



PRODUCT NUMBER	MODEL	RETAIL
52 32 11	8x32	\$979.99
52 32 12	10x32	\$979.99



PRODUCT NUMBER	MODEL	RETAIL
52 42 11	8x42	\$999.99
52 42 12	10x42	\$999.99



PRODUCT NUMBER	MODEL	RETAIL
52 56 31	8x56	\$1,799.99
52 56 32	10x56	\$1,899.99
52 56 33	15x56	\$1,999.99
Includes Tripod Adapter 1/4" (added value of \$129.99)		

Terra ED

SCHOTT ED Glass - ZEISS MC Hydrophobic Multi-Layer Coating - Includes neoprene strap and case



PRODUCT NUMBER	MODEL	RETAIL
523203 9901	8x32 - Black	\$449.99
523203 9907	8x32 - Gray	\$449.99
523204 9901	10x32 - Black	\$474.99
523204 9907	10x32 - Gray	\$474.99



PRODUCT NUMBER	MODEL	RETAIL
524203 9901	8x42 - Black	\$499.99
524203 9907	8x42 - Gray	\$499.99
524203 9908	8x42 - Green	\$499.99
524204 9901	10x42 - Black	\$499.99
524204 9907	10x42 - Gray	\$499.99
524204 9908	10x42 - Green	\$499.99



Terra ED Pocket

SCHOTT ED Glass - 10.9 oz - FOV: 291/357 ft @1000 yds - ZEISS MC Hydrophobic Multi-Layer Coating - Includes neoprene strap and case

PRODUCT NUMBER	MODEL	RETAIL
522502 9901	8x25 - Black	\$399.99
522502 9907	8x25 - Gray	\$399.99
522503 9901	10x25 - Black	\$399.99
522503 9907	10x25 - Gray	\$399.99

Image Stabilization Binocular

Mechanical Image Stabilization - T* Multi-Layer Transmission Coating - Includes neoprene strap, eyepiece cap and aluminum case



PRODUCT NUMBER	MODEL	RETAIL
52 60 00	20x60 T*	\$9,999.99

Monoculars

Lightweight - Compact - Splashproof - T* Multi-Layer Transmission Coating



PRODUCT NUMBER	MODEL	RETAIL
52 20 12**	3x12 T*	\$399.99
52 20 50	4x12 T*	\$299.99
52 20 51	6x18 T*	\$369.99
52 20 52	8x20 T*	\$379.99
52 20 53	10x25 T*	\$399.99
52 20 10	5x10 T* MiniQuick	\$199.99

**Also triples magnification on select binoculars. Use with adapter on page 20.

Victory Harpia

3x Wide-Angle Objective Zoom - Apparent FOV: Constant 72° - Dual-Speed Focus - FL/HT Glass - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating



PRODUCT NUMBER	MODEL	RETAIL
52 80 47	85 mm	\$3,999.99
Main body without eyepiece		
52 80 57	95 mm	\$4,199.99
Main body without eyepiece		
52 80 70	Harpia Eyepiece	\$800.00
22-65x w/85 mm Obj.; 23-70x w/95 mm Obj.		

Conquest Gavia 85

HD-Lens System - Built-in 30-60x Eyepiece - 60 oz - FOV: 99-69 ft @ 1000 yds - T* Multi-Layer Transmission Coating - LotuTec Hydrophobic Coating - Includes 30-60x eyepiece and lens caps



PRODUCT NUMBER	MODEL	RETAIL
52 80 48	85 mm	\$1,999.99

Dialyt

Compact Field Spotter - Monobloc Construction - 5 Piece Achromat - 42.15 oz - FOV: 120-69 ft @1000 yds - ZEISS MC Multi-Layer Coating - Includes eyepiece and lens caps



PRODUCT NUMBER	MODEL	RETAIL
52 80 07	18-45x65	\$1,799.99



ZEISS Precision Rings

Ultralight 1913 Mil-Std, STANAG-compliant Rings with Integral Anti-Cant Level – Aluminum 7075-T6

PRODUCT NUMBER	DESCRIPTION	RETAIL
2309 905	30 mm - LOW (.850 in. / 21.6 mm)	\$199.99
2309 906	30 mm - MEDIUM (1.0 in. / 25.4 mm)	\$199.99
2309 907	30 mm - HIGH (1.18 in. / 30 mm)	\$199.99
2345 660	30 mm - X-HIGH (1.375 in. / 34.9 mm)	\$199.99
2345 661	30 mm - XX-HIGH (1.5 in. / 38.1 mm)	\$199.99
2345 663	34 mm - LOW (1.0 in. / 25.4 mm)	\$219.99
2345 664	34 mm - MED (1.125 in./ 28.5 mm)	\$219.99
2345 665	34 mm - HIGH (1.375 in./ 34.9 mm)	\$219.99
2345 666	34 mm - X-HIGH (1.5 in. / 38.1 mm)	\$219.99
2309 918	36 mm - MEDIUM (1.06 in. / 27 mm)	\$219.99
2309 919	36 mm - HIGH (1.22 in. / 31 mm)	\$219.99



Closed Position



Observation Position



Shooter-Ready Position

ZEISS Flip-Up and Fold-Flat
Ocular and Objective Lens Covers

PRODUCT NUMBER	DESCRIPTION	RETAIL
2560 437	Ocular Cover (V4) - 1.735"	\$34.99
2560 468	Ocular Cover (S3) - 1.777"	\$34.99
2560 469	Ocular Cover (V6, V8, S5) - 1.813"	\$34.99
2560 470	Objective Cover 24 mm (V6, V8) - 1.181"	\$49.99
2560 471	Objective Cover 44 mm (V4) - 1.969"	\$49.99
2560 472	Objective Cover 50 mm (V4, V6, V8, S5) - 2.205"	\$49.99
2560 473	Objective Cover 56 mm (V4, V6, V8, S5) - 2.441"	\$49.99
2560 474	Objective Cover 50 mm (S3) - 2.365"	\$49.99
2560 476	Objective Cover 56 mm (S3) - 2.560"	\$49.99



Flip-Up Lens Covers*

PRODUCT NUMBER	DESCRIPTION	RETAIL
2152 898	30 mm	\$149.00
2105 737	50 mm	\$149.00
2105 798	56 mm	\$149.00
2173 926	60 mm	\$149.00

*Not for use with LRP S3 riflescope models.



Magnification Throw Lever

PRODUCT NUMBER	DESCRIPTION	RETAIL
2224 899	Conquest V6 and LRP S5	\$79.99
2248 168	Conquest V4	\$79.99



44 mm



50 mm



56 mm

ZEISS Sunshade

3-inch, matte black, thread-on for LRP S5, Conquest V4 and V6 models

PRODUCT NUMBER	DESCRIPTION	RETAIL
529860 0001	44 mm	\$39.99
529860 0002	50 mm	\$39.99
529860 0003	56 mm	\$39.99
000000 2525 172	50 mm – For LRP S3 models only	\$39.99
000000 2525 173	56 mm – For LRP S3 models only	\$39.99



ZEISS Soft Scope Cover**

Neoprene black with ZEISS logo. For additional protection.

PRODUCT NUMBER	DESCRIPTION	RETAIL
2231 631	Small (Fit: V8 30 mm, V4 and V6 24 mm)	\$29.99
2231 632	Medium (Fit: V4 44 mm, V4 and V6 50 mm Capped Turrets)	\$29.99
2231 633	Large (Fit: V4 and V6 50 mm External Turrets)	\$29.99
2231 634	X-Large (Fit: V8 56 mm and 60 mm, V4 56 mm, LRP Series)	\$29.99

**Not applicable when used with sunshades.



Tripod Mount 1/4"



Binofix Tripod Fixture



Adapter for 3x12 T*
Magnification Attachment

Mounts and Adapters

PRODUCT NUMBER	DESCRIPTION	RETAIL
52 83 87	Binofix Tripod Fixture suitable for all binocular models	\$218.49
52 83 88	Tripod Mount 1/4"	\$129.99
52 83 77	VICTORY FL / HT & CONQUEST HD Adapter for 3x12 Mono - Tripler 32 & 42 mm	\$25.64
52 83 79	CONQUEST HD Adapter for 3x12 Mono - Tripler, 56 mm	\$25.64



Bags and Straps

PRODUCT NUMBER	DESCRIPTION	RETAIL
2060 069	VICTORY SF - Field Case	\$49.99
2074 447	VICTORY HT 54 - Cordura Bag	\$34.99
2070 548	CONQUEST HD 32 mm - Cordura Bag	\$34.99
1976 008	CONQUEST HD 42 mm - Cordura Bag	\$34.99
2197 806	TERRA ED Pocket - Field Case	\$29.99
2196 165	TERRA ED 32 mm - Field Case	\$29.99
2196 167	TERRA ED 42 mm - Field Case	\$29.99
52 91 15	Binocular Harness - Premium	\$74.99
49 00 90	Binocular Harness - Standard	\$29.99
52 91 13	Air Cell Comfort Strap	\$47.49



DTI 6 Thermal Imaging Cameras Accessories

PRODUCT NUMBER	DESCRIPTION	RETAIL
52 70 21	20mm Lens (For a wider field-of-view)	\$599.99
52 70 22	40mm Lens (For maximum magnification)	\$899.99
2485 345	Charger	\$79.99
2450 741	Battery Pack	\$139.99

Tripods

PRODUCT NUMBER	DESCRIPTION	RETAIL
2169 972	Tripod Professional	\$599.99
2169 974	Long Balance Plate	\$39.99



Conquest Gavia 85 Accessories

PRODUCT NUMBER	DESCRIPTION	RETAIL
528345	CONQUEST Gavia 85 Astro Adapter	\$69.99
528348 9901	CONQUEST Gavia 85 Photo Lens Adapter M49	\$69.99
528348 9902	CONQUEST Gavia 85 Photo Lens Adapter M52	\$69.99
528348 9903	CONQUEST Gavia 85 Photo Lens Adapter M58	\$69.99
2169 979	CONQUEST Gavia 85 Stay-On Case	\$99.99




Victory Harpia Accessories

PRODUCT NUMBER	DESCRIPTION	RETAIL
528357 9901	VICTORY Harpia Photo Lens Adapter M49	\$79.99
528357 9902	VICTORY Harpia Photo Lens Adapter M52	\$79.99
528357 9903	VICTORY Harpia Photo Lens Adapter M58	\$79.99
2169 977	VICTORY Harpia 85 Stay-On Case	\$199.99
2169 976	VICTORY Harpia 95 Stay-On Case	\$199.99
2164 352	VICTORY Harpia Eyepiece Pouch, Neoprene	\$19.99

ZEISS Lens Care

PRODUCT NUMBER	DESCRIPTION	RETAIL
2127 990	Lens Care Kit - 2 oz	\$4.99
2127 721	ZEISS 60 ct. Box Lens Wipes	\$4.99
2451 375	ZEISS Anti-Fog Lens Wipes - 30 ct Box	\$5.99
2451 373	ZEISS Anti-Fog Defender Kit	\$6.99
2451 374	ZEISS Lens Wipes - 120 ct Box	\$7.49
2462 614	ZEISS Lens Wipes - 30 ct Box	\$2.99
2127 538	ZEISS Jumbo Microfiber Cleaning Cloth 12" x 16" (1 QTY)	\$2.99
2390 186	ZEISS Lens Cleaning Kit (1 oz bottle lens cleaning fluid, 10x moistened wipes, cleaning brush, air blaster, microfiber cloth, case)	\$29.99




RETICLE TYPE

RETICLE #

Plex-Style**6****NON-ILLUMINATED**

RIFLESCOPE(S)	Conquest V6 3-18x50	Conquest V6 5-30x50
Magnification	@ 18x	@ 30x
	MOA	MOA
Line Thickness A	0.21	0.10
Bar Thickness B	0.96	0.58
Dot Size C	N/A	N/A
Opening D	13.41	8.08




RETICLE TYPE

RETICLE #

Z-Plex**20****NON-ILLUMINATED**

RIFLESCOPE(S)	Conquest V4 3-12x44	Conquest V4 3-12x56	Conquest V4 4-16x44
Magnification	@ 12x	@ 12x	@ 16x
	MOA	MOA	MOA
Line Thickness A	0.17	0.17	0.13
Bar Thickness B	0.95	0.95	0.71
Dot Size C	N/A	N/A	N/A
Opening D	16.6	16.6	12.5

SFP = Second Focal Plane.



RETICLE TYPE


RETICLE #

Plex-Style with dot**60****ILLUMINATED**

RIFLESCOPE(S)	V8 1.1-8x30	V8 1.8-14x50	V8 2.8-20x56	V8 4.8-35x60
Magnification	@ 8x	@ 14x	@ 20x	@ 35x
	MOA	MOA	MOA	MOA
Line Thickness A	0.5	0.3	0.2	0.1
Bar Thickness B	2.1	1.2	0.9	0.5
Dot Size C	0.3	0.2	0.1	0.08
Opening D	34	19.5	14	8

RIFLESCOPE(S)	Conquest V6 1-6x24	Conquest V6 2-12x50
Magnification	@ 6x	@ 12x
	MOA	MOA
Line Thickness A	0.58	0.34
Bar Thickness B	2.85	1.72
Dot Size C	0.41	0.24
Opening D	40.05	24.07

RIFLESCOPE(S)	Conquest V4 3-12x56	Conquest V4 4-16x44	Conquest V4 6-24x50
Magnification	@ 12x	@ 16x	@ 24x
	MOA	MOA	MOA
Line Thickness A	0.34	0.21	0.14
Bar Thickness B	1.72	1.07	0.72
Dot Size C	0.24	0.24	0.16
Opening D	24.07	15	10




RETICLE TYPE

RETICLE #


ZF-MRi (FIRST FOCAL PLANE)**16****ILLUMINATED**

RIFLESCOPE	LRP S5 318-50	LRP S5 525-56
UNIT OF MEASURE	MRAD	
Line Thickness - A	0.04	0.03
Distance B		0.1
Distance C		0.2
Distance D		0.4
Distance E		0.6
Distance F		0.2
Distance G		0.2
Distance H		0.6
Dot Size I	0.05	0.04
Distance J		0.2
Distance K		0.5
Distance L		1.0
Standard Number Size M		0.3
Distance N		0.5
Distance O		0.2
Distance P		0.2



The reticle listed above is available in the **LRP S5 318-50** and **525-56** models.

FFP = First Focal Plane.




RETICLE TYPE


RETICLE #

ZF-MOai (FIRST FOCAL PLANE)**17****ILLUMINATED**

RIFLESCOPE	LRP S5 318-50	LRP S5 525-56
UNIT OF MEASURE	MOA	
Line Thickness - A	0.125	0.1
Distance - B		0.5
Distance - C		0.25
Distance - D		1.0
Distance - E		2.0
Distance - F		1.0
Distance - G		0.5
Distance - H		0.5
Standard Number Size - I		0.75
10, 20, 30 Number Size - J		1.0
Dot Size - K		0.125
Dot Spacing - L		2.0
Distance - M		1.5
Spacing around center cross - N		0.5
Distance - O		1.0
Distance - P		32



The reticle listed above is available in the **LRP S5 318-50** and **525-56** models.




RETICLE TYPE

RETICLE #


ZF-MRi (FIRST FOCAL PLANE)**16****ILLUMINATED**

RIFLESCOPE	LRP S3 425-50 and 636-56
UNIT OF MEASURE	MRAD
Line Thickness - A	0.03
Distance - B	0.1
Distance - C	0.2
Distance - D	0.4
Distance - E	0.6
Distance - F	0.2
Distance - G	0.2
Distance - H	0.6
Dot Size - I	0.04
Distance - J	0.2
Distance - K	0.5
Distance - L	1.0
Standard Number Size - M	0.3
Distance - N	0.5
Distance - O	0.2
Distance - P	0.2



The reticle listed above is available in the **LRP S3 425-50** and **636-56** models.

FFP = First Focal Plane.




RETICLE TYPE


RETICLE #

ZF-MOai (FIRST FOCAL PLANE)**17****ILLUMINATED**

RIFLESCOPE	LRP S3 425-50 and 636-56
UNIT OF MEASURE	MOA
Line Thickness - A	0.1
Distance - B	0.5
Distance - C	0.25
Distance - D	1.0
Distance - E	2.0
Distance - F	1.0
Distance - G	0.5
Distance - H	0.5
Standard Number Size - I	0.75
10, 20, 30 Number Size - J	1.0
Dot Size - K	0.125
Dot Spacing - L	2.0
Distance - M	1.5
Spacing around center cross - N	0.5
Distance - O	1.0
Distance - P	32



The reticle listed above is available in the **LRP S3 425-50** and **636-56** models.




RETICLE TYPE

RETICLE #

Mil-Dot
43
ILLUMINATED

RIFLESCOPE(S)	Victory V8 2.8-20x56	Victory V8 4.8-35x60
Magnification	@ 20x	@ 30x
	cm / 100 m	cm / 100 m
Line Thickness A	0.5 @ 20x	0.3 @ 30x
Bar Thickness B	2.5	1.7
Distance Between Dots	10	10
Dot Size C	2.0	1.3
Opening D	50	50
Illuminated Center Dot	0.3	0.24

SFP = Second Focal Plane.




RETICLE TYPE

RETICLE #

ZBR-1
91
NON-ILLUMINATED

RIFLESCOPE(S)	Conquest V6 5-30x50
Magnification	@ 25x
	MOA
Distance A	1
Distance B	5
Distance C	20
Distance D	4
Line Thickness E	0.14 @ 25x



RETICLE TYPE

RETICLE #


ZBR-2
92
NON-ILLUMINATED

RIFLESCOPE(S)	Conquest V6 3-18x50
Magnification	@ 18x
	MOA
Distance A	2
Distance B	10
Distance C	20
Distance D	4
Line Thickness E	0.19 @ 18x

PRICE LIST

ZEISS | 39






RETICLE TYPE

RETICLE #


ZBi**68****ILLUMINATED**

RIFLESCOPE	Conquest V4 4-16x44/50
Magnification	@ 16x
UNIT OF MEASURE	MOA
Line Thickness A	0.12
Distance B	0.25
Distance C	1.0
Distance D	2.0
Distance E	1.0
Number Height F	0.5
Distance G	0.5
Drop Indicator Height H	1.0
Line Spacing I	5.0
Drop Indicator Line Thickness J	0.06
Distance to Center of Number K	1.0
Distance L	30
Distance M	2.0
Spacing Around Center Cross N	1.0
Distance O	2.0
Distance P	0.5
Distance Q	1.0



The reticle listed above is available in the **Conquest V4 4-16x44** and the **4-16x50**.

SFP = Second Focal Plane.




RETICLE TYPE


RETICLE #

ZBi**68****ILLUMINATED**

RIFLESCOPE	Conquest V4 6-24x50
Magnification	@ 24x
UNIT OF MEASURE	MOA
Line Thickness A	0.12
Distance B	0.25
Distance C	1.0
Distance D	2.0
Distance E	1.0
Number Height F	0.5
Distance G	0.5
Drop Indicator Height H	1.0
Line Spacing I	5.0
Drop Indicator Line Thickness J	0.06
Distance to Center of Number K	1.0
Distance L	30
Distance M	2.0
Spacing Around Center Cross N	1.0
Distance O	2.0
Distance P	0.5
Distance Q	1.0



The reticle listed above is available in the **Conquest V4 6-24x50**.




RETICLE TYPE

RETICLE #

ZMOAi-1**93****ILLUMINATED**

RIFLESCOPE(S)	Conquest V4 4-16x50	Conquest V4 6-24x50
Magnification	@ 16x	@ 24x
	MOA	MOA
Distance A	1	1
Distance B	5	5
Distance C	20	20
Line Thickness D	0.14 @ 16x	0.14 @ 24x




RETICLE TYPE

RETICLE #

ZMOA-2**94****NON-ILLUMINATED**

RIFLESCOPE(S)	Conquest V6 3-18x50
Magnification	@ 18x
	MOA
Distance A	2
Distance B	10
Distance C	20
Line Thickness D	0.19 @ 18x




RETICLE TYPE

RETICLE #

ZMOA-1**93****NON-ILLUMINATED**

RIFLESCOPE(S)	Conquest V6 5-30x50
Magnification	@ 25x
	MOA
Distance A	1
Distance B	5
Distance C	20
Line Thickness D	0.14 @ 25x




RETICLE TYPE

RETICLE #

ZMOA-4**95****ILLUMINATED RED DOT**

RIFLESCOPE(S)	Conquest V6 1-6x24
Magnification	@ 6x
	MOA
Distance A	4
Distance B	20
Distance C	40
Dot Size D	0.38 @ 6x
Line Thickness E	0.53 @ 6x

SFP = Second Focal Plane.




RETICLE TYPE

RETICLE #

ZMOAi-T30**64****ILLUMINATED**

RIFLESCOPE	Conquest V4 4-16x44/50
Magnification	@ 16x
UNIT OF MEASURE	MOA
Line Thickness A	0.12
Distance B	0.5
Distance C	0.25
Distance D	1.0
Distance E	2.0
Distance F	1.0
Standard Number Height G	0.75
10, 20, 30 Number Height H	1.0
Dot Size I	0.12
Dot Spacing J	2.0
Distance K	4.0
Distance L	0.5
Distance M	0.5
Distance N	1.5
Distance O	32
Distance P	1.0
Spacing Around Center Cross Q	0.5




The **ZMOAi-T30** reticle is available in the **Conquest V4 4-16x44** and the **4-16x50**

SFP = Second Focal Plane.

PRICE LIST

ZEISS | 45




RETICLE TYPE

RETICLE


ZMOAi-T20**65****ILLUMINATED**

RIFLESCOPE	Conquest V4 6-24x50
Magnification	@ 24x
UNIT OF MEASURE	MOA
Line Thickness A	0.06
Distance B	0.5
Distance C	0.25
Distance D	1.0
Distance E	2.0
Distance F	1.0
Distance G	4.0
Standard Number Height H	0.75
10, 20 Number Height I	1.0
Dot Size J	0.12
Dot Spacing K	2.0
Distance L	1.5
Distance M	0.5
Distance N	0.5
Distance O	32
Distance P	1.0
Spacing around center cross Q	0.5



The **ZMOAi-T20** illuminated reticle is available in the **Conquest V4 6-24x50**

SFP = Second Focal Plane.




RETICLE TYPE

RETICLE

ZMOAi-20**89****ILLUMINATED**

RIFLESCOPE	Conquest V4 6-24x50
Magnification	@ 24x
UNIT OF MEASURE	MOA
Line Thickness A	0.12
Distance B	0.5
Distance C	0.25
Distance D	1.0
Distance E	2.0
Distance F	1.0
Distance G	4.0
Standard Number Height H	0.75
10, 20 Number Height I	1.0
Dot Size J	0.12
Dot Spacing K	2.0
Distance L	1.5
Distance M	0.5
Distance N	0.5
Distance O	32
Distance P	1.0
Spacing around center cross Q	0.5



The **ZMOAi-20** illuminated reticle is available in the **Conquest V4 6-24x50**



ZEISS Transferable Limited Lifetime Warranty and Transferable Five-Year No-Fault Policy

At ZEISS North America we back your Sports Optics purchase with a limited lifetime warranty as well as a 5-year no-fault policy – both fully transferable.

The warranty protects against defects in workmanship and materials in the Optical System for the life of the product, and in electronic components for five years from the date of purchase. Components (such as turrets) and accessories (such as lens caps) are warranted for one year from the date of purchase. If a ZEISS product has a defect covered by this warranty, we will either repair it, or replace it, with a new or reconditioned ZEISS product of comparable specifications. **Please note** that certain specialty products (such as stabilized binoculars and DTI thermal cameras) have shorter warranty periods.

ZEISS understands that accidents happen, so in addition to the limited lifetime warranty, we offer the added protection of our transferable Five-Year No-Fault Policy on **select Victory and Conquest products**. If you accidentally damage your product during normal and intended use within the first five years of the life of the product, we will either repair it, or replace it, at no cost to you.

To view the complete details of the Transferable ZEISS Limited Lifetime Warranty and Transferable Five-Year No-Fault Policy, please visit:
zeiss.com/consumer-products/us/service.html

Join the **ZEISS Hunting Community**.
Follow us online:



facebook.com/ZEISSHuntingUS



youtube.com/user/zeissportsoptics



[@ZEISSHunting](https://instagram.com/ZEISSHunting)

Customer Service

1-800-441-3005

info.sportoptics.us@zeiss.com

Carl Zeiss SBE, LLC
Consumer Products

zeiss.com/consumer-products/us/hunting.html

Pocket Catalog and Consumer Price List - Printed in USA 07/2023
Carl Zeiss SBE, LLC is not responsible for typographical errors, and we make every effort to ensure the accuracy of the information at time of printing. Products, prices, and specifications are subject to change without notice. Please visit zeiss.com/consumer-products/us/hunting.html for the most up-to-date product information.



Seeing beyond